





Play worlds



Play worlds

eibe Play world

Compact or large-scale, plain, or themed, wood or metal - the **eibe** play worlds offer bespoke play systems for every application.

On overview of the materials:

- high-pressure laminate (HPL): durable highly scratch-resistant laminate
- stainless steel (V2A): nickel-plated steel with chrome alloy
- hot-dip galvanized steel: metal parts with corrosion-resistant coating, with or without powder-coating
- pressure impregnated timber acc. to RAL  with the pith removed: top grade timber with 10 years' warranty against rot and fungus
- three-layer slab: three-layer wood slab for outdoor applications with environmentally friendly primer and finish coating
- Nets: Cables and nets made from armored rope which has a four-core steel cord solidly encased in polypropylene and guarantees optimum abrasion properties.

Detailed overview of materials from page 540.



Wood Quadra from page 131

Wood Circle from page 180

eibe

125.





**Play combinations
quadra**





Play combinations quadra

Playscapes quadra

eibe Play combinations Wood quadra: colorino, playo

This robust active and sand play equipment is particularly attractive for children up to 12 years of age.

The **eibe** Wood quadra play equipment is characterized by its unconventional ascents and its colorful design. This attractive play system has a convincing price/performance ratio.

An overview of the materials:

- stainless steel rungs
- HPL parapets (only colorino)
- stainless steel runthrough protections
- HPL climbing boards
- stainless steel hand rails
- climbing nets, natural colors
- HPL mountaineer ascent

- stainless steel arched ascent
- HPL shop board
- high-pressure laminate (HPL): durable highly scratch-resistant laminate
- stainless steel (V2A): non-corrosive nickel-plated steel with chrome alloy
- hot-dip galvanized steel: metal parts with corrosion-resistant coating, with or without powder-coating
- pressure impregnated timber acc. to RAL  with the pith removed: top grade timber with 10 years' warranty

against rot and fungus

- three-layer slab: three-layer wood slab for outdoor applications with environmentally friendly primer and finish coating
- Nets: cables and nets made from armoured rope, encased in polypropylene and having optimum abrasion values

Detailed overview of materials from page 540



quadra




eibe quadra colorino play combinations	from page 131
eibe quadra colorino hill installation	from page 153
eibe quadra colorino play	
combinations sand play	from page 155
eibe quadra playo play combinations	from page 156
eibe quadra playo hill installation	from page 171
eibe quadra playo play combinations sand play .	from page 174
eibe quadra colorino/playo system levels	from page 177
eibe quadra colorino/playo	
foundations, -- elevation	from page 177
eibe quadra colorino/playo overview	
of assemblies	from page 178


eibe

127.






5 46 060 5
elbe colorino Krk
see page 131




5 46 061 5
elbe colorino Rab
see page 131




5 46 050 5
elbe colorino Santorin
see page 132



5 46 062 5
elbe colorino Helena
see page 132



5 46 051 5
elbe colorino Andros
see page 133




5 46 052 5
elbe colorino Paros
see page 133



5 46 063 5
elbe colorino Cres
see page 134




5 46 064 5
elbe colorino Menorca
see page 134



5 46 065 5
elbe colorino Elba
see page 135




5 46 066 5
elbe colorino Hierro
see page 135



5 46 067 5
elbe colorino Malta
see page 136



5 46 068 5
elbe colorino Corsica
see page 136



5 46 053 5
elbe colorino Aruba
see page 137



5 46 069 5
elbe colorino Corsica with Roof
see page 138



5 46 070 5
elbe colorino Gomera
see page 139



5 46 071 5
elbe colorino Madeira
see page 140



5 46 072 5
elbe colorino Fuerteventura
see page 141




5 46 073 5
elbe colorino Tenerife
see page 142



5 46 054 5
elbe colorino Bonaire
see page 143



5 46 074 5
elbe colorino Kos
see page 144




5 46 055 5
elbe colorino Ischia
see page 145



5 46 056 5
elbe colorino Mauritius
see page 146



5 46 075 5
elbe colorino Samos
see page 147



5 46 057 5
elbe colorino Curacao
see page 148



5 46 058 5

elbe colorino Barbados
see page 149



5 46 059 5

elbe colorino Brac
see page 150



5 46 076 5

elbe colorino Korcula
see page 151



5 46 078 5

elbe colorino Majorca
see page 152

colorino


playo

playscapes quadra




5 46 049 5

elbe colorino Mykonos
see page 153



5 46 079 5

elbe colorino Corfu
see page 154




5 46 077 5

elbe colorino Building Site Ibiza
see page 155

colorino Integrative play


See pages 222 to 251 for colorino play systems that allow

children with special needs to play together with others.




5 46 080 5

elbe colorino Sicily




5 46 080 5

elbe colorino Sicily




5 45 450 5

elbe playo Vigo
see page 156




5 45 451 5

elbe playo Pontevedra
see page 156




5 45 452 5

elbe playo San Juan
see page 157



5 45 453 5

elbe playo La Plata
see page 157




5 45 454 5

elbe playo Bilbao
see page 158



5 45 455 5

elbe playo Merida
see page 158



5 45 457 5

elbe playo Santa Cruz
see page 159



5 45 458 5

elbe playo Santa Fe
see page 159



5 45 456 5

elbe playo Torre with Roof
see page 160



5 45 459 5

elbe playo Pamplona
see page 161

eibe

129.





5 45 460 5
elbe playo Alicante
see page 162




5 45 461 5
elbe playo Porto
see page 163



5 45 462 5
elbe playo Santa Ponsa
see page 164




5 45 463 5
elbe playo Barcelona
see page 165




5 45 464 5
elbe playo Cartagena
see page 166



5 45 465 5
elbe playo Tarragona
see page 167



5 45 466 5
elbe playo La Coruna
see page 168




5 45 467 5
elbe playo La Palma
see page 169



5 45 468 5
elbe playo Santiago
see page 170



5 45 473 5
elbe playo Granada
see page 171



5 45 474 5
elbe playo Zaragoza
see page 172



5 45 475 5
elbe playo Elephant Toledo
see page 173



5 45 469 5
elbe playo Building Site mini
see page 174





5 45 470 5
elbe playo Building Site midi
see page 175



5 45 471 5
elbe playo Building Site maxi
see page 176



5 46 060 5
eibe colorino
Krk 1:200



eibe colorino Krk

This inexpensive combination offers great sliding fun for children.

Play Value:

Climbing Sliding



quadra

Infobox:

Age range: 3 years and up
Minimum space: 741x410x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 1xPFs+4xCF or 5xCF
Assembly: 2 persons/2.5 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 25 m²

5 46 060 5

eibe colorino Krk

Scope of delivery / material data:

1 slide PH 145: GFRP 1 slide entry plate: HPL 3 rungs: stainless steel 3 runthrough protections: stainless steel 3 shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



quadra



5 46 061 5
eibe colorino
Rab 1:200



eibe colorino Rab

This compact climbing and sliding combination gets children's hearts beating with excitement.

Play Value:

Climbing Sliding
Dexterity Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 741x550x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 7xPF or 7xCF
Assembly: 2 persons/3 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 30,5 m²

5 46 061 5

eibe colorino Rab

Scope of delivery / material data:

1 slide PH 145: GFRP 1 slide entry plate: HPL 3 rungs: stainless steel 3 runthrough protections: stainless steel 2 climbing boards: HPL 1 mountain climbing ramp: pressure impr. pine Wood construction: pressure impregnated pinePost shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 602 0



Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

eibe





5 46 050 5

elbe colorino Santorin
1:200

elbe colorino Santorin

This inexpensive combination offers optimal sliding pleasure on two playing levels.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 741x410x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 25 m²

5 46 050 5

elbe colorino Santorin

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL 2 sloping runged ascents:
stainless steel, pressure impregnated pine
2 parapets: HPL
1 runthrough protection: stainless steel
Wood construction: pressure impregnated pinePost
shoes: hot-dip galvanized steel

5 63 070 0


Prefabricated Foundation

5 58 602 0



Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110




quadra



5 46 062 5

elbe colorino Helena
1:200



quadra

elbe colorino Helena

The play combination **elbe colorino** Helena is an extremely versatile climbing system for small areas.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 780x562x392 cm
Free falling height: 212 cm
Largest section: 150x137x12 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 8xPF or 5xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 30 m²

5 46 062 5

elbe colorino Helena


Scope of delivery / material data:

1 hanging slide: stainless steel
1 spiral ascent: stainless steel
3 rungs: stainless steel
4 runthrough protections: stainless steel
1 climbing net: plastic coated steel cable
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel



5 63 070 0

Prefabricated Foundation





Playscapes quadra



5 46 051 5

eibe colorino Andros
1:200

eibe colorino Andros

This versatile and exciting play system can even be scaled by the tiniest of children.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 690x410x290 cm
Free falling height: 110 cm
Largest section: 314x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 23 m²

5 46 051 5

eibe colorino Andros

Scope of delivery / material data:

1 slide PH 110: GFRP 1 slide entry plate: HPL
2 parapets: HPL
1 roof: pressure impregnated pine
1 runthrough protection: stainless steel
1 log ascent: pressure impregnated pine
1 sloping rung ascent: stainless steel, pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0


Prefabricated Foundation

5 58 600 0



Surcharge for straight add-on slide, stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110



5 46 052 5
eibe colorino
Paros 1:200



5 63 070 0

Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

eibe colorino Paros

This attractive play combination invites the children to sliding fun.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 741x410x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 25 m²

5 46 052 5

eibe colorino Paros


Scope of delivery / material data:

1 slide PH 145: GFRP 1 slide entry plate: HPL
2 parapets: HPL
1 runthrough protection: stainless steel
1 roof: pressure impregnated pine
2 sloping rung ascents: stainless steel, pressure impregnated pine
1 shop counter: HPL
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel


eibe

133.






5 46 063 5
elbe colorino
Cres 1:200




elbe colorino Cres

The Cres playscape requires very little space to meet the needs of even the most fastidious of little climbing artists.



5 46 064 5
elbe colorino
Menorca
1:200



elbe colorino Menorca

The play elements attached to the square sliding tower are particularly suitable for little climbing enthusiasts.

Play Value:

Sliding: Climbing
Dexterity: Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 799x635x350 cm
Free falling height: 170 cm

Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 9xPFs or 9xCF
Assembly: 2 persons/3 h
Ground constitution D: at least sand
Guaranteed safety:
Impact protection net: 34 m²

Guaranteed safety:
Impact protection net: 36,5 m²

Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 46 063 5

elbe colorino Cres

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 climbing boards: HPL
1 climbing pole: stainless steel
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 runthrough protection: stainless steel
1 roof: pressure impregnated pine

5 63 070 0


Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190



5 46 064 5

elbe colorino Menorca

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 climbing pole: stainless steel
2 runthrough protections: stainless steel
1 mountain climbing ascent: HPL
1 mountain climbing ramp: pressure impr. pine ..
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0



Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

**eibe colorino Elba**

The children have four ways to reach the platform before sliding back down to the ground again.

Play Value:


Climbing	Sliding
Body control	Hand climbing
Hand/leg coordination	Dexterity

Infobox:

Age range:	3 years and up
Minimum space:	799x768x325 cm
Free falling height:	145 cm
Largest section:	373x55x54 cm
Heaviest section:	45 kg
Replacement parts:	available
Foundations:	8xPF or 6xCF
Assembly:	2 persons/3 h
Ground constitution D:	at least lawn
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	36 m ²

5 46 065 5**eibe colorino Elba****Scope of delivery / material data:**

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 hanging slide: stainless steel
1 mountain climbing ascent: HPL
2 curved runged ladders: stainless steel
1 runthrough protection: stainless steel
1 wall element: HPL
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0**Prefabricated Foundation****5 58 602 0****Surcharge for straight add-on slide, stainless steel cover, PH 145****5 58 603 0****Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110**

5 46 066 5
eibe colorino
Hierro 1:200

**quadra****eibe colorino Hierro**

In a small space this compact sliding and climbing combination offers ideal conditions for climbing and movement for enthusiastic children.

Play Value:

Climbing	Sliding
Hand/leg coordination	Dexterity


Infobox:

Age range:	3 years and up
Minimum space:	818x495x343 cm
Free falling height:	145 cm
Largest section:	196x130x49 cm
Heaviest section:	45 kg
Replacement parts:	available
Foundations:	5xPF+4xCF or 7xCF
Assembly:	2 persons/3.5 h
Ground constitution D:	at least lawn
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	30,5 m ²

5 46 066 5**eibe colorino Hierro****Scope of delivery / material data:**

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 sloping, V-shaped net ascent: plastic coated steel cable
3 rungs: stainless steel
2 runthrough protections: stainless steel
1 chimney tunnel: stainless steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0**Prefabricated Foundation****5 58 602 0****Surcharge for straight add-on slide, stainless steel cover, PH 145****5 58 603 0****Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110**



5 46 067 5
elbe colorino
Malta 1:200

elbe colorino Malta


Small children are particularly attracted to the platform height of 110 cm.

Play Value:

Dexterity Body control
Hand climbing Climbing
Sliding



5 46 068 5
elbe colorino
Corsica 1:200



elbe colorino Corsica

The **elbe colorino** Corsica playscape is an item of combined play equipment that can be enjoyed by several children at the same time, thus promoting social contact.

Play Value:

Climbing Sliding
Creativity Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 715x628x370 cm
Free falling height: 190 cm
Largest section: 314x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 10xPFs or 7xCF
Assembly: 2 persons/4 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 31,5 m²

5 46 067 5

elbe colorino Malta

Scope of delivery / material data:

1 slide PH 110: GFRP
1 slide entry plate: HPL
1 rung: stainless steel
3 runthrough protections: stainless steel
1 hanging ladder: stainless steel, press. impr. pine
1 curved runged ladder: stainless steel
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 log ascent: pressure impregnated pine
1 parapet: HPL

1 parapet with turntable: HPL, Makrolon
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation


5 58 600 0

Surcharge for straight add-on slide, stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110

quadra



Infobox:

Age range: 3 years and up
Minimum space: 857x566x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 10xPF or 8xCF
Assembly: 2 persons/5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 34 m²

5 46 068 5

elbe colorino Corsica

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 arched ramp: pressure impregnated pine, stainless steel
1 wavy ascent: stainless steel
1 shop counter: HPL
2 parapets: HPL
1 parapet with portholes: HPL, Makrolon
3 runthrough protections: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



quadra



Playscapes quadra



eibe colorino Aruba

After reaching the summit, the children slide down the slide again to the bottom.

Play Value:

Climbing Sliding
Creativity Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 981x468x350 cm
Free falling height: 170 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 12xPF or 10xCF
Assembly: 2 persons/6 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 36 m²

5 46 053 5

eibe colorino Aruba

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 mountain climbing ramp: pressure impr. pine . .
2 parapets: HPL
1 climbing pole: stainless steel
2 runthrough protections: stainless steel
2 sloping runged ascents: stainless steel, pressure
impregnated pine
Wood construction: pressure impregnated pine . .
Post shoes: hot-dip galvanized steel

5 63 070 0


Prefabricated Foundation

5 58 602 0


Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110



5 46 053 5
eibe colorino
Aruba



eibe





eibe colorino Corsica with Roof

The **eibe colorino** Corsica playscape is a piece of combination play equipment that can be enjoyed by several children at the same time, thus promoting social contact. The roofed platform is a good place to have a break.

Play Value:

Climbing Sliding
Creativity Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 857x566x342 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 10xPF or 8xCF
Assembly: 2 persons/5.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 34 m²

5 46 069 5

eibe colorino Corsica with Roof

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 arched ramp: pressure impregnated pine, stainless steel
1 wavy ascent: stainless steel
1 shop counter: HPL
2 parapets: HPL
1 parapet with portholes: HPL, Makrolon
3 runthrough protections: stainless steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation


5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

quadra



5 46 069 5

eibe colorino Corsica with Roof








colorino

Playscapes quadra

Illustration does not correspond to the scope of delivery.



quadra



5 46 070 5
elbe colorino
Gomera
1:200

elbe colorino Gomera

In a small space the play system Gomera meets the needs of large and small children alike.

Play Value:

Climbing Sliding
Dexterity Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 918x570x392 cm
Free falling height: 212 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 10xPF or 8xCF
Assembly: 2 persons/6 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 36,5 m²

5 46 070 5

elbe colorino Gomera

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
2 parapets: HPL
1 runthrough protection: stainless steel
1 arched ramp: stainless steel
1 chimney tunnel: stainless steel
1 net ascent: plastic coated steel cable
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110



elbe

139.





quadra



eibe colorino Madeira

The various platform heights increase the attraction of playing on the Madeira play system.

Play Value:

Climbing Sliding
Dexterity Hand climbing
Body control Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 886x735x405 cm
Free falling height: 225 cm
Largest section: 373x55x54 cm
Heaviest section: 36 kg
Replacement parts: available
Foundations: 13xPF or 11xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 43 m²

5 46 071 5

eibe colorino Madeira

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
3 parapets: HPL
3 runthrough protections: HPL
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 wavy ascent: stainless steel
2 rungs: stainless steel
1 hanging ladder: stainless steel, pressure impregnated pine
2 climbing boards: HPL
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 602 0



Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



5 46 071 5

eibe colorino Madeira
1:200







colorino



quadra



5 46 072 5
elbe colorino
Fuerteventura



Playscapes quadra

elbe colorino Fuerteventura

A small space is sufficient for erecting this versatile playscape with different levels of difficulty for the various learning phases of the children.

Play Value:

Crawling Concentration
Climbing Dexterity
Hand/leg coordination Sliding
Promoting balance

Infobox:

Age range: 3 years and up
Minimum space: 1063x594x378 cm
Free falling height: 198 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 13xPF or 11xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: TÜV GS
Impact protection net: 43 m²

5 46 072 5

elbe colorino Fuerteventura

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 parapet: HPL
1 parapet with portholes: HPL, Makrolon
6 safety barriers: stainless steel
1 log ascent: pressure impregnated pine
1 spiral stair ascent: stainless steel, HPL
3 climbing boards: HPL
3 rungs: stainless steel
1 wobbly arched bridge: hot-dip galvanised steel,
pressure impregnated pine, stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide,
stainless steel cover, PH 190


5 58 605 0

Surcharge for straight stainless steel
slide, PH 190

eibe

141.





quadra



eibe colorino Tenerife

This sophisticated climbing system has everything to suit every taste and is ideal as a social meeting point.

Play Value:

Climbing Promoting balance
Concentration Dexterity
Sliding Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 867x905x395 cm
Free falling height: 198 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 16xPF or 12xCF5 58 605 0
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 49 m²

5 46 073 5

eibe colorino Tenerife

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
5 safety barriers: stainless steel
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 spiral stair ascent: stainless steel, HPL
1 V-shaped bridge: hot-dip galvanised steel, stainless steel, pressure impregnated pine
1 sloping V-shaped net ascent: plastic coated steel cable
2 climbing boards: HPL
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanised steel

5 63 070 0


Prefabricated Foundation

5 58 604 0




Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190



5 46 073 5
eibe colorino
Tenerife

**quadra****elbe colorino Bonaire**

The various ascent possibilities make this play system especially attractive.

Play Value:

Climbing	Sliding
Body control	Hand climbing
Hand/leg coordination	Dexterity

Infobox:

Age range:	3 years and up
Minimum space:	.907x741x343 cm
Free falling height:	145 cm
Largest section:	.373x55x54 cm
Heaviest section:	.60 kg
Replacement parts:	available
Foundations:	15xPF or 11xCF
Assembly:	2 persons/8 h
Ground constitution D:	at least lawn
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	44 m ²

5 46 054 5**elbe colorino Bonaire****Scope of delivery / material data:**


1 slide PH 145: GFRP	
1 slide entry plate: HPL	
4 parapets: HPL	
1 arched ramp: pressure impregnated pine, stainless steel	
2 runthrough protections: stainless steel	
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine	
2 sloping runged ascents: stainless steel, pressure impregnated pine	
1 chimney tunnel: stainless steel	
1 roof: pressure impregnated pine	
Wood construction: pressure impregnated pine	
Post shoes: hot-dip galvanized steel	

5 63 070 0**Prefabricated Foundation****5 58 602 0**

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



eibe colorino Kos

On this combined sliding and climbing play system, ambitious children can reach the fun slides by two routes: either directly through the chimney tunnel or by the longer route across the V-shaped bridge.

Play Value:

Climbing Concentration
Dexterity Sliding
Promoting balance Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 1062x767x402 cm
Free falling height: 222 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 13xPF or 9xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: TÜV GS
Impact protection net: 46,5 m²

5 46 074 5

eibe colorino Kos

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
3 safety barriers: stainless steel
3 climbing plates: HPL
1 playboard Theo's goal board: MDF exterior, pressure impregnated pine
1 spiral stair ascent: stainless steel, HPL
1 chimney tunnel: stainless steel
1 climbing pole: stainless steel
1 V-shaped bridge: hot-dip galvanised steel, stainless steel, pressure impregnated pine
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



quadra



5 46 074 5
eibe colorino
Kos



Playscapes quadra

eibe colorino Ischia

The playscape Ischia has been created for active children and encourages build-up of strength and concentration.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 1181x610x405 cm
Free falling height: 225 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 51,5 m²

5 46 055 5

eibe colorino Ischia

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
4 parapets: HPL
1 mountain climbing ramp: pressure impr. pine .
1 climbing net: plastic coated steel cable
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine
1 hanging ladder: stainless steel, pressure impregnated pine
2 rungs: stainless steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine .
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation




5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

quadra



5 46 055 5

eibe colorino Ischia
1:200

eibe

145.





eibe colorino Mauritius

This play system impresses through its challenging ascents and cross-over elements.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 908x781x392 cm
Free falling height: 212 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 15xPFs or 13xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 45 m²

5 46 056 5

eibe colorino Mauritius

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
3 parapets: HPL
2 safety barriers: stainless steel
1 mountain climbing ramp: pressure impr. pine ..
1 climbing net: plastic coated steel cable
1 climbing pole: stainless steel
2 sloping runged ascents: stainless steel, pressure impregnated pine
1 V-shaped bridge: hot-dip galvanised steel, stainless steel, pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanised steel

5 63 070 0

Prefabricated Foundation



5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

 quadra



Right to change design without notice reserved




colorino



Playscapes quadra

quadra



5 46 075 5
elbe colorino
Samos



elbe colorino Samos

This expansive playscape impresses through its array of various climbing elements for children of all ages.

Play Value:

Climbing Concentration
Sliding Dexterity
Crawling Promoting balance
Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 815x902x378 cm
Free falling height: 198 cm
Largest section: 459x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 19xPF or 13xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  48 m²
Impact protection net: 48 m²

5 46 075 5

elbe colorino Samos

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
9 runthrough protections: stainless steel
1 mountain climbing ramp: pressure impr. pine. .
1 sloping V-shaped net ascent: plastic coated steel cable
1 wobbly arched bridge: hot-dip galvanized steel, pressure impregnated pine.
1 spiral ascent: stainless steel.
3 climbing boards: HPL
2 stem ascents: pressure impregnated pine.
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190

elbe





elbe colorino Curacao

The various ascents and platform heights provide the children with very special play challenges.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 931x528x343 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 16xPF or 12xCF5 58 605 0
Assembly: 2 persons/8 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 37 m²

5 46 057 5

elbe colorino Curacao

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
4 runthrough protections: stainless steel
5 parapets: HPL
3 rungs: stainless steel
1 wobbly arched bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine
1 sloping rung ascent: stainless steel, pressure impregnated pine
1 stem ascent: pressure impregnated pine
1 shop counter element: HPL
2 small children runthrough protections: HPL
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0


Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



quadra



5 46 057 5
elbe colorino
Curacao






quadra



5 46 058 5
eibe colorino
Barbados



colorino



Playscapes quadra

eibe colorino Barbados

Children can test their dexterity on the various climbing elements, improve their sense of balance on the wobbly bridge and strengthen their muscles on the horizontal bars.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 908x744x392 cm
Free falling height: 212 cm
Largest section: 187x130x47 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 8xPFs+2xCF or 12xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 50 m²

5 46 058 5

eibe colorino Barbados

Scope of delivery / material data:

5 parapets: HPL
3 runthrough protections: stainless steel
5 rungs: stainless steel
1 climbing pole: stainless steel
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 stem ascent: pressure impregnated pine
1 climbing net: plastic coated steel cable
2 horizontal bars: stainless steel
1 mountain climbing ramp: pressure impr. pine ..
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine
2 small children runthrough protections: HPL ...
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

eibe



eibe colorino Brac

This expansive playscape pleases due to its numerous climbing, balancing and gymnastic elements.

Play Value:

Climbing Sliding
Body control Hand climbing
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 1075x968x405 cm
Free falling height: 225 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 26xPFs+2xCF or 24xCF
Assembly: 2 persons/14 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 74,5 m²

5 46 059 5

eibe colorino Brac

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
8 parapets: HPL
1 mountain climbing ramp: pressure impr. pine ..
1 hanging ladder: stainless steel, pressure impregnated pine
1 climbing pole: stainless steel
2 rungs: stainless steel
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine
1 climbing net: plastic coated steel cable
2 sloping rung ascents: stainless steel, pressure impregnated pine
1 stem ascent: pressure impregnated pine.
2 shop counter elements: HPL
2 horizontal bars: stainless steel
2 small children runthrough protections: HPL ...
2 roofs: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0



Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145


5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110







quadra



Playscapes quadra



5 46 076 5

eibe colorino Korcula
1:200

eibe colorino Korcula

Interesting play elements arranged in a semicircle satisfy all the movement wishes of the children.

Play Value:

Climbing Sliding
Hand climbing Concentration
Promoting balance Body control
Dexterity Crawling
Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 1204x1122x396 cm
Free falling height: 198 cm
Largest section: 459x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 30xPF or 18xCF
Assembly: 2 persons/20 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 80 m²

5 46 076 5

eibe colorino Korcula

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
14 runthrough protections: stainless steel
1 hand climbing slide: stainless steel
1 wobbly arched bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine
1 mountain climbing ramp: pressure impr. pine
1 V-shaped bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine
1 wobbly bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine
3 climbing boards: HPL
5 rungs: stainless steel
1 chimney tunnel: stainless steel
1 sloping V-shaped net ascent: plastic coated steel cable
1 stem ascent: pressure impregnated pine
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190

eibe

151.





quadra

elbe colorino Majorca

This play equipment is divided into two: the rest area for sand play and the active zone for roaming and climbing.

Play Value:

Climbing Body control
Hand/leg coordination Dexterity
Hand climbing Promoting balance
Crawling Creativity
Experimentation

Infobox:

Age range: 3 years and up
Minimum space: 1049x736x405 cm
Free falling height: 225 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 26xPF or 22xCF
Assembly: 2 persons/15 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 50 m²

5 46 078 5



elbe colorino Majorca

Scope of delivery / material data:

5 parapets: HPL
3 runthrough protections: stainless steel
1 parapet with porthole: HPL, Makrolon
1 mountain climbing ramp: pressure impr. pine
1 hand climbing ladder: stainless steel, pressure impregnated pine
7 rungs: stainless steel
1 V-shaped bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine.
2 climbing boards: HPL
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 stem ascent: pressure impregnated pine.
1 sand lift: rubber, hot-dip galvanized steel.
1 small ramp: pressure impregnated pine
1 suspended track for sand transport: stainl. steel
1 sand silo: stainless steel
1 small children runthrough protection: HPL
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation




5 46 078 5

elbe colorino Majorca 1:200




colorino

Play worlds quadra hill installation



quadra



5 46 049 5

eibe colorino Mykonos
1:200

eibe colorino Mykonos

Whether over the slopes or across the various ascents - this playscape just needs to be scaled.

We will be pleased to help you select the suitable impact attenuating material for the hill area.

Play Value:

Climbing Sliding
Hand climbing Concentration
Promoting balance Body control
Dexterity Crawling
Hand/leg coordination Infobox:
Age range: 3 years and up
Minimum space: 745x607x342 cm
Free falling height: 145 cm
Largest section: 90x86x255 cm

Heaviest section: 75 kg
Replacement parts: available
Foundations: 13xPF or 11xCF
Assembly: 2 persons/6 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  36 m²
Impact protection net: 36 m²

5 46 049 5

eibe colorino Mykonos

Scope of delivery / material data:

4 parapets: HPL
1 runthrough protection: stainless steel
1 V-shaped bridge: hot-dip galvanized steel,
stainless steel, pressure impregnated pine
1 arched ramp: stainless steel
1 chimney tunnel: stainless steel
1 net ascent: plastic coated steel cable
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

eibe

153.





elbe colorino Corfu

Whether it be simply sliding or exploring the rest of the playscape, the **elbe colorino** Corfu, built on a slope, is simply great fun. We will be pleased to help you select the suitable impact attenuating material for the hill area.

Play Value:

Sliding..... Climbing
Dexterity..... Concentration
Hand/leg coordination..... Body control
Promoting balance.....

Infobox:

Age range:..... 3 years and up
Minimum space:..... 1089x897x350 cm
Free falling height:..... 170 cm
Largest section:..... 459x55x54 cm
Heaviest section:..... 80 kg
Replacement parts:..... available
Foundations:..... 24xPF or 16xCF
Assembly:..... 2 persons/15 h
Ground constitution D:..... at least sand
Ground const. except D:..... at least sand
Guaranteed safety:..... TÜV GS
Impact protection net:..... 67,5 m²

5 46 079 5

elbe colorino Corfu

Scope of delivery / material data:

1 slide PH 190: GFRP.....
1 slide entry plate: HPL.....
3 parapets: HPL.....
1 parapet with turntable: HPL, Makrolon.....
3 runthrough protections: stainless steel.....
1 climbing pole: stainless steel.....
1 mountain climbing ramp: pressure impr. pine.....
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine.....
1 chimney tunnel: stainless steel.....
1 V-shaped bridge: hot-dip galvanized steel, stainless steel, pressure impregnated pine.....
1 sloping runged ascent: stainless steel, pressure impregnated pine.....
2 climbing boards: HPL.....
1 roof: pressure impregnated pine.....
Wood construction: pressure impregnated pine.....
Post shoes: hot-dip galvanized steel.....

5 63 070 0

Prefabricated Foundation

5 58 604 0



Surcharge for straight add-on slide, stainless steel cover, PH 190



5 58 605 0

Surcharge for straight stainless steel slide, PH 190



quadra





elbe colorino Building Site Ibiza

On this compact playscape children just love baking sand cakes, playing with mud or sieving stones out of the sand.

Play Value:

Experimentation. Creativity
Mud play.

Infobox:

Age range: 3 years and up
Minimum space: 294x237x238 cm
Free falling height: 58 cm
Largest section: 123x123x12 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 12xPFs or 6xCF
Assembly: 2 persons/5 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety: TÜV GS
Impact protection net: -

5 46 077 5

elbe colorino Building Site Ibiza


Scope of delivery / material data:

1 parapet: HPL
1 parapet with hole: HPL
1 runthrough protection: stainless steel
1 sand lift: stainless steel, rubber
1 delivery chute: pressure impregnated pine
1 mud play basin: stainless steel
1 ramp: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel


5 63 070 0

Prefabricated Foundation

 **quadra**





5 46 081 5
elbe colorino Karpathos



5 46 080 5
elbe colorino Sicily

colorino Integrative play See pages 222 to 251 for colorino play systems that allow children with special needs to play together with others.





5 46 077 5

elbe colorino Building Site Ibiza

eibe

155.





5 45 450 5
elbe playo Vigo
1:200

elbe playo Vigo

This compact playscape offers both climbing and hand climbing fun.

Play Value:

Climbing Dexterity
Concentration Body control
Hand climbing

Infobox:

Age range: 3 years and up
Minimum space: 655x540x395 cm
Free falling height: 215 cm
Largest section: 220x90x8 cm
Heaviest section: 30 kg
Replacement parts: available
Foundations: 9xPFs or 7xCF
Assembly: 2 persons/2.5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 30 m²

5 45 450 5


elbe playo Vigo

Scope of delivery / material data:


1 V-shaped net ascent: plastic coated steel cable
8 climbing boards: HPL
1 rung ladder: pressure impr. pine, stainl. steel
1 hanging ladder: pressure impregnated pine, stainless steel
1 runthrough protection: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



quadra



5 45 451 5
elbe playo Pontevedra
1:200

elbe playo Pontevedra

The height difference to the platform of this compact playscape can be surmounted in various ways.

Play Value:

Climbing Sliding
Hand/leg coordination Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 556x538x350 cm
Free falling height: 170 cm
Largest section: 163x90x8 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 6xPFs+3xCF or 7xCF
Assembly: 2 persons/2.5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 22 m²

5 45 451 5


elbe playo Pontevedra


Scope of delivery / material data:

1 V-shaped net ascent: plastic coated steel cable
1 sloping rung ascent: pressure impregnated pine, stainless steel
2 safety barriers: stainless steel
2 Wall elements: three-layer board
1 climbing pole: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0


Prefabricated Foundation





quadra

playo



5 45 452 5

eibe playo San Juan
1:200

Playscapes quadra

eibe playo San Juan

The compact **eibe playo** San Juan promotes communication and social interaction.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 741x410x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/3.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 25 m²

5 45 452 5

eibe playo San Juan

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
2 sloping rung ascents: stainless steel, pressure impregnated pine
2 parapets: three-layer board
1 safety barrier: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanised steel

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation



quadra



5 45 453 5

eibe playo La Plata
1:200

eibe playo La Plata

The economical and compact **eibe playo** La Plata equipment offers an array of possibilities for play in confined areas.

Play Value:

Climbing Dexterity
Hand/leg coordination Sliding

Infobox:

Age range: 3 years and up
Minimum space: 786x513x396 cm
Free falling height: 215 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 4xPFs+4xCF or 8xCF
Assembly: 2 persons/3 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 29,5 m²

5 45 453 5

eibe playo La Plata

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
2 sloping rung ascents: stainless steel, pressure impregnated pine
3 climbing boards: HPL
1 climbing pole: stainless steel
1 safety barrier: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanised steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



5 63 070 0

Prefabricated Foundation

eibe

157.





5 45 454 5

eibe playo Bilbao
1:200

eibe playo Bilbao

The **eibe playo** Bilbao climbing and sliding equipment offers maximum fun in the smallest of spaces.

Play Value:

Climbing Dexterity
Hand/leg coordination Sliding



Infobox:

Age range: 3 years and up
Minimum space: 794x695x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 10xPFs or 6xCF
Assembly: 2 persons/3.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 30,5 m²

5 45 454 5

eibe playo Bilbao

Scope of delivery / material data:

1 slide PH 145: GFRP
2 parapets: three-layer board
1 slide entry plate: three-layer board
1 sloping rung ascent: pressure impregnated pine, stainless steel
2 climbing boards: HPL
4 safety barriers: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanised steel

5 58 602 0



Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation



5 45 455 5

eibe playo Merida
1:200

eibe playo Merida

The **eibe playo** Merida playscape is a variable combination for small areas.

Play Value:

Dexterity Body control
Hand climbing Climbing
Sliding Concentration
Promoting balance



Infobox:

Age range: 3 years and up
Minimum space: 691x536x405 cm
Free falling height: 225 cm
Largest section: 220x90x8 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 9xPFs or 7xCF
Assembly: 2 persons/4 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 28,5 m²

5 45 455 5

eibe playo Merida




Scope of delivery / material data:

2 parapets: three-layer board
1 hanging ladder: pressure impregnated pine,
stainless steel
2 rungs: stainless steel
1 wobbly rung ladder: stainl. steel, powder-
coated, pressure impregnated pine
1 roof: three-layer board
2 runthrough protections: stainless steel, powder-
coated
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation





5 45 457 5

eibe playo Santa Cruz
1:200**eibe playo Santa Cruz**

The height of the **eibe playo** play system enables adults to help children when climbing.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 690x410x290 cm
Free falling height: 110 cm
Largest section: 314x55x54 cm
Heaviest section: 35 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/3.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 23 m²

5 45 457 5

eibe playo Santa Cruz**Scope of delivery / material data:**

1 slide PH 110: GFRP
1 slide entry plate: three-layer board
2 parapets: three-layer board
1 safety barrier: stainless steel
1 roof: three-layer board
1 sloping rung ascent: pressure impregnated pine, stainless steel
1 stem ascent: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanised steel



5 58 600 0

Surcharge for straight add-on slide, stainless steel cover, PH 110


5 58 601 0

Surcharge for straight stainless steel slide, PH 110

5 63 070 0

Prefabricated Foundation

5 45 458 5

eibe playo Santa Fe
1:200**eibe playo Santa Fe**

This compact playscape can be used by several children at the same time, thus promoting social interaction.

Play Value:

Climbing Sliding

Infobox:

Age range: 3 years and up
Minimum space: 741x410x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 8xPF or 6xCF
Assembly: 2 persons/3.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 25 m²

5 45 458 5

eibe playo Santa Fe**Scope of delivery / material data:**

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
2 sloping rung ascents: pressure impregnated pine, stainless steel
1 shop counter: HPL
1 roof: three-layer board
2 parapets: three-layer board
1 safety barrier: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanised steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation



eibe playo Torre with Roof

The inexpensive and compact **eibe playo Torre with Roof** equipment offers an array of possibilities for play in the smallest of spaces.

Play Value:

Climbing Dexterity
Hand/leg coordination Sliding

Infobox:

Age range: 3 years and up
Minimum space: 897x588x431 cm
Free falling height: 268 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 4xPFs+4xCF or 8xCF
Assembly: 2 persons/3.5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 37 m²

5 45 456 5

eibe playo Torre with Roof

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: three-layer board
4 climbing boards: HPL
1 sloping runged ascent: pressure impregnated pine, stainless steel
1 climbing pole: stainless steel
1 roof: three-layer board
1 runthrough protection: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190


5 58 605 0

Surcharge for straight stainless steel slide, PH 190

5 63 070 0



Prefabricated Foundation

quadra





5 45 456 5

eibe playo
Torre with
Roof





5 45 459 5
eibe playo
Pamplona



eibe playo Pamplona

An array of climbing and hand climbing elements can be used to climb up to the platform under the roof before sliding down the pole back to the ground again.

Play Value:

Dexterity Body control
Hand-over-hand climbing Climbing
Hand/leg coordination Sliding

Infobox:

Age range: 3 years and up
Minimum space: 692x683x405 cm
Free falling height: 225 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 15xPF or 11xCF
Assembly: 2 persons/5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 36,5 m²

5 45 459 5

eibe playo Pamplona

Scope of delivery / material data:

2 hanging ladders: pressure impregnated pine, stainless steel
2 rung elements: stainless steel
1 mountain climbing ramp: pressure impr. pine. .
1 climbing pole: stainless steel
3 runthrough protections: stainless steel
2 climbing boards: HPL
1 roof: three-layer board
1 V-shaped net ascent: plastic coated steel cable
Wood construction: pressure impregnated pine . .
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation





elbe playo Alicante

This attractive **elbe playo** playscape invites children to exercise in various ways. Overcoming the challenges gives the children a feeling of success and self-confidence.

Play Value:

Sliding: Climbing
Hand/leg coordination Dexterity
Promoting a sense of balance Concentration

Infobox:

Age range: 3 years and up
Minimum space: 899x835x392 cm
Free falling height: 212 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 17xPFs or 15xCF
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 48 m²

5 45 460 5

elbe playo Alicante

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 V-shaped net ascent: plastic coated steel cable, stainless steel
1 climbing pole: stainless steel
1 V-shaped bridge: hot-dip galvanized steel, pressure impregnated pine
1 sloping runged ascent: pressure impregnated pine, stainless steel
1 climbing net: plastic coated steel cable
2 climbing boards: HPL
3 parapets: three-layer board
3 runthrough protections: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation



quadra



5 45 460 5
elbe playo
Alicante

**eibe playo Porto**

Climbing, balancing, hand climbing and sliding – all children enjoy roaming on the **eibe playo Porto** playscape.

Play Value:

Hand/leg coordination Climbing
Dexterity Concentration
Body control Sliding
Hand climbing Promoting a sense of balance

Infobox:

Age range: 3 years and up
Minimum space: 1181x610x392 cm
Free falling height: 212 cm
Largest section: 373x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 51,5 m²

5 45 461 5**eibe playo Porto****Scope of delivery / material data:**

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 mountain climbing ramp: pressure impr. pine
1 climbing net: plastic coated steel cable
1 wobbly bridge: hot-dip galvanized steel,
powder-coated, pressure impregnated pine
1 hanging ladder: pressure impregnated pine,
stainless steel
2 rungs: stainless steel
4 parapets: three-layer board
1 runthrough protection: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 58 602 0


**Surcharge for straight add-on slide,
stainless steel cover, PH 145**

5 58 603 0

**Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH T10**

5 63 070 0

Prefabricated Foundation

**quadra****5 45 461 5**

eibe playo Porto
1:200

eibe



eibe playo Santa Ponsa

On this **eibe playo** playscape, small children and older children can play together.

Play Value:

Hand/leg coordination Climbing
Dexterity Body control
Hand climbing Sliding
Promoting balance

Infobox:

Age range: 3 years and up
Minimum space: 908x781x405 cm
Free falling height: 225 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 17xPFs or 15xCF
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 52 m²

5 45 462 5

eibe playo Santa Ponsa

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 mountain climbing ramp: pressure impr. pine ..
1 climbing net: plastic coated steel cable
1 climbing pole: stainless steel
1 roof: three-layer board
1 hanging ladder: pressure impregnated pine, stainless steel
2 rungs: stainless steel
2 sloping runged ascents: pressure impregnated pine, stainless steel
1 V-shaped bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine
2 runthrough protections: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0


Prefabricated Foundation




quadra



Right to change design without notice reserved



5 45 463 5
eibe playo
Barcelona



playscapes quadra

eibe playo Barcelona

The sliding tower of the **eibe playo** Barcelona playscape can only be reached by crossing the net bridge from the climbing tower, thus promoting a sense of balance and dexterity.

Play Value:

Promoting balance Climbing
Concentration Dexterity
Hand/leg coordination Sliding

Infobox:

Age range: 3 years and up
Minimum space: 1149x751x349 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 16xPFs or 10xCF
Assembly: 2 persons/15 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 47,5 m²

5 45 463 5

eibe playo Barcelona

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 wobbly arched bridge: hot-dip galvanized steel,
powder-coated, pressure impregnated pine.
2 climbing boards: HPL
1 chimney tunnel: stainless steel
1 V-shaped bridge: hot-dip galvanized steel,
powder-coated, pressure impregnated pine.
1 roof: three-layer board
6 parapets: three-layer board.
2 runthrough protections: stainless steel
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 58 602 0

Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation





eibe playo Cartagena

Various types of ascents and descents lead via several levels up to the sliding platform. All of these movement activities are great fun and a challenge for the children.

Play Value:

Sliding..... Climbing
Promoting balance..... Concentration
Crawling..... Creativity

Infobox:

Age range:..... 3 years and up
Minimum space:..... 931x528x325 cm
Free falling height:..... 145 cm
Largest section:..... 373x55x54 cm
Heaviest section:..... 45 kg
Replacement parts:..... available
Foundations:..... 16xPF or 12xCF5 58 605 0
Assembly:..... 2 persons/9 h
Ground const. except D:..... at least sand
Guaranteed safety:..... TÜV GS
Impact protection net:..... 37 m²

5 45 464 5

eibe playo Cartagena

Scope of delivery / material data:

1 slide PH 145: GFRP.....
1 slide entry plate: three-layer board.....
1 wobbly arched bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine.....
1 sloping rung ascent: pressure impregnated pine, stainless steel.....
1 stem ascent: pressure impregnated pine.....
3 rungs: stainless steel.....
1 shop counter: HPL.....
1 runthrough protection: stainless steel.....
3 runthrough protections: three-layer board.....
2 runthrough protections for small children: three-layer board.....
5 parapets: three-layer board.....
1 painting board: Durostone.....
1 roof: three-layer board.....
Wood construction: pressure impregnated pine.....
Post shoes: hot-dip galvanized steel.....

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0


Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0



Prefabricated Foundation



quadra




5 45 464 5
eibe playo
Cartagena
1:100





quadra

5 45 465 5
eibe playo
Tarragona
1:100



Playscapes quadra

eibe playo Tarragona

On the various climbing elements of this playscape, children can test their dexterity. The wobbly bridge trains their sense of balance, while the horizontal bars strengthen their muscles.

Play Value:

Climbing Sliding
Promoting balance Concentration
Dexterity Body control
Gymnastics Power training
Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 908x744x395 cm
Free falling height: 215 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 18xPFs+2xCF or 18xCF
Assembly: 2 persons/15 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 50 m²

5 45 465 5

eibe playo Tarragona

Scope of delivery / material data:

3 climbing boards: HPL
1 climbing pole: stainless steel
1 sloping rung ascent: pressure impregnated pine, stainless steel
1 stem ascent: pressure impregnated pine
1 mountain climbing ramp: pressure impr. pine
1 climbing net: plastic coated steel cable
1 wobbly bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine
2 horizontal bars: stainless steel
1 roof: three-layer board
5 parapets: three-layer board
2 runthrough protections: stainless steel
1 runthrough protection: three-layer board
1 runthrough protection for small children: three-layer board
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

eibe





eibe playo La Coruna

This **eibe playo** playscape with slide is characterized by its countless sophisticated ascents and descents - a high fun factor is guaranteed.

Play Value:

Climbing Sliding
Promoting balance Dexterity
Concentration Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 1149x765x344 cm
Free falling height: 164 cm
Largest section: 373x55x54 cm
Heaviest section: 100 kg
Replacement parts: available
Foundations: 20xPFs or 12xCF
Assembly: 2 persons/10 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 52 m²

5 45 466 5

eibe playo La Coruna

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 chimney tunnel: stainless steel
1 climbing pole: stainless steel
1 wobbly arched bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine
1 V-shaped bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine
1 V-shaped net ascent: plastic coated steel cable
5 parapets: three-layer board
2 runthrough protections: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0


Surcharge for straight, stainless steel add-on slide with Simple Slide, PH 110

5 63 070 0


Prefabricated Foundation



quadra




5 45 466 5
eibe playo
La Coruna
1:100







quadra



5 45 467 5
eibe playo
La Palma
1:100



Playscapes quadra

eibe playo La Palma

The **eibe playo** La Palma playscape is a combined item of play equipment for sliding, climbing and role-play.

Play Value:

Climbing Sliding
Experimentation Creativity
Gymnastics Body control
Power training Dexterity

Infobox:

Age range: 3 years and up
Minimum space: 958x610x361 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 14xPFs+1xCF or 11xCF
Assembly: 2 persons/10 h
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 41,5 m²

5 45 467 5

eibe playo La Palma

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 rung ladder: pressure impregnated pine, stainless steel
2 sloping rung ascents: pressure impregnated pine, stainless steel
1 horizontal bars: stainless steel
2 shop counters: HPL
1 drawing board: GFRP, green.
1 roof: three-layer board
9 parapets: three-layer board.
2 safety barriers: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanised steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation

eibe





eibe playo Santiago

On this **eibe** playo playscape with numerous hand-over-hand climbing, scaling, balancing and gymnastic elements, both sense of balance and muscle strength are trained.

Play Value:

Hand/leg coordination Climbing
Dexterity Body control
Promoting balance Concentration
Crawling Creativity
Power training Gymnastics

Infobox:

Age range: 3 years and up
Minimum space: 1075x968x405 cm
Free falling height: 225 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 26xPFs+2xCF or 24xCF
Assembly: 2 persons/15 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 74,5 m²

5 45 468 5

eibe playo Santiago

quadra

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 mountain climbing ramp: pressure impr. pine
1 climbing pole: stainless steel
1 hanging ladder: pressure impregnated
pine, stainless steel
2 rungs: stainless steel
1 wobbly bridge: hot-dip galvanized steel, powder-coated, pressure impregnated pine
1 climbing net: plastic coated steel cable
2 sloping runged ascents: pressure impregnated pine, stainless steel
1 stem ascent: pressure impregnated pine
3 shop counters: HPL
2 horizontal bars: stainless steel
2 roofs: three-layer board
7 parapets: three-layer board
2 runthrough protections: stainless steel
2 runthrough protections for small children: three-layer board
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110

5 63 070 0

Prefabricated Foundation




5 45 468 5


eibe playo Santiago
1:200



quadra



5 45 473 5
**eibe playo
Granada**



Playscapes quadra

eibe playo Granada

This playscape offers the perfect combination of challenging physical activity, the integration of small children and a communication and social meeting point. We will be pleased to help you select the suitable impact attenuating material for the hill area.

Play Value:

Climbing Dexterity
Concentration Body control
Hand/leg coordination Sliding
Promoting balance Creativity

Infobox:

Age range: 3 years and up
Minimum space: 768x590x392 cm
Free falling height: 212 cm
Largest section: 222x90x12 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/10 h
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 36,5 m²

5 45 473 5

eibe playo Granada

Scope of delivery / material data:

1 mountain climbing ramp: pressure impr. pine . .
1 climbing pole: stainless steel
1 rung ladder: pressure impr. pine, stainl.steel
1 wobbly bridge: hot-dip galvanized steel, pressu-
re impregnated pine, stainless steel
1 shop counter: HPL
1 roof: three-layer board
5 parapets: three-layer board
1 runthrough protection: stainless steel
Wood construction: pressure impregnated pine . .
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

eibe

171.





elbe playo Zaragoza

This playscape particularly appeals to small children because they manage the access to the top of the hill, and because they are integrated into the play of the older children by means of the platform. We will be pleased to help you select the suitable impact attenuating material for the hill area.

Play Value:

Promoting balance Climbing
Concentration Dexterity
Sliding Creativity
Hand/leg coordination

Infobox:

Age range: 3 years and up
Minimum space: 974x769x379 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 80 kg
Replacement parts: available
Foundations: 16xPFs or 14xCF
Assembly: 2 persons/10 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 46,5 m²

5 45 474 5

elbe playo Zaragoza

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: three-layer board
1 wobbly bridge: hot-dip galvanized steel,
powder-coated, pressure impregnated pine.
3 rungs: stainless steel
2 climbing boards: HPL
1 mountain climbing ramp: pressure impr. pine. .
1 shop counter: HPL
1 roof: three-layer board
6 parapets: three-layer board
2 runthrough protections: stainless steel
1 runthrough protection: three-layer board
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 58 602 0


Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0



Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110

5 63 070 0


Prefabricated Foundation



quadra



5 45 474 5
elbe playo
Zaragoza
1:100

**quadra****eibe playo Elephant Toledo**

This enjoyable themed play equipment is a real showpiece for every playground. All children love it because it offers not only a slide but many different elements for playing and climbing.

Play Value:

Dexterity Concentration
Creativity Sliding
Promoting balance Communication

Infobox:


Age range: 3 years and up
Minimum space: 1225x496x392 cm
Free falling height: 212 cm
Largest section: 173x141x2 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xPFs+1CF or 10xCFs
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: TÜV GS
Impact protection net: 41 m²

5 45 475 5**eibe playo Elephant Toledo****Scope of delivery / material data:**

1 V-shaped bridge: hot-dip galvanized, powder-coated steel, pressure impregnated pine
1 spiral ascent: stainless steel
1 tubular slide PH 198 cm: GFRP
1 net ascent: polyester-coated steel rope
1 play board Enchanted mirror: MDF, stainless steel
1 play board Rolli: MDF, plastic
1 head of play elephant, 2 parts: HPL
3 rungs: stainless steel
2 run-through protections: stainless steel
Post shoes: hot-dip galvanized steel
Wood construction: pressure impregnated pine

5 63 070 0**Prefabricated Foundation**

5 45 475 5
eibe playo
Elephant
Toledo
1:100

**eibe**



elbe playo Building Site mini

The **elbe playo** Building Site mini is a compact sand playscape with a high play value.

Play Value:

Experimentation: Creativity
Climbing:

Infobox:

Age range: 3 years and up
Minimum space: 344x217x238 cm
Free falling height: 58 cm
Largest section: 210x90x12 cm
Heaviest section: 75 kg
Replacement parts: available
Foundations: 11xPF or 7xCF
Assembly: 2 persons/5 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety: TÜV GS
Impact protection net: 0 m²

5 45 469 5

elbe playo Building Site mini


Scope of delivery / material data:

1 sand slide: HPL
1 sand sifter: stainless steel
1 sand lift: stainless steel, rubber
1 suspended track: stainless steel
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 small ramp: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel



5 63 070 0

Prefabricated Foundation

See page 537 for additional play elements



5 45 469 5
elbe playo Building Site mini



**eibe playo Building Site midi**

The playing platform of the **eibe playo Building Site midi** with its numerous sand play elements, offers plenty of space for large groups to have fun in the sand.

Play Value:

Experimentation Creativity
Climbing

Infobox:

Age range: 3 years and up
Minimum space: 344x317x238 cm
Free falling height: 58 cm
Largest section: 110x90x12 cm
Heaviest section: 40 kg
Replacement parts: available
Foundations: 14xPFs or 10xCF
Assembly: 2 persons/9 h
Ground constitution D: . . no special requirements
Ground const. except D: . . no special requirements



Guaranteed safety:
Impact protection net: 0 m²

5 45 470 5**eibe playo Building Site midi****Scope of delivery / material data:**

1 small ramp: pressure impregnated pine
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 sand lift: stainless steel, rubber
1 delivery chute: pressure impregnated pine
1 suspended track: stainless steel
1 sand wheel: PE
1 sand slide: HPL
1 sand sifter: stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0**Prefabricated Foundation**

See page 537 for additional play elements



5 45 470 5
eibe playo
Building Site
midi

**eibe**



elbe playo Building Site maxi

With its integrated elements, the **elbe playo Sand Building Site maxi** offers all the most important play functions and fulfills every wish – simply great fun with sand!

Mud basin, stainless steel

Play Value:

Experimentation..... Creativity
Mud play..... Climbing

Infobox:

Age range:..... 3 years and up
Minimum space:..... 444x317x239 cm
Free falling height:..... 58 cm
Largest section:..... 101x101x4 cm
Heaviest section:..... 10 kg
Replacement parts:..... available
Foundations:..... 16xPF or 12xCF5 58 605 0
Assembly:..... 2 persons/8 h
Ground constitution D:..... no special requirements
Ground const. except D:..... no special requirements
Guaranteed safety:..... TÜV GS
Impact protection net:..... 0 m²

5 45 471 5

elbe playo Building Site maxi

Scope of delivery / material data:



1 mud play basin: stainless steel
1 small ramp: pressure impregnated pine
1 suspended track: stainless steel
1 sand lift: stainless steel, rubber
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 sand slide: HPL
1 delivery chute: pressure impregnated pine
1 sand sifter: stainless steel
1 sand wheel: PE
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation


5 65 790 0

elbe Conveyor Belt



5 45 471 5

elbe playo Building Site maxi



Surcharge for slides in eibe colorino and playo

All **eibe colorino** and **playo** play systems are offered with GFR slides. But of course you can select from the following variants a slide with stainless steel coating or a stainless steel slide that perfectly fits the platform height of the **eibe colorino** or **playo** system.

The slides are suitable for the indicated platform heights.

The actual height may be slightly above or below the indicated height.

Level A – Platform Height 110 cm

5 58 600 0

Surcharge for attachable slide, straight, stainless steel coating, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110

Level B – Platform Height 145 cm

5 58 602 0

Surcharge for straight slide, stainless steel coating, PH 145

5 58 603 0

Surcharge for straight stainless steel slide, PH 145

colorino




Level C – Platform Height 190 cm (Special Models)

5 58 604 0


Surcharge for straight slide, GFRP with stainless steel coating, PH 190

5 58 605 0

Surcharge for straight slide, stainless steel, PH 190



Play worlds quadra System levels, foundations




eibe Post Bases

eibe has developed post bases specifically for **eibe** wooden posts. They must be fastened to the uprights with saucer-head or hexagonal screws. The required bore is covered after fixing with a sealing cap and therefore remains invisible. After the post bases have been aligned, they are screwed to concrete foundations cast on-site or to **eibe** prefabricated foundations.

Quality features of the eibe post bases:

- hot-dip galvanized steel
- extremely stable design due to an 8 mm-thick base plate, 16x8 cm, and a 60 cm-long upright, Ø approx 42 mm.

This type of post foundation can be used in any location in accordance with requirements and the existing local conditions, for example for pergolas and playhouses on paved surfaces.



Even in inaccessible terrain and on embankments, **eibe** prefabricated foundations offer many advantages.

eibe prefabricated foundations


eibe prefabricated foundations only have to be buried in the ground. There is no need to transport materials to the site, nor to mix concrete or wait for foundations cast on-site to dry out. Levelling is easy – simply lower the **eibe** foundation into the ground or backfill it. **eibe** prefabricated foundations are fitted with mounting rails so that there is no need for the time-consuming drilling of dowel holes. **eibe** prefabricated foundations are rounded off all around the upper edge, minimising the risk of injury through exposed foundations. **eibe** prefabricated foundations are buried to a depth of 52 cm for colorino systems.

The Main Advantages of eibe Prefabricated Foundations


- 1.Reduced earth excavation
- 2.No waiting time for concrete to set
- 3.Independent of weather conditions
- 4.Easy levelling
- 5.Mounting rails allows greater flexibility when installing upright posts
- 6.Quick and easy installation
- 7.Complies with **EN 1176**

eibe

177.



Platform



**Hexagonal plat-
form**



**Pentagonal plat-
form**



Runged ascent



Runged ascent




Runged ascent
PH: 197 cm




Runged ascent
PH: 57.5 cm



Runged ascent
for platform distance
87.5 cm



**Mountaineer
ramp**
PH: 145 cm



Ramp
PH: 40 cm




Wobbly stairs
PH: 145 cm



Arched ascent
PH: 145 cm




Crawling tunnel
PH: 145 cm




Climbing net
PH: 145 cm



Slanted net ascent
PH: 145 cm



Climbing board



Spiral stairs
PH: 198 cm



Climbing pole
PH: 145 cm and 198 cm



Slide with railing
PH: 145 cm and 198 cm



**Wave-shaped
ascent**
PH: 145 cm




Spiral ascent
PH: 145 cm



Stem ascent
for platform distance:
52.5 cm



Climber ascent



Plank ramp
PH: 40 cm



Chain bridge
V-shaped, post distance



**Slanted chain
bridge**
from PH 145 cm to 198 cm



Wobbly bridge
PH: 200 cm



Hanging ladder
Post distance: 200 cm



Horizontal bars



Sand silo



Sand sifter
coarse




Sand sifter




Sand wheel



Mud basin



**Support for mud
basin**




Conveyor belt
PH: 57.5 cm




**Overhead con-
veyor for sand**



Sand lift



Sand slide



Shop board



Chute



eibe colorino and playo, individual components

Only applicable for colorino and playo play systems from page 131 to page 173.



Bracket



Runthrough protection and ascent rung



Bracket handle




Bar




colorino ascent, hexagon




colorino ascent pentagon




colorino roof




colorino run-through protection



colorino wall element, height 71 cm




colorino wall element, height 106 cm




colorino wall element for pentagonal platform, H 106 cm




colorino wall element for rotating disk, H 106 cm




colorino wall element with dome, H 106 cm



Slide entry platform Witch forest



playo pentagonal roof




playo gabled roof




playo triangular monopitch roof




playo runthrough protection




playo wall element, height 73 cm




play wall element, height: 50 cm




play wall element with ball storage, height: 110 cm




play wall element with window, height: 110 cm




play wall element with hole, height: 110 cm



play wall element with wooden pole, height: 53 cm



playo kitchen counter




playo dishwashing counter




playo sitting counter



Slide entry plate playo




Painting board




Play board Theo's goal wall




Play board Enchanted mirror



Play board Paint wall




Play board Labyrinth




Play board Spiral disk




Play board Rotation disk



Game board / Round table



Play board Multi-function disk



Play board Rabbit and hedgehog





Play combinations circle





Play worlds circle

eibe play combinations Wood circle.

minimondo and ibondo

eibe play combinations Wood circle - the individual solution for all types of playgrounds.

These playscapes are a prime quality product for all types of playgrounds. The play functions, options for climbing and activities, fun, joy and adventure leave no wish unfulfilled. Toddlers enjoy the minimondo play combinations, and the ibondo play equipment program appeals to children from the age of three.

Coloring, dimensions and functions are ideally suited to the targeted age group. This extremely safe play equipment is designed to confront the children with challenging tasks.

The different materials encourage investigation.

A fascinating adventure trip into the world of play!

An overview of the materials:

- high-pressure laminate (HPL): durable highly scratch-resistant laminate
- stainless steel (V2A): non-corrosive, nickel-plated steel with chrome alloy
- hot-dip galvanized steel metal parts with non-corrosive coating with or without powder coating
- pressure-impregnated timber with the pith removed acc. to RAL : first-grade timber with a 10 years' warranty against rot and fungus
- Nets:
Cables and nets made from armoured

rope which has a four-core steel cord solidly encased in polypropylene and guarantees optimum abrasion properties.

- minimondo dome roofs of unbreakable PET
- top quality plastic (PE)


Detailed overview of materials from page 540.




eibe circle ibondo play combinations	from page 184
eibe circle ibondo hill installation	from page 208
eibe circle ibondo play towers	from page 211
eibe circle ibondo tunnel system	from page 214
eibe circle ibondo play combinations sand play . .	from page 215
eibe circle minimondo/ibondo System levels	from page 216
eibe circle minimondo/ibondo	
Foundations, elevation	from page 217
eibe circle minimondo/ibondo Overview	
of assemblies	from page 218



ibondo



5 66 500 5
elbe ibondo Play System
Algiers
see page 184



5 66 503 5
elbe ibondo Play System
Bucharest
see page 184



5 66 501 5
elbe ibondo Play System Tira-
na
see page 185



5 66 506 5
elbe ibondo Play System Vaduz
see page 185



5 66 502 5
elbe ibondo Play System Sofia
see page 186



5 66 507 5
elbe ibondo Play System Kiev
see page 186



5 66 504 5
elbe ibondo Play System Can-
bera
see page 187



5 66 520 5
elbe ibondo Play System Hel-
sinki
see page 188



5 66 546 5
elbe ibondo Play System San
Salvador
see page 189



5 66 541 5
elbe ibondo Play System Port
Louis
see page 190



5 66 521 5
elbe ibondo Play System Du-
blin
see page 191



5 66 526 5
elbe ibondo Play System Cara-
cas
see page 192



5 66 540 5
elbe ibondo Play System Lisbon
see page 193



5 66 522 5
elbe ibondo Play System Otta-
wa
see page 194



5 66 524 5
elbe ibondo Play System Preto-
ria
see page 195



5 66 523 5
elbe ibondo Play System Oslo
see page 196



5 66 512 5
elbe ibondo Play System
Kingston
see page 197



5 66 543 5
elbe ibondo Play System Bern
see page 198



5 66 525 5
elbe ibondo Play System War-
saw
see page 199



5 66 544 5
elbe ibondo Play System Vien-
na
see page 201




5 66 266 5
elbe ibondo play system
Astana
see page 202



5 66 527 5
elbe ibondo Play System Mana-
gua
see page 204



5 66 564 5
elbe ibondo Play System
Copenhagen
see page 206



5 66 508 5
elbe ibondo Mountaineering
Ramp Baku
see page 208


New



5 66 511 5

eibe ibondo Staircase Manilla

see page 208



5 66 509 5

eibe ibondo Riga Hand Climbing Equipment

see page 209



5 66 510 5

eibe ibondo Wobbly Bridge Lima

see page 209



5 66 529 5

eibe ibondo Play System Tokio

see page 210

ibondo

play worlds circle



5 66 566 5

eibe ibondo Play System Montevideo

see page 211



5 66 528 5

eibe ibondo Play Tower Rom

see page 212



5 66 530 5

eibe ibondo Play Tower Athen


see page 213



5 66 547 5

eibe ibondo Tunnel Rendezvous Georgetown

see page 214



5 66 551 5


eibe ibondo Sand Construction Site Kairo

see page 215




5 66 552 5

eibe ibondo Play System Brüssel



5 66 550 5

eibe ibondo Play System Port-au-Prince



5 66 563 5

eibe ibondo Play System Santo Domingo

ibondo Integrative play

See page 222 to 251 for ibondo play systems that allow children with special needs to play together with others.




All eibe minimondo play combinations are listed from page 29.

eibe

183.





5 66 500 5

elbe ibondo Play System
Algiers 1:200



elbe ibondo Play System Algiers

Small children can have hours of sliding fun and parents can easily lend them a hand if required.

Play Value:

Climbing Sliding

Infobox:

Age range: 4 years and up
Minimum space: 803x430x325 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 6xPFs or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:   
Impact protection net: 28 m²

5 66 500 5

elbe ibondo Play System Algiers

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 parapet: HPL
1 sloping runged ascent: pressure impregnated pine, stainless steel
1 runged ladder: stainl. steel, pressure impr. pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel.

5 63 070 0


Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



5 66 503 5

elbe ibondo Play System
Bucharest 1:200



elbe ibondo Play System Bucharest

The Bucharest play system has been conceived for climbing and active play and offers unique sliding fun.

Play Value:

Climbing Sliding

Infobox:

Age range: 4 years and up
Minimum space: 850x525x370 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 6xPFs or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:   
Impact protection net: 33,5 m²

5 66 503 5

elbe ibondo Play System Bucharest

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 fence elements: pressure impregnated pine
1 sloping runged ascent: pressure impregnated pine, stainless steel
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel.

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190




5 58 605 0

Surcharge for straight stainless steel slide, PH 190



ibondo

play worlds circle



5 66 501 5

**eibe ibondo Play Sys-
tem Tirana 1:200**

eibe ibondo Play System Tirana

Sliding fun from the airy heights of the
roof-covered platform is a pure joy!

Play Value:

Climbing Sliding

Infobox:

Age range: 4 years and up
Minimum space: 803x430x376 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 6xPFs or 6xCF
Assembly: 2 persons/4 h
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 28 m²

5 66 501 5

eibe ibondo Play System Tirana

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
2 fence elements: pressure impregnated pine ...
1 sloping runged ascent: pressure impregnated
pine, stainless steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation

5 58 602 0

**Surcharge for straight add-on slide,
stainless steel cover, PH 145**

5 58 603 0

**Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110**



5 66 506 5
eibe ibondo
Play System
Vaduz
1:200

eibe ibondo Play System Vaduz

The inexpensive **eibe** ibondo play
system Vaduz offers a diversity of play
opportunities in an active zone in a con-
fined space.

Play Value:

Sliding Climbing
Dexterity Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 860x590x455 cm
Free falling height: 275 cm
Largest section: 390x13,8 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xPFs or 9xCF
Assembly: 2 persons/6 h
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 38,5 m²

5 66 506 5

eibe ibondo Play System Vaduz

Scope of delivery / material data:

1 mountaineering ramp: pressure impr. pine ...
1 climbing pole: stainless steel
2 climbing boards including climbing grips: HPL,
GFRP
1 climbing net: plastic coated steel cable
1 parapet: HPL
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel


5 63 070 0

Prefabricated Foundation

eibe

185.





5 66 502 5

elbe ibondo Play System Sofia 1:200

elbe ibondo Play System Sofia

The ideal play equipment for small children because the platform height of 100 cm makes it easy for parents to lend a hand if required.

Play Value:

Climbing Sliding
Dexterity Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 754x520x366 cm
Free falling height: 186 cm
Largest section: 300xØ13,8 cm
Heaviest section: 30 kg
Replacement parts: available
Foundations: 9xPFs or 9xCF
Assembly: 2 persons/5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 29 m²

5 66 502 5

elbe ibondo Play System Sofia

Scope of delivery / material data:

1 slide PH 110: GFRP
1 slide entry plate: HPL
1 staircase: pressure impregnated pine
1 roof: pressure impregnated pine 1 net ascent:
plastic coated steel cable
2 climbing boards including climbing grips: HPL,
GFRP
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0


Prefabricated Foundation

5 58 600 0

Surcharge for straight add-on slide, stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110



5 66 507 5
elbe ibondo Play System Kiev 1:200

elbe ibondo Play System Kiev

The extended version of the Vaduz basic model is the compact Kiev play system which guarantees hours of additional sliding fun.

Play Value:

Sliding Climbing
Dexterity Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 900x860x455 cm
Free falling height: 275 cm
Largest section: 459x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xPFs or 9xCF
Assembly: 2 persons/6 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 48,5 m²

5 66 507 5

elbe ibondo Play System Kiev

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 parapet: HPL
1 mountaineering ramp: pressure impr. pine
2 climbing boards incl. climbing grips: HPL, GFRP
1 climbing net: plastic coated steel cable
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation



5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190



**ibondo****circle****elbe ibondo Play System
Canberra**



This small combination represents a playground in itself on which the children can have fun experimenting with different types of physical activity.

Play Value:

Sliding: Dexterity
Climbing: Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 925x610x420 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xPFs or 9xCF
Assembly: 2 persons/5 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 41,5 m²

**5 66 504 5
elbe ibondo
Play System
Canberra****5 66 504 5
elbe ibondo Play System
Canberra****Scope of delivery / material data:**

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 ladders: pressure impr. pine, stainless steel ...
1 mountaineering ramp: pressure impr. pine ...
3 climbing boards incl. climbing grips: HPL, GFRP
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel.....

5 63 070 0**Prefabricated Foundation****5 58 604 0**

**Surcharge for straight add-on slide,
stainless steel cover, PH 190**

5 58 605 0

**Surcharge for straight stainless steel
slide, PH 190**

eibe



elbe ibondo Play System Helsinki

In order to slide down the climbing pole or the rapid GFRP slide, the children first have to scale the wobbly bridge or the ramp.

Play Value:

Climbing Sliding
Dexterity Concentration
Promoting balance Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 980x915x420 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 12xPFs or 12xCF
Assembly: 2 persons/6 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 51 m²

5 66 520 5

elbe ibondo Play System Helsinki



Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 mountaineering ramp: pressure impr. pine
1 climbing pole: stainless steel
1 wobbly bridge: hot-dip galvanized steel, pressure impr. pine
1 rung ladder: pressure impr. pine, stainl. steel
1 roof: pressure impregnated pine Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0
Prefabricated Foundation

5 58 604 0
Surcharge for straight add-on slide,
stainless steel cover, PH 190

5 58 605 0
Surcharge for straight stainless steel
slide, PH 190





5 66 520 5
elbe ibondo
Play System
Helsinki



ibondo



circle



eibe ibondo Play System San Salvador

The attractive hexagonal tower is ideal as the central point of a play system with climbing and sliding opportunities for different levels of ability.



Play Value:

Dexterity Sliding
Climbing Observation
Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 1021x798x455 cm
Free falling height: 275 cm
Largest section: 459x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 48,5 m²

5 66 546 5
eibe ibondo
Play System
San Salvador



5 66 546 5

eibe ibondo Play System San Salvador

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
3 climbing boards incl. climbing grips: HPL, GFRP
1 mountaineering ramp: pressure impr. pine ...
1 sloping runged ascent: pressure impregnated pine, stainless steel
1 climbing pole: stainless steel
1 net frame: plastic coated steel cable, pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190

eibe

play worlds circle

189.





elbe ibondo Play System Port Louis

The hexagonal Port Louis tower combines six different opportunities for play and climbing in one compact active-play system.

Play Value:

Climbing, Sliding Observation
Dexterity Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 925x707x431 cm
Free falling height: 230 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 43,5 m²

5 66 541 5

elbe ibondo Play System Port Louis

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 runged ascent: ash, pressure impregnated pine
1 mountaineering ramp: pressure impr. pine ...
2 climbing boards incl. climbing grips: HPL, GFRP
1 net frame: plastic coated steel cable, pressure impregnated pine
1 spiral ascent: stainless steel
1 roof: HPL, pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel.

5 63 070 0


Prefabricated Foundation

5 58 602 0


Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110



5 66 541 5
elbe ibondo
Play System
Port Louis



Right to change design without notice reserved

**ibondo** **circle****eibe ibondo Play System
Dublin**


The interesting U-shaped design of the **eibe ibondo** Dublin play system is always fun and suits many locations.

Play Value:


Dexterity Promoting balance
Climbing Sliding
Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 922x875x410 cm
Free falling height: 230 cm
Largest section: 373x55x54 cm
Heaviest section: 45 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/7 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 53,5 m²



5 66 521 5
eibe ibondo
Play System
Dublin

**5 66 521 5****eibe ibondo Play System Dublin****Scope of delivery / material data:**

1 slide PH 145: GFRP
1 slide entry plate: HPL
1 suspension bridge: pressure impregnated pine .
2 climbing boards incl. climbing grips: HPL, GFRP
1 net ascent: plastic coated steel cable, pressure
impregnated pine
1 mountaineering ramp: pressure impr. pine . . .
1 runged ladder: pressure impr. pine, stainl. steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine . .
Post shoes: hot-galvanised steel

5 63 070 0**Prefabricated Foundation****5 58 602 0**

**Surcharge for straight add-on slide,
stainless steel cover, PH 145**

5 58 603 0

**Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110**

eibe



elbe ibondo Play System Caracas

Here, a compact, harmonious play system has been developed which can be perfectly integrated into the landscape within a confined area.

Play Value:

Climbing	Dexterity
Sliding	Hand/leg coordination
Body control	Power training
Hand climbing	Promoting balance
Concentration	

Infobox:

Age range:	4 years and up
Minimum space:	990x758x455 cm
Free falling height:	275 cm
Largest section:	390xØ13,8 cm
Heaviest section:	40 kg
Replacement parts:	available
Foundations:	13xPF or 13xCFn
Assembly:	2 persons/8 h
Ground constitution D:	at least sand
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	50 m ²

5 66 526 5


elbe ibondo Play System Caracas

Scope of delivery / material data:


2 parapets:	HPL
3 climbing boards incl. climbing grips:	HPL, GFRP
1 wobbly bridge:	hot-dip galvanised steel, pressure impregnated pine
1 hand climbing ladder:	plastic coated steel cable, pressure impregnated pine
1 rung element:	stainless steel
2 rung ladders:	pressure impregnated pine, stainless steel
1 spiral ascent:	stainless steel
1 roof:	pressure impregnated pine
Wood construction:	pressure impregnated pine
Post shoes:	hot-galvanised steel

5 63 070 0

Prefabricated Foundation




5 66 526 5
elbe ibondo
Play System
Caracas






ibondo

Play worlds circle



5 66 540 5
elbe ibondo
Play System
Lisbon



elbe ibondo Play System Lisbon

The climbing elements arranged in the shape of a star around the compact hexagonal tower offer ideal opportunities for exercise within the smallest of spaces.

Play Value:

Power training Dexterity
Body control Sliding
Climbing Hand/leg coordination
Observation Concentration
Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 971x751x462 cm
Free falling height: 190 cm
Largest section: 390xØ13,8 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 15xPFs or 15xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 51 m²

5 66 540 5 elbe ibondo Play System Lisbon

Scope of delivery / material data:



1 hand dimbing bridge: plastic coated steel cable, pressure impregnated pine
1 rung element: stainless steel
1 spiral ascent: stainless steel
2 large fence elements: pressure impregnated pine
1 net frame: plastic coated steel cable, pressure impregnated pine
1 mountaineering ramp: pressure impr. pine
1 wobbly bridge: hot-dip galvanised steel, pressure impregnated pine
1 runged ladder: pressure impr. pine, stainl. steel
1 roof: HPL, pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0 Prefabricated Foundation

eibe

193.





elbe ibondo Play System Ottawa

The **elbe ibondo** play system Ottawa, with its two central play levels and the play elements arranged in the shape of a star, is one of our most popular playscapes.

Play Value:

Climbing Dexterity
Swinging Hand/leg coordination
Power training Body control
Concentration Promoting balance
Sliding

Infobox:

Age range: 4 years and up
Minimum space: 1120x970x441 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 13xPF or 13xCFn
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 77,5 m²

5 66 522 5

elbe ibondo Play System Ottawa

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 parapets: HPL
1 climbing board incl. climbing grips: HPL, GFRP
1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine
1 rung element: stainless steel
1 double swing: hot-dip galvanised steel, rubber
1 rung ladder: pressure impr. pine, stainl. steel
1 wobbly bridge: hot-dip galvanised steel, pressure impregnated pine
1 roof: HPL, pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190





5 66 522 5

elbe ibondo Play System
Ottawa 1:200



ibondo



play worlds circle



circle

elbe ibondo Play System Pretoria

Within a confined space, the **elbe ibondo** Pretoria play system offers important play activities for the role-play, climbing and physical exercise areas.

Play Value:

Power training Dexterity
Body control Sliding
Concentration Hand/leg coordination
Climbing Promoting balance
Hand climbing

Infobox:

Age range: 4 years and up
Minimum space: 1190x970x455 cm
Free falling height: 275 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 14xPFs or 14xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 66,5 m²

5 66 524 5

elbe ibondo Play System Pretoria

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 parapets: HPL
1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine
1 rung element: stainless steel
6 climbing boards incl. climbing grips: HPL, GFRP
1 climbing net: plastic coated steel cable
1 wobbly bridge: hot-dip galvanised steel, pressure impregnated pine
2 rung ladders: pressure impr. pine, stainl. steel
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190



5 66 524 5
elbe ibondo
Play System
Pretoria

eibe

195.





elbe ibondo Play System Oslo

In the play system Oslo, all the play elements for the activity area in play-grounds are harmoniously integrated.

Play Value:

Dexterity Hand/leg coordination
Climbing Sliding
Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 1278x832x455 cm
Free falling height: 275 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 17xPFs or 17xCF
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 65 m²

5 66 523 5

elbe ibondo
Play System
Oslo



5 66 523 5

elbe ibondo Play system Oslo

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: HPL
3 fence elements: pressure impregnated pine
1 climbing net: plastic coated steel cable
1 arched ramp: pressure impregnated pine
1 suspension bridge: pressure impregnated pine
2 climbing boards incl. climbing grips: HPL, GFRP
1 rung ladder: pressure impr. pine, stainl. steel
1 staircase: pressure impregnated pine
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0


Prefabricated Foundation

5 58 602 0

Surcharge for straight add-on slide,
stainless steel cover, PH 145

5 58 603 0

Surcharge for straight, stainless steel
add-on slidewith Simple Slide, PH 110








ibondo



play worlds circle



5 66 512 5
eibe ibondo Play System
Kingston 1:200

eibe ibondo Play System Kingston

The compact **eibe** ibondo play system Kingston offers children an array of opportunities to really have a romp and discover their capabilities.

Play Value:

Dexterity Hand/leg coordination
Crawling Climbing
Sliding Power training
Body control

Infobox:

Age range: 4 years and up
Minimum space: 1382x1007x447 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 65 kg
Replacement parts: available
Foundations: 16xPFs or 16xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 76 m²

5 66 512 5

eibe ibondo Play System Kingston

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 fence element: pressure impregnated pine
1 net bridge: plastic coated steel cable, pressure impregnated pine
1 arched ramp: pressure impregnated pine
1 spiral ascent: stainless steel
3 climbing boards incl. climbing grips: HPL, GFRP
1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine
1 rung element: stainless steel
1 rung ladder: pressure impr. pine, stainl. steel
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide,
stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel
slide, PH 190

eibe

197.





elbe ibondo Play System Bern
Play activity on the **elbe ibondo** play system Bern is centred around the hexagonal tower; the children can reach the different play levels via the ascents of varying levels of difficulty.

Play Value:

Crawling Sliding
Climbing Dexterity
Concentration Hand/leg coordination
Observation Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 1086x913x431 cm
Free falling height: 190 cm
Largest section: 459x55x54 cm
Heaviest section: 65 kg
Replacement parts: available
Foundations: 16xPFs or 16xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 64 m²

5 66 543 5

elbe ibondo Play System Bern

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 parapet: HPL
1 Tibetan bridge: plastic coated steel cable, pressure impregnated pine
1 spiral ascent: stainless steel
1 arched ramp: pressure impregnated pine
2 climbing boards incl. climbing grips: HPL, GFRP
1 net ascent: plastic coated steel cable, pressure impregnated pine
2 runged ladders: pressure impr. pine, stainl. steel
1 roof: HPL, pressure impregnated pine
2 large fence elements: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel.

5 63 070 0


Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190


5 58 605 0

Surcharge for straight stainless steel slide, PH 190



5 66 543 5

elbe ibondo Play System Bern 1:200

**ibondo****5 66 525 5****elbe ibondo Play System
Warsaw 1:200****elbe ibondo Play System
Warsaw**

The compact **elbe ibondo** play system Warsaw offers children an array of opportunities to really have a romp and discover their capabilities.

Play Value:

Power training Dexterity
Body control Hand/leg coordination
Climbing Concentration
Hand climbing Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 1608x850x455 cm
Free falling height: 275 cm
Largest section: 459x55x54 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 22xPFs or 22xCF
Assembly: 2 persons/12 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 84,5 m²

5 66 525 5**elbe ibondo Play System Warsaw****Scope of delivery / material data:**

1 slide PH 190: GFRP
1 slide entry plate: HPL
2 parapets: HPL
1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine
1 net frame: plastic coated steel cable, pressure impregnated pine
1 climbing net: plastic coated steel cable, pressure impregnated pine
1 spiral ascent: stainless steel
5 climbing boards incl. climbing grips: HPL, GFRP
1 wobbly bridge: hot-dip galvanised steel, pressure impregnated pine
1 mountaineering ramp: pressure impr. pine
2 rungged ladders: pressure impr. pine, stainl. steel
2 roofs: HPL, pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0**Prefabricated Foundation****5 58 604 0****Surcharge for straight add-on slide,
stainless steel cover, PH 190****5 58 605 0****Surcharge for straight stainless steel
slide, PH 190****eibe**



ibondo

 circle





eibe ibondo Play System Vienna

In addition to its many other play elements, the play system Vienna is the central attraction of the playground because of its three slide varieties.

Play Value:

Dexterity Promoting balance
Sliding Climbing
Concentration Observation
Hand/leg coordination

Infobox:

Age range: 4 years and up
Minimum space: 1266x1229x431 cm
Free falling height: 190 cm
Largest section: 345x13,8 cm
Heaviest section: 110 kg
Replacement parts: available
Foundations: 21xPFs or 20xCF
Assembly: 2 persons/14 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 83 m²

5 66 544 5

eibe ibondo Play System Vienna

Scope of delivery / material data:

1 spiral slide PH 190: GFRP
1 slide PH 110: GRP
1 slide PH 190: GRP
3 slide entry plates: HPL
4 rungged ladders: pressure impregnated pine, stainless steel
1 suspension bridge: pressure impregnated pine
1 arched ramp: pressure impregnated pine
1 Tibetan bridge: plastic coated steel cable, pressure impregnated pine
4 climbing boards incl. climbing grips: HPL, GFRP
1 roof: HPL, pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 600 0

Surcharge for straight add-on slide, stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110

5 58 604 0




Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0


Surcharge for straight stainless steel slide, PH 190

5 58 612 0

Surcharge for spiral slide V2A



5 66 544 5
eibe ibondo
Play System
Vienna




eibe

201.



New



eibe ibondo play system Astana

Thanks to the large number of ascents, climbing options and passageways, the ibondo play system Astana offers play that never gets boring. The children will continue to find new ways of crossing the playing landscape.

Play Value:

Sliding Climbing
Dexterity Hand/leg coordination
Promoting a sense of balance Concentration
Body control

Infobox:



Age range: 4 years and up
Minimum space 1540x1021x455 cm
Free falling height 275 cm
Largest section 459x55x54 cm
Heaviest section 50 kg
Replacement parts available
Foundations 25xFFk or 25x OF
Assembly 2 persons/0,25 h
Ground const. except D: min. sand
Guaranteed safety: 
Impact protection net: 102 m²

5 66 266 5

eibe ibondo play system Astana

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide PH 190: GFRP
2 slide entry plates: HPL
5 climbing boards incl. climbing grips: HPL, GFRP
1 net ascent: polyester-coated steel rope, pressure impregnated pine
1 hanging bridge: pressure-impregnated pine
1 wobbly bridge: hot-dip galvanized steel, pressure impregnated pine
1 net frame: hot-dip galvanized steel, pressure impregnated pine
2 mountaineer ramps: pressure impregnated pine
1 climbing rod: stainless steel
1 arched roof: pressure impregnated pine
1 fence element: pressure impregnated pine
7 parapets: HPL
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel



5 66 266 5

eibe ibondo play system Astana1:200



ibondo

play worlds circle



circle



eibe

203.



eibe ibondo Play System Managua

With its three towers, the **eibe ibondo** play system Managua looks like a self-contained little play village. The various levels are connected by transitions of varying degrees of difficulty - thus, this play system can be used by children of different age groups.

Play Value:

Climbing	Dexterity
Sliding	Hand/leg coordination
Body control	Power training
Hand climbing	Promoting balance
Concentration	Crawling

Infobox:

Age range:	4 years and up
Minimum space:	1380x1240x420 cm
Free falling height:	190 cm
Largest section:	459x55x54 cm
Heaviest section:	.65 kg
Replacement parts:	available
Foundations:	21xPFs or 21xCF
Assembly:	2 persons/14 h
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	92 m ²

5 66 527 5

eibe ibondo Play System Managua

Scope of delivery / material data:

1 slide PH 190: GFRP	
1 slide entry plate: HPL	
6 parapets: HPL	
1 rung ladder: pressure impr. pine, stainl. steel	
1 staircase: pressure impregnated pine	
1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine	
1 rung element: stainless steel	
1 wobbly bridge: hot-dip galvanised steel, pressure impregnated pine	
1 net bridge: plastic coated steel cable, pressure impregnated pine	
1 mountaineering ramp: pressure impr. pine	
1 crawling tube: GFRP, plexiglass	
3 roofs: pressure impregnated pine	
Wood construction: pressure impregnated pine	
Post shoes: hot-galvanised steel	

5 63 070 0


Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0



Surcharge for straight stainless steel slide, PH 190






ibondo

Play worlds circle



5 66 527 5
eibe ibondo
Play System
Managua
1:100



eibe

205.





eibe ibondo Play System Copenhagen

The four towers of this diversified **eibe ibondo** playscape with spiral slide are connected to one another by various climbing, balancing and hand climbing elements.

Play Value:

Body control Power training
Dexterity Hand climbing
Sliding Climbing
Crawling Hand/leg coordination
Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 1190x1053x455 cm
Free falling height: 275 cm
Largest section: 390xØ13,8 cm
Heaviest section: 110 kg
Replacement parts: available
Foundations: 29xPFs or 29xCF
Assembly: 2 persons/20 h
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 101 m²

5 66 564 5

eibe ibondo Play System Copenhagen

Scope of delivery / material data:

1 spiral slide PH 190: GFRP
1 slide entry plate: HPL
3 rungged ladders: pressure impregnated pine,
stainless steel
1 hand climbing bridge: plastic coated steel cable,
pressure impregnated pine
1 rung element: stainless steel
1 wobbly bridge: hot-dip galvanised steel, pressure
impregnated pine
1 crawling tube: GFRP, Makrolon
1 net ascent: plastic coated steel cable, pressure
impregnated pine
1 suspension bridge: pressure impregnated pine
3 climbing boards with climbing grips: HPL, GFRP
1 spiral ascent: stainless steel
4 roofs: HPL, pressure impregnated pine
6 fence elements: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 612 0

Surcharge for spiral slide V2A



 **circle**







ibondo




Play worlds circle



eibe

207.





5 66 508 5
elbe ibondo Mountaineering Ramp Baku
1:200



elbe ibondo Mountaineering Ramp Baku

The ramp with its holding rope gives children a real feeling of the thrill of mountain climbing.

Play Value:

Dexterity Climbing
Hand/leg coordination Infobox:
Age range: 4 years and up
Minimum space: 390x387x372 cm
Free falling height: 20 cm
Largest section: 292x90x12 cm

Heaviest section: 60 kg
Replacement parts: available
Foundations: 4xPFs+1CF or 5xCF
Assembly: 2 persons/1 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net: 12,0 m²

5 66 508 5
elbe ibondo Mountaineering Ramp Baku

Scope of delivery / material data:

1 mountaineering ramp: pressure impr. pine . . .
1 palisade: pressure impregnated pine
1 rope: plastic coated steel cable
Post shoes: hot-galvanised steel.

5 63 070 0
Prefabricated Foundation

elbe ibondo Staircase Manilla

This staircase makes it possible for children of all ages to scale a hill.

Play Value:

Crawling Climbing

Infobox:

Age range: 4 years and up
Minimum space: 207x116x370 cm
Free falling height:
Largest section: 287x86,5x20 cm
Heaviest section: 65 kg
Replacement parts: available
Foundations: 4xPFs or 4xCF
Assembly: 2 persons/1 h
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:





5 66 511 5
elbe ibondo Staircase Manilla

Scope of delivery / material data:

1 staircase: pressure impregnated pine
Post shoes: hot-galvanised steel.

5 63 070 0
Prefabricated Foundation



**elbe ibondo Riga Hand Climbing Equipment**

On the Riga hand climbing equipment, the children can train both their strength and dexterity at the same time.

Play Value:




Dexterity Body control
Power training

Infobox:

Age range: 4 years and up
Minimum space: 615x430x287 cm
Free falling height: 130 cm
Largest section: 360x213,8 cm
Heaviest section: 35 kg
Replacement parts: available
Foundations: 6xPFs or 6xCF
Assembly: 2 persons/3 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 24 m²

5 66 509 5**elbe ibondo Riga Hand Climbing Equipment****Scope of delivery / material data:**

1 hand climbing bridge: plastic coated steel cable, pressure impregnated pine
1 rung element: stainless steel
1 platform: pressure impregnated pine
2 fence elements: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0**Prefabricated Foundation****5 66 509 5****elbe ibondo Riga Hand Climbing Equipment 1:200****elbe ibondo Wobbly Bridge Lima**

The wobbly bridge makes play systems and hills much more interesting because it provides a novel way in which to overcome an obstacle.

Play Value:




Dexterity Concentration
Promoting balance

Infobox:

Age range: 4 years and up
Minimum space: 475x430x280 cm
Free falling height: 100 cm
Largest section: 335x12x6 cm
Heaviest section: 30 kg
Replacement parts: available
Foundations: 6xPFs or 6xCF
Assembly: 2 persons/3 h
Ground const. except D: at least lawn
Guaranteed safety: 
Impact protection net: 18 m²

5 66 510 5**elbe ibondo Wobbly Bridge Lima****Scope of delivery / material data:**

1 wobbly bridge: hot-galvanised steel, pressure impregnated pine
1 platform: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0**Prefabricated Foundation****5 66 510 5****elbe ibondo Wobbly Bridge Lima 1:200****eibe**



eibe ibondo Play System Tokio

The **eibe ibondo** combination Tokyo was designed for installation on hills. The slide can be accessed directly from the hill. We will be pleased to help you select the suitable impact attenuating material for the hill area

Play Value:

Climbing Dexterity
Sliding..... Promoting balance
ConcentrationHand/leg coordination

Infobox:

Age range:..... 4 years and up
Minimum space:.....1080x910x420 cm
Free falling height:..... 190 cm
Largest section:.....459x55x54 cm
Heaviest section:.....50 kg
Replacement parts:..... available
Foundations:..... 19xPFs or 19xCF
Assembly:.....2 persons/10 h
Ground const. except D:.....at least sand
Guaranteed safety:.....
Impact protection net:..... 65 m²



5 66 529 5

eibe ibondo Play System Tokio

Scope of delivery / material data:

1 slide PH 190: GFRP
1 slide entry plate: HPL
1 net frame: plastic coated steel cable, pressure impregnated pine
1 sloping runged ascent: stainless steel, pressure impregnated pine
1 mountaineering ramp: pressure impr. pine
1 climbing pole: stainless steel
1 net bridge: plastic coated steel cable, pressure impregnated pine
1 runged ladder: stainless steel, pressure impregnated pine
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation

5 58 604 0

Surcharge for straight add-on slide,
stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel
slide, PH 190



5 66 529 5
eibe ibondo
Play System
Tokio
1:200





ibondo

Themed play circle



circle



5 66 566 5
eibe ibondo Play System Montevideo
1:200

eibe ibondo Play System Montevideo

The **eibe ibondo** playscape with its star-shaped layout and the central tower which allows children to play on several levels is particularly suited for playgrounds subjected to heavy use.

Play Value:

Climbing Dexterity
Observation

Infobox:

Age range: 4 years and up
Minimum space: 1544x1064x676 cm
Free falling height: 279 cm
Largest section: 645x13,8 cm
Heaviest section: 470 kg
Replacement parts: available
Foundations: 17xPFs+10CF or 27xCF
Assembly: 2 persons/20 h
Ground constitution D: at least sand
Ground const. except D:
Guaranteed safety:
Impact protection net: 92 m²

5 66 566 5 **eibe ibondo Play System Montevideo**

Scope of delivery / material data:

1 tubular slide PH 450: stainless steel
1 spiral slide PH 270: stainless steel
1 slide PH 190: GFRP
1 slide entry plate: HPL
13 parapets: HPL
4 parapets with portholes: HPL, Makrolon
3 rung ladders: pressure impregnated pine, stainless steel
1 net frame: plastic coated steel cable, pressure impregnated pine
4 seat areas: HPL
4 roofs: pressure impregnated pine
1 mountaineering ramp: pressure impr. pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0 **Prefabricated Foundation**

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190

eibe

211.



ibondo

circle



elbe ibondo Play Tower Rom

As a shelter in bad weather, a relaxation zone or as a climbing and look-out tower, the ibondo play system Rome fulfils all the requirements in one item of play equipment.

Play Value:

Climbing Sliding
Dexterity Observation

Infobox:

Age range: 4 years and up
Minimum space: 690x605x455 cm
Free falling height: 275 cm
Largest section: 345xØ13,8 cm
Heaviest section: 35 kg
Replacement parts: available
Foundations: 10xPFs or 10xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 32 m²

5 66 528 5

elbe ibondo Play Tower Rom



Scope of delivery / material data:

1 climbing pole: stainless steel
3 climbing boards incl. climbing grips: HPL, GFRP
2 rung ladders: pressure impregnated pine, stainless steel
5 fence elements: pressure impregnated pine
1 roof: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel.

5 63 070 0

Prefabricated Foundation

5 66 528 5
elbe ibondo
Play Tower
Rom






ibondo

play worlds circle

circle



5 66 530 5
eibe ibondo
Play Tower
Athen



eibe ibondo Play Tower Athen

Not least because of its spiral slide, the ibondo play tower Athens is a particular favourite as the central meeting point for playing and relaxation.

Play Value:

Climbing Sliding
Observation

Infobox:

Age range: 4 years and up
Minimum space: 828x673x455 cm
Free falling height: 275 cm
Largest section: 345x13,8 cm
Heaviest section: 110 kg
Replacement parts: available
Foundations: 12xPFs or 11xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 40 m²

5 66 530 5

eibe ibondo Play Tower Athen

Scope of delivery / material data:

1 spiral slide PH 190: GFRP
1 slide entry plate: HPL
3 climbing boards incl. climbing grips: HPL, GFRP
2 rung ladders: pressure impregnated pine, stainless steel
5 fence elements: pressure impregnated pine
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation


5 58 612 0

Surcharge for spiral slide V2A

eibe

213.





elbe ibondo Tunnel Rendezvous Georgetown

The activities in the **ibondo** Georgetown play system, which is intended for integration into slopes, range from hide-and-seek and climbing games to simple, crawling fun!

Play Value:

Sliding, Crawling

Infobox:

Age range: 4 years and up
 Minimum space: 865x752x354 cm
 Free falling height: 89 cm
 Largest section: 300xØ13,8 cm
 Heaviest section: 30 kg
 Replacement parts: available
 Foundations: 7xPF or 7xCF
 Assembly: 2 persons/8 h
 Ground constitution D: at least lawn
 Ground const. except D:
 Guaranteed safety:
 Impact protection net: 11 m²

5 66 547 5

elbe ibondo Tunnel Rendezvous Georgetown

Scope of delivery / material data:

1 slide PH 110: GFRP
 1 slide entry plate: HPL
 1 rung ladder: pressure impr. pine, stainl. steel
 2 fence elements: pressure impregnated pine ...
 2 crawling tubes: GFRP
 1 roof: pressure impregnated pine
 Wood construction: pressure impregnated pine ...
 Post shoes: hot-galvanised steel.

5 63 070 0

Prefabricated Foundation



5 58 600 0

Surcharge for straight add-on slide, stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel slide, PH 110

5 66 547 5
 elbe ibondo
 Tunnel
 Rendezvous









ibondo



play worlds circle



5 66 551 5
elbe ibondo Sand
Construction Site

elbe ibondo Sand Construction Site Kairo

The Cairo Sand Construction Site is great fun for any little builder; making models with water and sand is of great educational importance as it promotes imagination and creativity.

Play Value:

Climbing Dexterity
Hand/leg coordination Sliding
Creativity Experimentation
Mud play

Infobox:

Age range: 4 years and up
Minimum space: 804x580x283 cm
Free falling height: 100 cm
Largest section: 281xØ13,8 cm
Heaviest section: 30 kg
Replacement parts: available
Foundations: 15xPFs or 15xCF
Assembly: 2 persons/8 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety: TÜV GS
Impact protection net: 35 m²

5 66 551 5

elbe ibondo Sand Construction Site
Kairo

Scope of delivery / material data:

1 slide PH 110: GFRP
1 slide entry plate: HPL
1 parapet: HPL
1 mountaineering ramp: pressure impr. pine
1 mud-play basin: pressure impregnated pine,
stainless steel
1 sand channel: pressure impregnated pine
1 sand sieve: stainless steel
1 sand lift: stainless steel, rubber
1 see-saw: pressure impregnated pine
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 58 600 0

Surcharge for straight add-on slide,
stainless steel cover, PH 110

5 58 601 0

Surcharge for straight stainless steel
slide, PH 110

ibondo Integrative play

See page 222 to 246 for **ibondo**
play systems that allow children
with special needs to play together
with others.

eibe

215.



Surcharges for slides for elbe ibondo

All **elbe ibondo** play systems are offered with GFRP slides.

But of course you can select from the following variants a slide with stainless steel coating or a stainless steel slide that perfectly fits the platform height of the **elbe ibondo** system.

The slides are suitable for the indicated platform heights.

The actual height may be slightly above or below the indicated height!

Level D - platform height 270 cm

5 58 607 0

Surcharge for straight stainless steel slide

Level C - platform height 190 cm (special versions)

5 58 604 0

Surcharge for straight slide, GFRP with stainless steel coating, PH 190

5 58 605 0

Surcharge for straight slide, stainless steel, PH 190

5 58 610 0

Surcharge wide slide, stainless steel coating, PH 190

5 58 611 0

Surcharge wide slide, stainless steel, PH 190

5 58 612 0

Surcharge spiral slide, stainless steel, PH 190

5 58 613 0

Surcharge tube slide, stainless steel, PH 190

Level B - Platform Height 145 cm

5 58 602 0

Surcharge for straight slide, stainless steel coating, PH 145

5 58 603 0

Surcharge for straight stainless steel slide, PH 145

5 58 608 0

Surcharge wide slide, stainless steel coating, PH 145

5 58 609 0

Surcharge wide slide, stainless steel, PH 145


Level A - platform height 110 cm

5 58 600 0

Surcharge for attachable slide, straight, stainless steel coating, PH 110

5 58 601 0

Surcharge for straight slide, stainless steel coating, PH 110





eibe Post Bases


eibe has developed post bases specifically for **eibe** wooden posts.

They must be fastened to the uprights with saucer-head or hexagonal screws. The required bore is covered after fixing with a sealing cap and therefore remains invisible. After the post bases have been aligned, they are screwed to concrete foundations cast on-site or to **eibe** prefabricated foundations.

Quality features of the eibe post bases:

- hot-dip galvanized steel
- extremely stable design due to an 8 mm-thick base plate, 16x8 cm, and a 60 cm-long upright, $\varnothing$ approx 42 mm.

This type of post foundation can be used in any location in accordance with requirements and the existing local conditions, for example for pergolas and playhouses on paved surfaces.




eibe prefabricated foundations

eibe prefabricated foundations only have to be buried in the ground. There is no need to transport materials to the site, nor to mix concrete or wait for foundations cast on-site to dry out. Levelling is easy – simply lower the **eibe** foundation into the ground or backfill it. **eibe** prefabricated foundations are fitted with mounting rails so that there is no need for the time-consuming drilling of dowel holes. **eibe** prefabricated foundations are rounded off all around the upper edge, minimising the risk of injury through exposed foundations. **eibe** prefabricated foundations are buried to a depth of 52 cm for colorino systems.


The Main Advantages of eibe Prefabricated Foundations

1. Reduced earth excavation
2. No waiting time for concrete to set
3. Independent of weather conditions
4. Easy levelling
5. Mounting rails allows greater flexibility when installing upright posts
6. Quick and easy installation
7. Complies with **EN 1176**

eibe post base



Even in inaccessible terrain and on embankments, **eibe** prefabricated foundations offer many advantages.



eibe Post Base in longitudinal





Posts



Vertical ladder
to PH=145 cm



Vertical ladder
above PH=90 cm



Vertical ladder
to PH=100 cm



Vertical ladder
to PH=45 cm



Slanted ladder
to PH=190 cm



Slanted ladder
to PH=145 cm



Slanted ladder
to PH=56 cm




Square platform




Trapezoid platform



HPL parapet




HPL arch




Wooden parapet
large




Wooden parapet
small



Climbing board
with 8 grips, 115x86 cm




Climbing board
with 5 grips, 86x86 cm




Climbing board
with 5 grips, 70x86 cm



Wooden arched roof



Square hipped roof, wood, small




Hexagonal wooden roof



Square hipped roof, HPL, small



Hexagonal hipped roof, HPL



Square hipped roof, wood, large




Square castle roof
with weather vane



Hexagonal castle roof
with weather vane




Mountaineer ramp
for PH = 190 cm




Mountaineer ramp
for PH: 145 cm



Mountaineer ramp
for PH: 100.5 cm



Arched ramp
for PH=190 cm



Arched ramp
for PH=145 cm



Stairs
for PH=100 cm



Stairs
for PH = 145 cm



Stairs
for PH = 190 cm



Great trunk ascent



Overhead climbing ladder under the




Balancing rope ladder




ibondo

Overview of circle assemblies




Net frame
for PH=190 cm




Net frame
for PH=145 cm




Hanging bridge
L=300 cm




Net tunnel
L=300 cm



Net bridge
L=300 cm



Wobbly bridge
horizontal, L=300 cm




Net ascent
for PH=100 cm




Net ascent
for PH=145 cm



Wobbly bridge ascent
for PH=100 cm



Hand-over-hand climbing bridge
horizontal, L=300 cm




Ascent for hand-over-hand climbing bridge
for PH=100 cm




Tibetan bridge
horizontal, L=300 cm



Tibetan bridge ascent
for PH=100 cm




Hanging Tibetan catwalk




Spiral tunnel




T ascent



Liana ascent



Liana crosswalk




Zigzag ascent




Zigzag crosswalk




Diagonal crosswalk




Ring-shaped ascent



Chain ascent



Crawling tunnel




Slanted net ascent




Net climbing wall



Double swing



Sliding pole
for PH=190 cm



Sliding pole
for PH=145 cm



Spiral ascent
for PH: 190 cm




Spiral ascent
for PH: 145 cm



Sand lift



Mud basin



Crawling tunnel

eibe

219.



Experience the eibe play equipment

In the **eibe fantallica** play systems and equipment, the top **eibe** quality is combined with new material combinations and unique design. The product range offers everything from motion play units to themed play systems with a large variety of play elements.



See from page 76 for an overview of all eibe fantallica play combinations



fantallica



Play combinations Metal



eibe

221.

