



Themed play - play combinations





Themed play - play combinations



Themed play combinations

eibe themed play - design a world of fantasy and adventure.

Let us introduce you to the fantastic world of themed playgrounds. Children's enthusiasm for playgrounds focusing on a theme is unsurpassed. Each play system is the setting for thrilling stories. Allow yourself to be drawn into the unique world of playing.

Quality features/materials:

- high pressure laminate (HPL): durable, highly scratch-resistant laminate
- stainless steel (V2A): corrosion-resistant steel with chrome and nickel alloy
- hot-dipped galvanized steel: corrosion-resistant coating of metal parts with or without powder coating
- pressure-impregnated timbers with the pith removed acc. to RAL : first-grade timber with a 10-year guarantee against rotting and fungus.
- 3-layer-slab: three-layered wooden slab for exterior application with environmentally friendly undercoat and glazing
- Nets: Nets and ropes made from armored rope, which has a four-cord steel core solidly encased in polypropylene and having optimum abrasion values
- high-quality plastic (PE)

For a detailed overview of materials, see from page 540.




eibe minimondo nature	from page 28
eibe ibondo Western	from page 38
eibe ibondo Maritim	from page 48
eibe ibondo Jungle	from page 56
eibe ibondo Witch forest	from page 64
eibe fantallica Space travel and North pole adventures	from page 76



minimondo

playo

ibondo



5 59 815 5
elbe minimondo Cloud Tunnel
see page 29



5 59 818 5
elbe minimondo Bear Tunnel
see page 29



5 59 821 5
elbe minimondo Violet
see page 30



5 59 822 5
elbe minimondo Margerite
see page 30




5 59 823 5
elbe minimondo Buttercup
see page 31



5 59 824 5
elbe minimondo Carnation
see page 31



5 59 819 5
elbe minimondo Apple Tree
see page 32



5 59 820 5
elbe minimondo Seagull
see page 32



5 59 825 5
elbe minimondo Tulip
see page 32



5 59 826 5
elbe minimondo Sunflower
see page 33



New
5 59 835 5
elbe ibondo play house Cherry
see page 34



5 59 827 5
elbe minimondo Rose
see page 35



5 45 475 5
elbe playo Elephant Toledo
see page 37



New
5 66 270 5
elbe ibondo play system
Jerome
see page 39



New
5 66 268 5
elbe ibondo play system Dodge
City
see page 40




New
5 66 267 5
elbe ibondo play system Alamo
see page 42



New
5 66 271 5
elbe ibondo sand construction
site Klondike
see page 44



New
5 66 269 5
elbe ibondo play system High
Noon
see page 46



New
5 66 268 0
elbe ibondo group of cactuses
see page 91




New
5 66 272 5
elbe ibondo red Indian tent
Tipi
see page 90



New
5 66 269 0
elbe ibondo stake
see page 90



5 66 240 5
elbe ibondo Lighthouse
see page 49



5 66 241 5
elbe ibondo Trawler
see page 50



5 66 242 5
elbe ibondo Cargo Ship
see page 51


For other products that go with the themed play combinations, see the Chapters 'Themed Individual Play Equipment' and 'Movement'



5 66 243 5

eibe ibondo Harbour
Rotterdam

see page 52



5 66 244 5

eibe ibondo Harbour Hamburg

see page 54



5 66 260 5

eibe ibondo Play System Bali

see page 57



5 66 261 5

eibe ibondo Play System
Borneo

see page 58



5 66 262 5

eibe ibondo Play System Congo

see page 59



5 66 263 5

eibe ibondo Play System
Orinoko

see page 60



5 66 264 5

eibe ibondo Play System
Amazon

see page 62



5 66 255 5

eibe ibondo Play System
Laga Waga

see page 65



5 66 256 5

eibe ibondo Play System
Taya-Laya

see page 66



5 66 257 5

eibe ibondo Play System
Mura-Mura

see page 67



5 66 258 5

eibe ibondo Play System
Aba Tawa

see page 68



5 66 259 5

eibe ibondo Play System Taba
Laga

see page 70



5 66 568 0

eibe ibondo play system Ariane

see page 77



5 66 569 0

eibe fantallica play system
Minerva

see page 78



5 66 572 0

eibe ibondo play system Cristal

see page 79

Themed play combinations


Themed play - play combinations



eibe minimondo Nature

The individual solution for small adventurers. These playscapes feature top quality products that enhance all types of playgrounds. The play functions and the multitude of options for climbing and physical activity guarantee endless fun and entertainment.

Bear tunnel, apple tree or other play combinations - the colorful design appeals to the taste of young children.



eibe minimondo Cloud Tunnel
The curiousness and the appealing colours of the **eibe minimondo** Cloud Tunnel fascinate the smallest of toddlers.

Play Value:
Crawling Creativity

Infobox:
Age range: 2 - 6 years
Minimum space: 124x58x180 cm
Free falling height: -
Largest section: 85,5x67,7x1,5 cm
Heaviest section: 9 kg
Replacement parts: available
Foundations: 2xPFs or 1xCF
Assembly: 1 person/1 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net: -

5 59 815 5
eibe minimondo Cloud Tunnel

Scope of delivery / material data:
1 cloud tunnel: PP, HPL
Metal anchorage
.....

5 63 070 0
Prefabricated Foundation

eibe minimondo Bear Tunnel
As a symbol of a toy that accompanies them through their childhood, the bear invites the children to crawl and play.


Play Value:
Crawling Creativity



Infobox:
Age range: 2 - 6 years
Minimum space: 134x52x209 cm
Free falling height: 29 cm
Largest section: 112x86x1,5 cm
Heaviest section: 14 kg
Replacement parts: available
Foundations: 2xPFs or 2xCF
Assembly: 1 person/1 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net: -

5 59 818 5
eibe minimondo Bear Tunnel

Scope of delivery / material data:
1 bear tunnel: PP, HPL
Metal anchorage
.....

5 63 070 0
Prefabricated Foundation





5 59 821 5

elbe minimondo Violet



elbe minimondo Violet

With the little **minimondo** play system Violet, the little ones set off on their first play adventures and have a real romp!

Play Value:

Crawling Sliding
Promoting exercise.....

Infobox:

Age range: 2-6 years
Minimum space: 176x143x220 cm
Free falling height: 40 cm
Largest section: 88x58x46,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 5xPFs or 3xCF
Assembly: 2 persons/1 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:

5 59 821 5

elbe minimondo Violet

5 63 070 0

Prefabricated Foundation

Scope of delivery / material data:

1 tummy slide: HPL
1 ramp ascent: HPL, pressure impregnated pine
1 fence element: stainless steel, PE
1 spiral: stainless steel, PE
1 platform level: Hexaflor
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel



elbe minimondo Margerite

The small, compact **minimondo** play system Margerite offers a variety of play possibilities for all small children.

Play Value:

Crawling Sliding
Dexterity Promoting exercise

Infobox:

Age range: 2-6 years
Minimum space: 176x145x220 cm
Free falling height: 40 cm
Largest section: 100x100x1,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 5xPFs or 3xCF
Assembly: 2 persons/1.5 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:

5 59 822 5



elbe minimondo Margerite

Scope of delivery / material data:

1 tummy slide: HPL
1 climbing ramp: HPL, pressure impregnated pine
1 fence element: stainless steel, PE
1 platform level: HPL
1 roof: HPL, Makrolon
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



5 59 822 5

elbe minimondo Margerite



eibe minimondo Buttercup
It is very easy for parents to keep an eye on their children on this **minimondo** play system as all play activities are concentrated on one platform.

Ground const. except D: . . . no special requirements
Guaranteed safety:
Impact protection net: -

5 59 823 5

eibe minimondo Buttercup

Play Value:

Climbing Dexterity
Crawling Promoting exercise

Infobox:


Age range: 2-6 years
Minimum space: 157x137x220 cm
Free falling height: 40 cm
Largest section: 100x100x1,5 cm
Heaviest section: 22 kg
Replacement parts: available
Foundations: 4xPFs or 2xCF
Assembly: 2 persons/1.5 h
Ground constitution D: . . . no special requirements

Scope of delivery / material data:



1 tummy slide: HPL
1 runged ascent: ash, HPL
1 staircase: HPL
1 roof: HPL, Makrolon
1 platform level: HPL
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



5 59 823 5
eibe minimondo Buttercup



5 59 824 5
eibe minimondo Carnation

eibe minimondo Carnation
Children will never be bored on the **minimondo** play system Carnation – it guarantees hours of absolute sliding fun!

5 59 824 5
eibe minimondo Carnation

Scope of delivery / material data:

1 tummy slide: HPL
1 fence element: stainless steel, PE
1 crawling tube: PP
1 climbing ramp: HPL, pressure impregnated pine
1 staircase: Hexaflor, HPL
2 platform levels: Hexaflor
1 roof: HPL, Makrolon
1 spiral: stainless steel, PE
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

Play Value:

Crawling Sliding
Dexterity Promoting exercise

Infobox:

Age range: 2-6 years
Minimum space: 253x170x220 cm
Free falling height: 40 cm
Largest section: 100x100x1,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 8xPFs or 4xCF
Assembly: 2 persons/3 h
Ground constitution D: . . . no special requirements
Ground const. except D: . . . no special requirements
Guaranteed safety:
Impact protection net: -

5 63 070 0

Prefabricated Foundation



eibe minimondo Apple Tree

The **eibe minimondo** Apple Tree is just the thing for those children who enjoy playing in a 'real' apple tree.

Play Value:

Crawling Sliding
Promoting exercise..... Role-play

Infobox:

Age range:..... 2 - 6 years
Minimum space:..... 203x144x220 cm
Free falling height:..... 40 cm
Largest section:..... 114x130x1,5 cm
Heaviest section:..... 23 kg
Replacement parts:..... available
Foundations:..... 5xPFs or 3xCF
Assembly:..... 2 persons/1.5 h
Ground constitution D:..... no special requirements
Ground const. except D:..... no special requirements
Guaranteed safety:.....
Impact protection net:.....



5 59 819 5



eibe minimondo Apple Tree

Scope of delivery / material data:

- 1 tummy slide: HPL.....
- 1 ascent ramp: HPL.....
- 1 tree backdrop: HPL.....
- 1 stair ascent: HPL, Hexaflor.....
- 1 platform level: HPL.....
- 1 play spiral: stainless steel, PE.....
- Wood construction: pressure impregnated pine.....
- Post shoes: hot-dip galvanized steel.....

5 63 070 0

Prefabricated Foundation



5 59 819 5
**eibe
minimondo
Apple Tree**



eibe minimondo Seagull

The **eibe minimondo** Seagull – the 'beginner's version' for little sailors – fulfils all the premises required by the seafaring crowd. With a sail and steering wheel, the high seas are just a stone's throw away.

Play Value:

Crawling Sliding
Promoting exercise..... Role-play
Communication.....

Infobox:

Age range:..... 2 - 6 years
Minimum space:..... 176x143x220 cm
Free falling height:..... 40 cm
Largest section:..... 12x180 cm
Heaviest section:..... 23 kg
Replacement parts:..... available
Foundations:..... 5xPFs or 3xCF

Assembly:..... 2 persons/1.5 h
Ground constitution D:..... no special requirements
Ground const. except D:..... no special requirements
Guaranteed safety:.....
Impact protection net:.....

5 59 820 5



eibe minimondo Seagull

Scope of delivery / material data:




- 1 tummy slide: HPL.....
- 1 ascent ramp: HPL.....
- 1 steering wheel: HPL.....
- 1 parapet with porthole: HPL.....
- 1 sail: tent tarpaulin.....
- 1 fence element: stainless steel, PE.....
- 1 platform level: HPL.....
- Wood construction: pressure impregnated pine.....
- Post shoes: hot-dip galvanized steel.....

5 63 070 0

Prefabricated Foundation



5 59 820 5
**eibe minimondo
Seagull**



5 59 825 5
elbe minimondo
Tulip

elbe minimondo Tulip

The **elbe minimondo** play system Tulip is ideal for small children as it is especially designed to provide them with a wide variety of play opportunities.

Play Value:

Crawling Sliding
Dexterity Promoting exercise

Infobox:

Age range: 2-6 years
Minimum space: 253x170x220 cm
Free falling height: 40 cm
Largest section: 100x100x1,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 8xPFs or 4xCF
Assembly: 2 persons/3 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:

5 59 825 5



elbe minimondo Tulip

Scope of delivery / material data:


- 1 tummy slide: HPL
- 2 roofs: HPL, Makrolon
- 1 fence element: stainless steel, PE
- 1 crawling tube: PP
- 1 climbing ramp: HPL, pressure impregnated pine
- 1 staircase: Hexaflor, HPL
- 2 platform levels: Hexaflor
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation



5 59 826 5
elbe minimondo
Sunflower



elbe minimondo Sunflower

With the help of their parents, even the smallest adventurers manage to reach the top before experiencing the thrill of descending down the slide.

Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:

5 59 826 5

Climbing Krabblen
Dexterity Promoting exercise
Sliding

5 63 070 0

elbe minimondo Sunflower

Scope of delivery / material data:

Age range: 2-6 years
Minimum space: 265x203x220 cm
Free falling height: 40 cm
Largest section: 88x58x46,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 8xPFs or 4xCF
Assembly: 2 persons/3 h

- 1 tummy slide: HPL
- 4 fence elements: stainless steel, PE
- 1 climbing ramp: HPL, pressure impregnated pine
- 1 arched bridge: HPL, pressure impregnated pine
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 63 070 0
Prefabricated Foundation



eibe ibondo play house Cherry

In addition to play elements and thrilling slides, this colorful play system also comprises a snug little house to sit and relax in before starting on a new set of games.

Play Value:

- Relaxing Watching
- Crawling Sliding
- Dexterity Promoting physical activity
- Promoting a sense of balance

Infobox:

- Age range: from 1 year of age
- Minimum space 248x205x220 cm
- Free falling height 40 cm
- Largest section 132x88x1,5 cm
- Heaviest section 23 kg
- Replacement parts available
- Foundations 9xPF or 6xCF
- Assembly 2 persons/3 h
- Ground constitution D no special requirements
- Ground const. except D: no special requirements
- Guaranteed safety:
- Impact protection net:

5 59 835 5



eibe ibondo play house Cherry

Scope of delivery / material data:

- 1 roof: HPL 1 bench: HPL
- 1 wall element with windows and shutters: HPL
- 1 tummy slide: HPL 1 rungged ascent: ash, HPL
- 1 stairs: HPL
- 2 fence elements: stainless steel, PE
- Wood construction: pressure impregnated pinePost shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



5 59 835 5
eibe ibondo play house Cherry



New



See the chapter 'Motion Games' for other products complementing the minimondo series.



circle

elbe minimondo Rose

No matter whether they are playing hide and seek, sliding, climbing or crawling – all the learning stages of small children have been taken into account so that there is something for every child .

Play Value:

Crawling Sliding
Dexterity Promoting exercise
Promoting balance

Infobox:

Age range: from 1 year of age
Minimum space: 313x237x220 cm
Free falling height: 40 cm
Largest section: 100x100x1,5 cm
Heaviest section: 23 kg
Replacement parts: available
Foundations: 10xPFs or 4xCF
Assembly: 2 persons/4 h
Ground constitution D: no special requirements
Ground const. except D: no special requirements
Guaranteed safety:
Impact protection net:

5 59 827 5


elbe minimondo Rose

Scope of delivery / material data:


- 1 tummy slide: HPL
- 1 roof: HPL, Makrolon
- 1 crawling tube: PP
- 1 arched bridge: HPL, pressure impregnated pine
- 3 platform levels: Hexaflor
- 1 staircase: Hexaflor, HPL
- 1 rung ascent: ash, HPL
- 4 fence elements: stainless steel, PE
- Wood construction: pressure impregnated pine
- Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation




5 59 827 5
elbe minimondo
Rose




eibe minimondo individual components


Only applicable for minimondo play systems from page 26 to page 34.




Posts




Platform linooor




Ramp ascent




Stair ascent




Rung ascent




Slide




Wave bridge




Arched bridge




Flower roof




Tunnel 54 cm




Tunnel 63 cm




Tunnel fixture



Circular handrail




Straight handrail



Marble arch



Front panel bear




Rear panel bear




Play element 2 for tunnel




Spiral game




Foliage for apple tree




Play element 1 for tunnel




Bench




Table



Bow element for seagull



quadra



eibe playo Elephant Toledo

This enjoyable themed play equipment is a real showpiece for every playground. All children love it because it offers not only a slide but many different elements for playing and climbing.

Play Value:

Dexterity Concentration
Creativity Sliding
Promoting balance Communication

Infobox:

Age range: 3 years and up
Minimum space: 1225x496x392 cm
Free falling height: 212 cm
Largest section: 173x141x2 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xPFs+1CF or 10xCFs
Assembly: 2 persons/10 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 41 m²

5 45 475 5



eibe playo Elephant Toledo

Scope of delivery / material data:

- 1 V-shaped bridge: hot-dip galvanized, powder-coated steel, pressure impregnated pine
- 1 spiral ascent: stainless steel
- 1 tubular slide PH 198 cm: GFRP
- 1 net ascent: polyester-coated steel rope
- 1 play board Enchanted mirror: MDF, stainless steel
- 1 play board Rolli: MDF, plastic
- 1 head of play elephant, 2 parts: HPL
- 3 rungs: stainless steel
- 2 run-through protections: stainless steel
- Post shoes: hot-dip galvanized steel
- Wood construction: pressure impregnated pine

5 63 070 0

Prefabricated Foundation



5 45 475 5

eibe playo Elephant Toledo



Themed play - play combinations




eibe ibondo Western – in the country of cowboys, Red Indians and gold diggers!

After a long overland ride accompanying the new settlers, it is great to have a rest on the porch of the saloon. The sheriff's office is next door, so law and order are observed and all scoundrels are under control.

Refreshed from our break, we can now continue our ride to a village of friendly Red Indians.



ibondo





New



Themed play combinations Western

circle



elbe ibondo play system jerome

This play system excels by offering much play value on a small space and bringing along the feeling of the Wild West.

Play Value:

Sliding Dexterity
Coordination of hands and legs Role playing

Infobox:

Age range: 4 years and up
Minimum space 762x565x378 cm
Free falling height 145 cm
Largest section 373x55x54 cm
Heaviest section 38 kg
Replacement parts available
Foundations 8xPFs or 8xCF
Assembly 2 persons/3 h
Ground constitution D at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 32 m²

5 66 270 5

elbe ibondo play system jerome

Scope of delivery / material data:

- 1 slide PH 145: GFRP
- 1 slide entry plate: pressure-impregnated pine
- 1 wall element with window: pressure impr. pine
- 1 gabled roof with faceplate: pressure impr. pine
- 1 step-through platform: pressure impr. pine
- 1 zig-zag ascent: polyester-coated steel rope,
- pressure-impregnated pine
- 1 ring ascent: polyester-coated steel rope
- Wood construction: pressure impregnated pine
- Post shoes: hot-dip galvanized steel

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0

Surcharge for straight stainless steel slide, PH 145

5 63 070 0


Prefabricated Foundation

5 66 270 5
elbe ibondo play system jerome

eibe

39.





**eibe ibondo play system
Dodge City**

The compact play system Dodge City prevents boredom on the playground and tempts the children to explore new ways of playing.

Play Value:

Sliding.....Balancing
Dexterity.....Hand/leg coordination
Promoting a sense of balance.....Role play
Concentration.....Body control

Infobox:

Age range: 4 years and up
Minimum space 913x880x431 cm
Free falling height 190 cm
Largest section 459x55x54 cm
Heaviest section 50 kg
Replacement parts available
Foundations 14xPF+2xCF or 16xCF
Assembly 2 persons/6 h
Ground constitution D at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 50 m²

5 66 268 5

eibe ibondo play system Dodge City

Scope of delivery / material data:

1 slide PH 145: GFRP
1 slide entry plate: pressure impregnated pine. . .
1 wall element with window: pressure impr. pine
2 parapets: pressure impr. pine
1 gabled roof with faceplate: pressure impr. pine
1 slanted roof with faceplate: pressure impr. pine
1 canopy roof: pressure impregnated pine.
1 saloon door: three-layer board
1 stem ascent: pressure impregnated pine.
1 arched ramp: pressure impregnated pine, hot-dip galvanized steel.
1 diagonal transition: pressure impregnated pine, plastic-covered steel rope
1 play board Wanted: HPL
1 play board Rotation wheel: HPL
1 sitting board: HPL
Wood construction: pressure-impregnated pine . .
Post shoes: hot-dip galvanized steel

5 58 677 0

Surcharge for straight stainless steel slide, PH 145

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 63 070 0

Prefabricated Foundation




ibondo

Themed play combinations Western


New



 **circle**



5 66 268 5
eibe **ibondo** play system
Dodge City



eibe





elbe ibondo play system Alamo

For the cowboys or the Red Indians, the play system Alamo presents a challenge for everybody and invites the children to role-play. Have a good romp on the three towers, true-to-detail play elements and tipi tent.

Play Value:

Sliding Balancing
 Dexterity Hand/leg coordination
 Promoting a sense of balance Role play
 Concentration Body control

Infobox:

Age range: 4 years and up
 Minimum space 1310x900x479 cm
 Free falling height 259 cm
 Largest section 459x55x54 cm
 Heaviest section 50 kg
 Replacement parts available
 Foundations 18xPFs+2xCF or 19x CF
 Assembly 2 persons/8 h
 Ground constitution D at least sand
 Ground const. except D at least sand
 Guaranteed safety:
 Impact protection net: 69 m²

5 66 267 5

elbe ibondo play system Alamo

Scope of delivery / material data:

- 1 slide entry plate: pressure impregnated pine
- 1 wall element: pressure impregnated pine
- 1 wall element with window: pressure impr.
- 1 wall element with window: pressure impr., stainless steel.
- 2 parapets: pressure impregnated pine
- 2 gabled roofs with faceplate: pressure impr. pine
- 1 slanted roof with faceplate: pressure impr. pine
- 1 canopy roof: pressure impregnated pine
- 1 step-through platform: pressure impr. pine
- 1 saloon door: three-layer board
- 1 slanted ladder ascent: pressure impregnated pine, stainless steel
- 1 ring ascent: polyester-coated steel rope
- 1 stem ascent: pressure impregnated pine
- 1 zig-zag transition: pressure impregnated pine, polyester-coated steel rope
- 1 diagonal transition: pressure impregnated pine, polyester-coated steel rope
- 1 play board Wanted: HPL
- 1 play board Rotation wheel: HPL
- 1 sitting board: HPL. Wood construction: pressure impregnated pine.
- Post shoes: hot-dip galvanized steel

5 58 676 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 190

5 63 070 0

Prefabricated Foundation

5 58 678 0

Surcharge for straight stainless steel slide, PH 190

5 66 272 5

elbe ibondo red Indian tent Tipi

5 66 268 0

elbe ibondo group of cactuses

5 66 269 0

elbe ibondo stake







ibondo



Themed play combinations Western



5 66 267 5
eibe ibondo play system
Alamo1:200

eibe



eibe ibondo sand construction site Klondike

Just right for little gold diggers. Children love this system which combines play-ground and sandpit attractions.

Play Value:

Climbing Dexterity
 Hand/leg coordination Sliding
 Creativity Experimenting
 Mud playing Role playing

Infobox:

Age range: 4 years and up
 Minimum space 808x630x418 cm
 Free falling height 145 cm
 Largest section 373x55x54 cm
 Heaviest section 38 kg
 Replacement parts available
 Foundations 17xPFs or 17xCF
 Assembly 2 persons/6 h
 Ground constitution D at least lawn
 Ground const. except D at least sand
 Guaranteed safety:  
 Impact protection net: 38 m²

5 66 271 5

eibe ibondo sand construction site Klondike

Scope of delivery / material data:

- 1 slide PH 145: GFRP
- 1 slide entry plate: pressure impregnated pine ..
- 1 slanted roof with faceplate: pressure impr. pine
- 1 wall element with window: pressure impr. pine
- 1 shop board: pressure impregnated pine, HPL .
- 2 parapets: pressure impregnated pine
- 1 stem ascent: pressure impregn. pine
- 1 mountain climbing ramp: pressure impr. pine .
- 1 sand lift: hot-dip galvanized steel, rubber
- 1 mud pool, square: stainless steel
- 1 sand sifter stainless steel
- 1 riddle sifter: stainless steel
- 1 sand silo: stainless steel
- 1 sand chute: pressure impregnated pine
- 1 sand seesaw: pressure impregnated pine
- Wood construction: pressure impregnated pine..
- Post shoes: hot-dip galvanized steel

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145


5 58 677 0

Surcharge for straight stainless steel slide, PH 145

5 63 070 0

Prefabricated Foundation

New








ibondo



Themed play combinations Western



 **circle**



5 66 271 5
eibe **ibondo sand construction site Klondike**

eibe

45.





New



See the chapters 'Themed Individual Play Equipment Western' and 'Motion Games' for other products complementing the Western themed play combinations.

elbe ibondo play system High Noon

A Western town and a small Red Indian village close by - limitless fun for younger and older fans of the Wild West. Numerous details let you discover something new all the time.

Play Value:

Sliding.....Balancing
 Dexterity.....Hand/leg coordination
 Promoting a sense of balance.....Role play
 Concentration.....Body control

Infobox:

Age range: 4 years and up
 Minimum space 1417x1125x479 cm
 Free falling height 275 cm
 Largest section 459x55x54 cm
 Heaviest section 50 kg
 Replacement parts available
 Foundations 25xPFs+4CF or 29xCF
 Assembly 2 persons/12 h
 Ground constitution D at least sand
 Ground const. except D at least sand
 Guaranteed safety:
 Impact protection net: 116 m²

5 66 269 5

elbe ibondo play system High Noon

Scope of delivery / material data:

1 slide PH 190: GFRP
 1 slide entry plate: pressure impregnated pine ..
 1 wall element: pressure impregnated pine ...
 2 wall elements with window: pressure impr. pine
 1 wall element with window: pressure impregna-
 ted pine, stainless steel
 6 parapets: pressure impregnated pine
 2 gabled roofs with faceplate: pressure impr. pine
 1 slanted roof with faceplate: pres. impr. pine ..
 4 canopy roofs: pressure impregnated pine
 1 step-through platform: pressure impr. pine ...
 1 saloon door: 3-layer board
 1 slanted ladder ascent: pressure impregnated
 pine, stainless steel
 1 ring ascent: polyester-coated steel rope
 1 stem ascent: pressure impregnated pine
 1 Tibetan bridge: polyester-coated steel rope ...
 1 crawling tunnel: HPL, poly.-coated steel rope .

2 shop boards: pressure impregnated pine, HPL.
 1 play board Rotation wheel: HPL
 1 play board Spiral wheel: HPL
 1 play barrel: pressure impregnated pine
 Wood construction: pressure impregnated pine...
 Post shoes: hot-dip galvanized steel

5 58 676 0

Surcharge for straight add-on slide,
 grey, stainless steel cover, PH 190

5 58 678 0

Surcharge for straight stainless steel
 slide, PH 190


5 63 070 0

Prefabricated Foundation





ibondo

Themed play combinations Western



 **circle**



5 66 269 5
eibe **ibondo** play system
High Noon 1:200



eibe

47.



Themed play - play combinations



eibe ibondo Maritim – At high sea

„All hands on deck! Haul in the nets!“ „Aye aye Captain!“ Quickly over the swaying planks to the bow, anchor aweigh!


2 points backboard, full speed ahead into the port.

The lighthouse of our port appears on the horizon, and now we can see the pier. This is where we unload and sort the cargo. And as soon as the holds are empty, we will leave the port again to face new adventures at high sea.



ibondo

Themed play combinations Maritime



 **circle**



eibe ibondo Lighthouse

The view across the sheer, endless vastness of the sea is a very special experience from the Lighthouse.

Play Value:

Climbing Sliding
Role-play:

Infobox:

Age range: 4 years and up
Minimum space: 753x430x410 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 38 kg
Replacement parts: available
Foundations: 1xPFs+4xCF or 5xCF
Assembly: 2 persons/6 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety: 
Impact protection net: 26 m²

5 66 240 5

eibe ibondo Lighthouse

Scope of delivery / material data:

1 slide PH 145: GRP
1 slide entry ramp: HPL
7 parapets: HPL
1 roof with 2 portholes: HPL
1 thoroughfare platform: pressure impr. pine ...
1 rung ascent: plastic coated steel cable
Wood construction: pressure impregnated pine ..
Post shoes: hot-galvanised steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145



5 58 603 0

Surcharge for straight, stainless steel add-on slide with Simple Slide, PH 110



5 63 070 0

Prefabricated Foundation

5 66 240 5
eibe ibondo Lighthouse



eibe



eibe ibondo Trawler

Full steam ahead! Every child becomes a seafarer on this Trawler.


Play Value:

Climbing Sliding
 Dexterity Hand/leg coordination
 Role-play.....

Infobox:

Age range: 4 years and up
 Minimum space: 855x515x415 cm
 Free falling height: 202 cm
 Largest section: 404xØ13,8 cm
 Heaviest section: 25 kg
 Replacement parts: available
 Foundations: 11xPFs+1xOF or 11xCFs
 Assembly: 2 persons/8 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 35 m²

5 66 241 5
eibe ibondo Trawler




5 66 241 5
eibe ibondo Trawler

Scope of delivery / material data:

2 parapets: HPL
 1 roof with funnel: pressure impregnated pine...
 1 thoroughfare platform: pressure impr. pine...
 1 bow: plastic coated steel cable, pressure impregnated pine
 1 climbing net: plastic coated steel cable
 1 ladder ascent: stainless steel, pressure impregnated pine
 1 rung ascent: plastic coated steel cable
 1 sliding pole: stainless steel
 1 steering wheel: HPL
 Wood construction: pressure impregnated pine...
 Post shoes: hot-galvanised steel.....

5 63 070 0
Prefabricated Foundation




elbe ibondo Cargo Ship

The two playing levels and the crawling tunnel make this Cargo Ship especially attractive.

Play Value:




Climbing Crawling
 Hand/leg coordination Dexterity
 Role-play:

Infobox:

Age range: 4 years and up
 Minimum space: 1070x430x415 cm
 Free falling height: 202 cm
 Largest section: 404xØ13,8 cm
 Heaviest section: 30 kg
 Replacement parts: available
 Foundations: 8xPFs+10F or 1xCF
 Assembly: 2 persons/10 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 42 m²

5 66 242 5
elbe ibondo Cargo Ship
Scope of delivery / material data:

4 parapets: HPL
 1 roof with funnel: pressure impregnated pine ..
 1 ladder ascent: stainless steel, pressure impregnated pine
 1 bow: plastic covered steel cable, pressure impregnated pine
 1 wobbly walkway: hot-galvanised steel, pressure impregnated pine
 1 crawling tunnel: plastic coated steel cable, HPL
 Wood construction: pressure impregnated pine ..
 Post shoes: hot-galvanised steel

5 63 070 0
Prefabricated Foundation

5 66 242 5
elbe ibondo Cargo Ship 1:200



eibe ibondo Harbour Rotterdam

The Cargo Ship has entered the Harbour and is ready for loading.

Play Value:

- Sliding..... Climbing
- Balancing.....Hand/leg coordination
- Dexterity..... Concentration
- Promoting balance..... Role-play

Infobox:

Age range:..... 4 years and up
 Minimum space:.....1298x928x475 cm
 Free falling height:..... 202 cm
 Largest section:..... 404xØ13,8 cm
 Heaviest section:..... .65 kg
 Replacement parts:..... available
 Foundations:..... 19xPFs+1CF or 20xCFs
 Assembly:..... 2 persons/14 h
 Ground constitution D:..... at least sand
 Ground const. except D:..... at least sand
 Guaranteed safety:.....
 Impact protection net:..... 77 m²

5 66 243 5

eibe ibondo Harbour Rotterdam

Scope of delivery / material data:

- 1 slide: PH 190:GRP.....
- 1 slide entry ramp: HPL.....
- 1 thoroughfare platform: pressure impr. pine.....
- 4 parapets: HPL.....
- 1 hexagonal roof: HPL.....
- 1 roof with funnel: pressure impregnated pine.....
- 1 bow: plastic coated steel cable, pressure impregnated pine.....
- 1 rung ascent: plastic coated steel cable.....
- 1 ladder ascent: stainless steel, pressure impregnated pine.....
- 1 climbing net: plastic coated steel cable.....
- 1 spiral ascent: stainless steel.....
- 1 arched ramp: pressure impregnated pine.....
- 1 Tibetan walkway: plastic coated steel cable.....

- 1 steering wheel: HPL.....
- 1 playboard labyrinth: HPL.....
- Wood construction: pressure impregnated pine.....
- Post shoes: hot-galvanised steel.....

5 58 604 0

Surcharge for straight add-on slide, stainless steel cover, PH 190

5 58 605 0

Surcharge for straight stainless steel slide, PH 190



5 63 070 0

Prefabricated Foundation



ibondo

Themed play combinations Maritime



5 66 243 5
eibe **ibondo Harbour**
Rotterdam

eibe

53.





eibe ibondo Harbour Hamburg

Ahoy! After docking in the Harbour, the Cargo Ship is ready for unloading. The goods have to be carried across the Tibetan walkway direct to the sand construction site for processing.



Play Value:

- Climbing Balancing
- Hand/leg coordination Dexterity
- Concentration Promoting balance
- Role-play

Infobox:

- Age range: 4 years and up
- Minimum space: 1095x940x493 cm
- Free falling height: 202 cm
- Largest section: 434xØ13,8 cm
- Heaviest section: 35 kg
- Replacement parts: available
- Foundations: 22xPFs+1CF or 23xCFs
- Assembly: 2 persons/18 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 75 m²

5 66 244 5


eibe ibondo Harbour Hamburg

Scope of delivery / material data:

- 11 parapets: HPL
- 1 roof with 2 portholes: HPL
- 1 roof with funnel: pressure impregnated pine
- 1 thoroughfare platform: pressure impr. pine
- 1 bow: plastic coated steel cable, press. impr. pine
- 1 sliding pole: stainless steel
- 1 sloping rung ascent: stainl. steel, pr. imp. pine
- 1 ladder ascent: stainless steel, pr. imp. pine
- 1 monkey rings ascent: plastic coated steel cable
- 1 Tibetan walkway: plastic coated steel cable
- 1 crawling tunnel: plastic coated steel cable, HPL
- 1 wobbly walkway: hot-galvanised steel, pressure impregnated pine
- 1 playboard labyrinth: HPL
- 1 playboard spiral pane: HPL, Makrolon
- 2 shaker sieves: stainless steel
- 1 sand sieve: stainless steel
- 1 sand silo: stainless steel
- 1 sand hoist: stainless steel, rubber
- 1 suspension bridge: stainless steel, rubber
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation





See the chapter 'Motion Games' for other products complementing the ibondo Maritime series.



ibondo



5 66 244 5
eibe ibondo Harbour
Hamburg



Themed play combinations Maritime

eibe

55.



**Themed play -
play combinations**



eibe ibondo jungle
Deep in the ancient forests!

Struggling through the undergrowth, climbing over fallen trees, swinging from lianas.

The expedition has covered much distance today and needs a rest. Now we have time to discover exotic plants and listen to the jungle sounds. But one of us has to be on guard all the time - you never know if a tiger is stalking the camp or hostile aborigines are planning to attack us.



ibondo

Themed play combination Jungle




eibe ibondo Play System Bali
A high play value in a small space and a distinctive design are the distinguishing features of this play system.

Play Value:	
Climbing	Sliding
Dexterity	Hand/leg coordination
Role-play	

Infobox:	
Age range:	4 years and up
Minimum space:	.872x557x402 cm
Free falling height:	145 cm
Largest section:	.373x55x54 cm
Heaviest section:	.60 kg
Replacement parts:	available
Foundations:	.5xPFs+1PFI+2xOFs or 8xCFs.
Assembly:	.2 persons/6 h
Ground constitution D:	at least lawn
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	34 m²

5 66 260 5	
eibe ibondo Play System Bali	
Scope of delivery / material data:	
1 slide PH 145: GRP	
1 slide entry ramp: HPL	
1 parapet: pressure impregnated pine	
1 hip roof: HPL	
1 arched ramp: pressure impregnated pine	
1 liana ascent: hot-galvanised steel, plastic coated steel cable	
Wood construction: pressure impregnated pine	
Post shoes: hot-galvanised steel	

5 58 675 0	
Surcharge for straight add-on slide, grey, stainless steel cover, PH 145	
5 58 677 0	
Surcharge for straight stainless steel slide, PH 145	
5 63 070 0	
Prefabricated Foundation	
5 63 073 0	
Prefabricated foundation plate	



5 66 260 5
eibe ibondo Play System Bali 1:200

eibe

57.



eibe ibondo Play System Borneo

The diverse range of combination possibilities ensure that this play system is never boring.

Play Value:

- Climbing Sliding
- Dexterity Hand/leg coordination Role-play
- Balancing Promoting balance
- Concentration

Infobox:

- Age range: 4 years and up
- Minimum space: 970x870x410 cm
- Free falling height: 145 cm
- Largest section: 373x55x54 cm
- Heaviest section: 45 kg
- Replacement parts: available
- Foundations: 15xPFs or 13xCFs
- Assembly: 2 persons/8 h
- Ground constitution D: at least lawn
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 52 m²

5 66 261 5

eibe ibondo Play System Borneo

Scope of delivery / material data:

- 1 slide PH 145: GRP
- 1 slide entry ramp: HPL
- 2 parapets: pressure impregnated pine
- 2 leaf elements: HPL
- 1 hip roof: HPL
- 1 mountaineering ramp: pressure impr. pine
- 1 log ascent: pressure impregnated pine
- 1 climbing net: plastic coated steel cable
- 1 Tibetan walkway: plastic coated steel cable
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0



Surcharge for straight stainless steel slide, PH 145

5 63 070 0

Prefabricated Foundation



5 66 261 5
eibe ibondo Play System Borneo
1:200





eibe ibondo Play System Congo

There are many ways to scale the play system Congo. Each and every one offers an array of various challenges and adventures.

Play Value:

Sliding Hand climbing
 Climbing Promoting balance
 Concentration Hand/leg coordination
 Power training Body control
 Role-play

Infobox:

Age range: 4 years and up
 Minimum space: 968x885x415 cm
 Free falling height: 145 cm
 Largest section: 404xØ13,8 cm
 Heaviest section: 38 kg
 Replacement parts: available
 Foundations: 17xPFs+1PFI or 18xCFs
 Assembly: 2 persons/12 h
 Ground constitution D: at least lawn
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 67 m²

5 66 262 5

eibe ibondo Play System Congo

Scope of delivery / material data:

1 slide PH 145: GRP
 1 slide entry ramp: HPL
 4 parapets: pressure impregnated pine
 1 hip roof: HPL
 1 sloping roof: pressure impregnated pine
 1 thoroughfare platform: pressure impr. pine
 1 log ascent: pressure impregnated pine
 1 zigzag ascent: plastic coated steel cable, pressure impregnated pine
 1 rung ascent: plastic coated steel cable
 1 hand climbing ascent: plastic coated steel cable, pressure impregnated pine
 1 knotted element: stainless steel
 1 ladder ascent: stainless steel, press. impr. pine
 1T-ascent: plastic coated steel cable
 Wood construction: pressure impregnated pine
 Post shoes: hot-galvanised steel

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0


Surcharge for straight stainless steel slide, PH 145

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate



5 66 262 5
 eibe ibondo Play System Congo
 1:200



circle



eibe ibondo Play System Orinoko

In the jungle village Orinoko, there's always something happening. The three play towers promise hours of unlimited fun.

Play Value:

- Sliding. Balancing
- Hand/leg coordination Promoting balance
- Climbing Body control
- Role-play. Concentration

Infobox:

- Age range: 4 years and up
- Minimum space: 1256x957x410 cm
- Free falling height: 190 cm
- Largest section: 373x55x54 cm
- Heaviest section: 60 kg
- Replacement parts: available
- Foundations: 19xPFs+1PFI+2xCfs or 22xCFs
- Assembly: 2 persons/14 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 78 m²

5 66 263 5

eibe ibondo Play System Orinoko

Scope of delivery / material data:

- 1 slide PH 145: GRP.
- 1 slide entry ramp: HPL.
- 5 parapets: pressure impregnated pine.
- 1 leaf elements: HPL.
- 2 hip roofs: HPL.
- 1 thoroughfare platform: pressure impr. pine
- 1 log ascent: pressure impregnated pine.
- 1 zigzag ascent: plastic coated steel cable, pressure impregnated pine
- 1 rungged ascent: plastic coated steel cable
- 1 arched ramp: pressure impregnated pine.
- 1 liana ascent: plastic coated steel cable, hot-galvanised steel
- 1 Tibetan walkway: plastic coated steel cable
- 1 zigzag cross-over: plastic coated steel cable, pressure impregnated pine.
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel.

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0



Surcharge for straight stainless steel slide, PH 145

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate



5 66 263 5

eibe ibondo Play System Orinoko 1:200



ibondo

Themed play combination Jungle



 **circle**



eibe

61.





eibe ibondo Play System Amazon

The play system Amazon offers a wealth of diversity and playing fun that can not be rivalled.

Play Value:

- Sliding Balancing
- Hand/leg coordination Promoting balance
- Climbing Body control
- Role-play Concentration

Infobox:

- Age range: 4 years and up
- Minimum space: 1239x1022x455 cm
- Free falling height: 190 cm
- Largest section: 459x55x54 cm
- Heaviest section: 65 kg
- Replacement parts: available
- Foundations: 24xPFs+2PFIs+2xCFs or 28xCFs
- Assembly: 2 persons/20 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 111 m²

5 66 264 5

eibe ibondo Play System Amazon

Scope of delivery / material data:

- 1 slide PH 190: GRP
- 1 slide entry ramp: HPL
- 6 parapets: pressure impregnated pine

- 3 leaf elements: HPL
- 2 hip roofs: HPL
- 1 sloping roof: pressure impregnated pine
- 1 thoroughfare platform: pressure impr. pine
- 1 zigzag ascent: plastic coated steel cable, pressure impregnated pine
- 2 ladder ascents: stainless steel, pressure impregnated pine
- 1 monkey rings ascent: plastic coated steel cable
- 1 arched ramp: pressure impregnated pine
- 1 liana ascent: plastic coated steel cable, hot-galvanised steel
- 1 diagonal cross-over: plastic coated steel cable, pressure impregnated pine
- 1 spiral tunnel: plastic coated steel cable
- 1 Tibetan walkway: plastic coated steel cable
- 1 T-ascent: plastic coated steel cable, pressure impregnated pine
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 58 676 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 190

5 58 678 0



Surcharge for straight stainless steel slide, PH 190

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate



5 66 264 5

eibe ibondo Play System Amazon 1:200

See the chapter 'Motion Games' for other products complementing the ibondo Jungle series



ibondo



 **circle**



Themed play combination Jungle



eibe

63.



Themed play - play combinations



eibe ibondo Witch forest - In the world of witches and trolls!


The forest is the home of pixies, dwarfs and witches. A witch can be scary but she may also perform helpful charms as a reward for good children. The path to her home is not easy to go, you have to overcome many obstacles before reaching her crooked little house where you can have a rest. But look! Isn't this a sinister troll creeping through the labyrinth to knock at her door?



ibondo

Themed play combinations Witch forest

 **circle**



**eibe ibondo Play System
Laga Waga**

There are two different ascent possibilities to scale this little witch's house.

Play Value:

Sliding Dexterity
Hand/leg coordination Role-play

Infobox:

Age range: 4 years and up
Minimum space: 838x557x519 cm
Free falling height: 145 cm
Largest section: 373x55x54 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 10xPF or 8xCF
Assembly: 2 persons/6 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:  
Impact protection net: 34 m²

5 66 255 5

eibe ibondo Play System Laga Waga

Scope of delivery / material data:

1 slide PH 145: GRP
1 slide entry ramp: pressure impregnated pine . . .
1 wall element with window: pressure impr. pine
1 roof: pressure impregnated pine
1 arched ramp: pressure impregnated pine
1 net ascent: plastic coated steel cable
Wood construction: pressure impregnated pine . . .
Post shoes: hot-galvanised steel

5 58 675 0


Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0


Surcharge for straight stainless steel slide, PH 145

5 63 070 0

Prefabricated Foundation



5 66 255 5
eibe ibondo Play System Laga



eibe

65.





eibe ibondo Play System Taya-Laya

In order to reach the slide, the valley has to be crossed using the diagonal cross-over bridge.

Play Value:

- Sliding: Dexterity
- Hand/leg coordination Role-play
- Promoting balance Body control

Infobox:

- Age range: 4 years and up
- Minimum space: 855x808x563 cm
- Free falling height: 190 cm
- Largest section: 390xØ13,8 cm
- Heaviest section: 38 kg
- Replacement parts: available
- Foundations: 10xPFs or 10xCF
- Assembly: 2 persons/8 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 47 m²

5 66 256 5
eibe ibondo Play System Taya-Laya

Scope of delivery / material data:


- 1 slide PH 145: GRP
- 1 slide entry ramp: pressure impregnated pine
- 2 wall elements with window: press. impr. pine
- 1 wall element: pressure impregnated pine
- 1 parapet: pressure impregnated pine
- 2 thoroughfare platforms: pressure impr. pine
- 1 roof: pressure impregnated pine
- 1 monkey rings ascent: plastic coated steel cable
- 1 log ascent: pressure impregnated pine
- 1 diagonal cross-over: plastic coated steel cable, pressure impregnated pine
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 58 675 0
Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0
Surcharge for straight stainless steel slide, PH 145

5 63 070 0
Prefabricated Foundation

5 63 073 0
Prefabricated foundation plate




5 66 256 5
eibe ibondo Play System Taya-Laya 1:200



ibondo

Themed play combinations Witch forest



 **circle**

eibe ibondo Play System Mura-Mura

The array of various climbing ascents and connections encourage an immediate start to play.


Play Value:

Sliding	Climbing
Balancing	Dexterity
Hand/leg coordination	Promoting balance
Role-play	Concentration
Body control	

Infobox:

Age range:	4 years and up
Minimum space:	982x900x563 cm
Free falling height:	238 cm
Largest section:	459x55x54 cm
Heaviest section:60 kg
Replacement parts:	available
Foundations:	17xPFs+1PFI or 18xCFs
Assembly:	2 persons/12 h
Ground constitution D:	at least sand
Ground const. except D:	at least sand
Guaranteed safety:	
Impact protection net:	73 m ²

5 66 257 5
eibe ibondo Play System Mura-Mura
1:200



5 66 257 5
eibe ibondo Play System Mura-Mura

Scope of delivery / material data:

1 slide PH 190: GRP
1 slide entry ramp: pressure impregnated pine	..
1 wall element with window: pressure impr. pine	..
2 parapets: pressure impregnated pine
2 roofs: pressure impregnated pine
1 thoroughfare platform: pressure impr. pine	..
1 log ascent: pressure impregnated pine
1 liana ascent: plastic coated steel cable, hot-galvanised steel
1 monkey rings ascent: plastic coated steel cable
1 arch ramp: pressure impregnated pine
1 sloping ladder ascent: stainless steel, pressure impregnated pine
1 zigzag cross-over bridge: plastic coated steel cable, pressure impregnated pine
1 diagonal cross-over: plastic coated steel cable, pressure impregnated pine
1 playboard with revolving panes: HPL
Wood construction: pressure impregnated pine	..
Post shoes: hot-galvanised steel

5 58 676 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 190

5 58 678 0

Surcharge for straight stainless steel slide, PH 190

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate

eibe

67.





eibe ibondo Play System Aba Tawa

The play system Aba Tawa wins the children over with its endless play possibilities and an individual design.

Play Value:

- Sliding..... Climbing
- Balancing..... Dexterity
- Hand/leg coordination..... Promoting balance
- Role-play..... Concentration
- Body control.....

Infobox:

- Age range:..... 4 years and up
- Minimum space:..... 1155x986x522 cm
- Free falling height:..... 145 cm
- Largest section:..... 373x55x54 cm
- Heaviest section:..... 38 kg
- Replacement parts:..... available
- Foundations:..... 19xPFs+2xPFI or 21xCFs
- Assembly:..... 2 persons/12 h
- Ground constitution D:..... at least lawn
- Ground const. except D:..... at least sand
- Guaranteed safety:.....
- Impact protection net:..... 73 m²

5 66 258 5

eibe ibondo Play System Aba Tawa

Scope of delivery / material data:

- 1 slide PH 145: GRP.....
- 1 slide entry ramp: pressure impregnated pine ..
- 5 parapets: pressure impregnated pine.....
- 1 wall element with window: pressure impr. pine ..
- 1 4-cornered roof: pressure impregnated pine... ..
- 1 hexagonal roof: pressure impregnated pine ...
- 1 thoroughfare platform: pressure impr. pine ...
- 1 liana ascent: plastic coated steel cable, hot-galvanised steel
- 1 zigzag ascent: plastic coated steel cable, pressure impregnated pine.....
- 1 log ascent: pressure impregnated pine.....
- 1 monkey rings ascent: plastic coated steel cable ..
- 1 T-ascent: plastic coated steel cable
- 1 diagonal cross-over: plastic coated steel cable, pressure impregnated pine.....
- Wood construction: pressure impregnated pine ..
- Post shoes: hot-galvanised steel.....

5 58 675 0

Surcharge for straight add-on slide, grey, stainless steel cover, PH 145

5 58 677 0

Surcharge for straight stainless steel slide, PH 145


5 63 070 0

Prefabricated Foundation






ibondo



5 66 258 5
eibe **ibondo** Play
System **Aba Tawa**



Themed play combinations **Witch forest**

eibe

69.



eibe ibondo Play System Taba Laga

Welcome to the play city Taba-Laga!
The four towers give the play system
the character of a little city and invite
the children to playing fun that knows
no bounds.

Play Value:

Sliding..... Climbing
Balancing..... Dexterity
Hand/leg coordination..... Promoting balance
Role-play..... Concentration
Body control..... Promoting communication

Infobox:

Age range:..... 4 years and up
Minimum space:..... 1346x1296x563 cm
Free falling height:..... 238 cm
Largest section:..... 390xØ13,8 cm
Heaviest section:..... 50 kg
Replacement parts:..... available
Foundations:..... 19xPFs+1PFI or 20xCFs
Assembly:..... 2 persons/20 h
Ground constitution D:..... at least sand
Ground const. except D:..... at least sand
Guaranteed safety:.....
Impact protection net:..... 98 m²

5 66 259 5

eibe ibondo Play System Taba Laga

Scope of delivery / material data:

1 slide PH 190: GRP.....
1 slide PH 145: GRP.....
2 slide entry ramps: pressure impregnated pine...
4 wall elements with window: pressure impr. pine

1 parapet: pressure impregnated pine.....
1 thoroughfare platform: pressure impr. pine...
1 spiral ascent: stainless steel.....
1 monkey rings ascent: plastic coated steel cable
1 liana ascent: plastic coated steel cable, hot-
galvanised steel.....
1 spiral tunnel: plastic coated steel cable.....
1 Tibetan walkway: plastic coated steel cable...
1 zigzag cross-over bridge: plastic coated steel
cable, pressure impregnated pine.....
1 diagonal cross-over: plastic coated steel cable,
pressure impregnated pine.....
1 playboard with revolving panes: HPL.....
1 playboard with spiral panes: Makrolon, HPL...
Wood construction: pressure impregnated pine...
Post shoes: hot-galvanised steel.....

5 58 675 0

**Surcharge for straight add-on slide,
grey, stainless steel cover, PH 145**

5 58 677 0

**Surcharge for straight stainless steel
slide, PH 145**

5 58 676 0

**Surcharge for straight add-on slide,
grey, stainless steel cover, PH 190**

5 58 678 0



**Surcharge for straight stainless steel
slide, PH 190**

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate



5 66 259 5

**eibe ibondo Play
System Taba Laga
1:200**

See the chapter 'Motion Play' for other products complementing the ibondo Witch forest series.





Themed play combinations Witch forest



eibe






eibe Post Bases

eibe has developed post bases specifically for eibe wooden posts. They must be fastened to the uprights with saucer-head or hexagonal screws. The required bore is covered after fixing with a sealing cap and therefore remains invisible. After the post bases have been aligned, they are screwed to concrete foundations cast on-site or to eibe prefabricated foundations.

Quality features of the eibe post bases:

- hot-dip galvanized steel
- extremely stable design due to an 8 mm-thick base plate, 16x8 cm, and a 60 cm-long upright, \varnothing approx 42 mm.

This type of post foundation can be used in any location in accordance with requirements and the existing local conditions, for example for pergolas and playhouses on paved surfaces.



eibe prefabricated foundation

eibe prefabricated foundations only have to be buried in the ground. There is no need to transport materials to the site, nor to mix concrete or wait for foundations cast on-site to dry out. Levelling is easy – simply lower the eibe foundation into the ground or backfill it. eibe prefabricated foundations are fitted with mounting rails so that there is no need for the time-consuming drilling of dowel holes. eibe prefabricated foundations are rounded off all around the upper edge, minimising the risk of injury through exposed foundations. eibe prefabricated foundations are buried to a depth of 52 cm for colorino systems.

The Main Advantages of eibe Prefabricated Foundations

- 1.Reduced earth excavation
- 2.No waiting time for concrete to set
- 3.Independent of weather conditions
- 4.Easy levelling
- 5.Mounting rails allows greater flexibility when installing upright posts
- 6.Quick and easy installation
- 7.Complies with **EN 1176**

5 63 070 0

Prefabricated Foundation

Scope of delivery / material data:

- 1 foundation with built-in mounting rail.
- 90x20x12 cm (LxWxH)
- 2 galvanised hammerhead screws, M 10x30
- Weight: 48 kg

5 63 073 0

Prefabricated foundation plate

Scope of delivery / material data:

- 1 ready-made foundation plate 90x120x15 cm
- (without mounting rail)

eibe post base




Even in inaccessible terrain and on embankments, eibe prefabricated foundations offer many advantages.



eibe Post Base in Longitudinal

ibondo Western



Arched roof Sheriff



Arched roof Jail



Slanted roof Saloon



Slanted roof Goldmine



Canopy roof



Wooden parapet, small



Wooden parapet, large



Balustrade




Wall element



Wall element Jail



Wall element with window



Saloon door



Play board Wanted




Slide entry plate Western


ibondo Maritime




Hipped roof




Boat roof



Balustrade - white/red/white



Balustrade - red/white/red



Balustrade with porthole



Balustrade „Life-belt“



Balustrade - „anchor“



Slide entry platform Maritime



Steering wheel with bolt




Bow

ibondo Jungle




Hipped roof



Pent roof



Balustrade




Foliage element




Slide entry platform, green




ibondo Witch's Forest




6-cornered roof




High hipped roof



Balustrade




Wall element



Wall element with window




Slide entry platform Witch forest



Spiral tunnel



T ascent



Hanging Tibetan catwalk



Liana crosswalk



Diagonal crosswalk



Zigzag crosswalk




Crawling tunnel



Liana ascent



Zigzag ascent



Ring-shaped ascent




Great trunk ascent



Overhead climbing ladder under the



Balancing rope




Game board / Spiral disk




Game board / Rotation disk




Game board / Labyrinth



Game board / Round table



Multi-function disk



Game board / Rabbit and hedgehog



**Themed play -
play combinations**



**eibe fantallica Space travel and
North pole adventures**

Right after the spacecraft started at breathtaking speed, we have a wonderful view of innumerable stars and planets. What will we discover on our journey? All the crew is full of commitment and thrilled to have fascinating adventures.

Master the rough seas on the Viking ship to get all the way up North to the ice princess' fairytale crystal castle - this is our destination. On our way, we have to cross rugged landscapes of ice and to face many challenges. And never underestimate the Ice Queen: in her ice palace, the next adventure is waiting for us!




fantallica

Themed play combinations / Space
travel and North pole adventures



New



**eibe ibondo play system
Ariane**

Travel to the endless vastness of the universe. Climb ascent and climbing board before you can start your trip.



Play Value:

Sliding Climbing
Dexterity Hand/leg coordination
Role playing

Infobox:

Age range: 4 years and up
Minimum space 870x600x450 cm
Free falling height 170 cm
Largest section 370x46x48 cm
Heaviest section 80 kg
Replacement parts available
Foundations 12xCF
Assembly 2 persons/8 h
Ground constitution D. min. requirement: pebbles
Ground const. except D: at least lawn
Guaranteed safety: -
Impact protection net: 53 m²

5 66 568 0
eibe ibondo play
system Ariane



5 66 568 0

eibe ibondo play system Ariane

Scope of delivery / material data:

- 1 slide PH 145: stainless steel
- 1 slide entry plate: HPL
- 1 wall element with porthole: HPL, Makrolon
- 1 roof: HPL, stainless steel, hot-dip galvanized and powder-coated steel
- 4 climbing boards: stainless steel, HPL
- 1 climbing pole: stainless steel
- 1 wobbly stairs: stainless steel
- 2 holding grips: stainless steel
- 1 play console: HPL, PE
- 1 turning valve: plastic
- Basic construction: hot-dip galvanized and powder-coated steel, hot-dip galvanized steel


5 63 070 0

Prefabricated Foundation


eibe

77.





New



**eibe fantallica Play system
Minerva**

Take stone samples, explore unknown worlds. Various play elements invite the children to extensive expeditions.

Play Value:

Experimenting Creativity
Climbing Role playing
Promoting communication

Infobox:

Age range: 4 years and up
Minimum space 620x540x300 cm
Free falling height 175 cm
Largest section 220x95x5 cm
Heaviest section 60 kg
Replacement parts available
Foundations 9xCF
Assembly 2 persons/10 h
Ground constitution D. min. requirement: pebbles
Ground const. except D: at least lawn
Guaranteed safety: -
Impact protection net: 34 m²

5 66 569 0



eibe fantallica Play system Minerva

Scope of delivery / material data:

- 3 parapets: HPL
- 1 roof with porthole: HPL, Makrolon
- 1 climbing pole: stainless steel
- 1 sand lift: stainless steel, rubber
- 1 mud pool, rectangular: stainless steel
- 3 crawling tubes: PP
- 1 sand pouring tube: stainless steel
- Basic construction: hot-dip galvanized, powder-coated steel, hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



5 66 569 0

eibe fantallica Play system Minerva



See the chapter 'Motion Games' for other products complementing the fantallica series



fantallica

Themed play combinations / Space travel and North pole adventures

New



5 66 572 0
elbe ibondo play system Cristal 1:200

elbe ibondo play system Cristal

To climb this fairytale castle, there are endless options of different levels of difficulty. The breathtaking view from one of the two castle towers rewards you for your efforts.

Play Value:

- Sliding Climbing
- Dexterity Hand/leg coordination
- Role playing

Infobox:

- Age range: 4 years and up
- Minimum space 1200x1000x520 cm
- Free falling height 225 cm
- Largest section 450x46x48 cm
- Heaviest section 85 kg
- Replacement parts available
- Foundations 28 CF
- Assembly 2 persons/14 h
- Ground constitution D. min. requirement: pebbles
- Ground const. except D: at least lawn
- Guaranteed safety: -
- Impact protection net: 120 m²

5 66 572 0

elbe ibondo play system Cristal

Scope of delivery / material data:

- 1 slide PH 145: stainless steel
- 1 slide PH 190: stainless steel
- 1 slide entry plate: HPL
- 3 wall elements with window: HPL
- 2 parapets: HPL
- 2 roofs: HPL, hot-dip galvanized and powder-coated steel
- 14 climbing boards with climbing grips: HPL, GFRP
- 1 wobbly stairs: stainless steel
- 1 spiral stairs: stainless steel
- 4 holding grips: stainless steel
- 2 runthrough protections: stainless steel
- 2 climbing nets: polyester-coated steel rope
- 1 spider net: polyester-coated steel rope
- 1 net tunnel ascent: polyester-coated steel rope
- 1 rung element: stainless steel
- 3 balance pendulums: hot-dip galvanized steel, rubber
- Basic construction: hot-dip galvanized, powder-coated steel, hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

eibe

79.





**Themed play
- individual play
equipment**





Themed play - individual play equipment



Themed play - individual play equipment

Themed play - design a fantastic world of adventures.

Let us give you a tour of the fantastic world of themed playgrounds.

Each play equipment offers a multitude of charming details that let the children experience thrilling themes in a variety of fashions.

A highlight on any playground, and a wonderful addition to the themed play combinations of the **minimondo** and **ibondo** series.

Quality features / materials:

- high-pressure laminate (HPL): a durable, highly scratch-resistant laminate
- stainless steel (V2A): non-corrosive, nickel-plated steel with chrome alloy
- hot-dip galvanized steel: non-corrosive plating of the metal components, with or without powder-coating

- pressure impregnated timber with the pith removed, in accordance with RAL. top quality timber with 10 years' warranty against rotting and wood pests
- 3-layer slab: slab of three-layered wood material for outdoor applications, with environmentally friendly primary and finish coat of paint

- Nets: cables and nets are made of armoured rope which has a four-core steel cord that is securely coated with polypropylene and has extremely good anti-abrasion properties.
- High-grade plastic (PE)

Material overview from page 540.



eibe themed play History/Mythology	from page 84
eibe themed play Aviation	from page 98
eibe themed play Seafaring	from page 102
eibe themed play Vehicles	from page 118
eibe themed play Tree houses	from page 122



ibondo

tema



5 66 360 5
elbe tema Castle Tower

see page 85




5 66 567 5
elbe ibondo Castle System
Stockholm

see page 86




5 66 562 5
elbe ibondo Castle System
Tunis

see page 88



5 66 340 5
elbe tema Temple System,
Complete

see page 92




5 66 370 5
elbe tema Trojan Horse

see page 94




5 66 371 5
elbe tema Jembo

see page 96




5 55 223 0
elbe basis Motion-active
airplane

see page 99



5 59 008 0
elbe tema Helicopter

see page 99



5 66 319 5
elbe tema Albatross with Net

see page 100




5 66 313 5
elbe tema Sand Wreck,
Complete

see page 103



5 66 310 5
elbe tema Sand Wreck, Bow

see page 104



5 66 312 5
elbe tema Sand Wreck, Mast

see page 104



5 66 311 5
elbe tema Sand Wreck, Stern

see page 105



5 66 186 0
elbe tema Voice pipe

see page 105



5 66 349 5
elbe tema Nautilus

see page 106



5 66 348 5
elbe tema Nautilus, Exclusive,
complete with periscope

see page 106



5 66 351 0
elbe Depth Gauge

see page 106



5 66 352 0
elbe Voicepipe

see page 106



5 66 353 0
elbe Sampler

see page 106



5 66 356 0
elbe Conveyor Belt Nautilus

see page 106



5 66 357 0
elbe Periscope

see page 106



5 59 151 5
elbe tema play boat Santa
Maria

see page 108



5 59 147 5
elbe tema Movement Active
Pinta

see page 110



5 59 148 5
elbe tema Solar Sail Ship

see page 111



5 59 146 5
eibe tema Sand Ship Nina
see page 112



5 59 140 0
eibe tema Sand Ship with Sail
see page 113




5 59 122 0
eibe tema Wheelhouse
see page 113



5 59 113 0
eibe Rowing Boat
see page 114



5 67 122 0
eibe tema Sand Raft
see page 114




5 55 225 0
eibe basis Motion-active racing
boat
see page 115




5 55 226 0
eibe basis Motion-active raft
see page 115




5 51 852 0
eibe tema Lighthouse H=8m
with Broad Slide
see page 116




5 51 850 0
eibe tema Iceberg with
Toboggan Run
see page 117



5 55 224 0
eibe basis Motion-active
racing car
see page 119




5 59 078 0
eibe tema Safari Jeep
see page 120



5 59 077 0
eibe tema Safari Jeep with
Springs
see page 120




5 59 116 0
eibe tema Large Train
Locomotive
see page 121



5 59 117 0
eibe tema Large Train Tender
see page 121



5 59 118 0
eibe tema Large Train Wagon
see page 121



5 59 079 0
eibe tema Chain-Linked Train
see page 121



5 66 355 5
eibe tema Tree House with
Slide
see page 123



5 66 358 5
eibe tema Tree House
see page 123

Themed play - individual play equipment

Themed play - individual play equipment



**History and mythology -
Finding traces of the past**


Explore secret dungeons, cross the jungle to discover forgotten temples, climb the castle tower - there is no end to the challenges waiting for the young adventurers. In this way, history is great fun!




tema



Themed play - individual play equipment - History and mythology



5 66 360 5
eibe tema
Castle Tower
1:200



eibe tema Castle Tower

The Castle Tower is the ideal setting for knight and fairytale games of every kind.

Play Value:

- Climbing Dexterity
- Promoting balance Concentration
- Hand/leg coordination Role-play
- Promoting communication

Infobox:

- Age range: 3 years and up
- Minimum space: 1126x752x499 cm
- Free falling height: 265 cm
- Largest section: 256x147x12 cm
- Heaviest section: 100 kg
- Replacement parts: available
- Foundations: 19xPFs or 19xCF
- Assembly: 2 persons/16 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 56 m²

5 66 360 5

eibe tema Castle Tower

Scope of delivery / material data:

- 1 ladder: pressure impregnated pine and ash
- 1 suspension bridge: hot-galvanised steel
- 1 wobbly walkway: hot-galvanised steel
- 1 knotted rope: PP
- 1 wind flag: HPL
- 1 ramp: pressure impregnated pine
- 2 ropes for ramps: plastic coated steel cable
- 1 rope ladder: plastic coated steel cable, ash
- 1 roof: pressure impregnated pine
- 1 wall element house with roof: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation



eibe





eibe ibondo Castle System Stockholm

Dames and knights, pay attention! With its pinnacles, gothic windows and pointed roofs, the ibondo castle is not only an impressive sight but also offers innumerable fascinating options for playing, climbing and sliding.

Play Value:

- Promoting balance Dexterity
- Concentration Observation
- Hand/leg coordination Crawling
- Climbing Relaxation
- Swinging Power training
- Body control Hand climbing
- Creativity Experimentation

Infobox:

- Age range: 4 years and up
- Minimum space: 2334x1386x729 cm
- Free falling height: 279 cm
- Largest section: 510xØ13,8 cm
- Heaviest section: 300 kg
- Replacement parts: available
- Foundations: 50xPFs+4CFs or 53xCFs
- Assembly: 2 persons/32 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 194 m²

5 66 567 5

eibe ibondo Castle System Stockholm

Scope of delivery / material data:

- 1 entrance tower, including 1 ramp: pressure impregnated pine
- 1 knotted rope: PP
- 4 nets for battlement parapets: plastic coated steel cable
- 1 attachment, right, incl. rung ladder: pressure impregnated pine and ash
- 1 rung ladder: pressure impregnated pine and ash
- 1 mountaineering ramp: pressure impr. pine
- 1 roof, including wind flag: pressure impregnated pine, HPL
- 1 double swing: hot-galvanised steel, rubber
- 1 suspension bridge: pressure impregnated pine
- 1 rung: ash
- 1 hand climbing bridge: pressure impregnated pine, plastic coated steel cable
- 1 attachment, left, incl. 1 rung ascent: pressure impregnated pine and ash
- 1 wooden channel: pressure impregnated pine
- 1 sand hoist: stainless steel, rubber
- 1 sand see-saw: pressure impregnated pine
- 1 net tunnel: plastic coated steel cable
- 1 hexagonal tower, incl. 1 staircase: pressure

- impregnated pine
- 1 sloping climbing net with wooden frame: plastic coated steel cable, pressure impregnated pine
- 2 rung ladders: pressure impr. pine and ash
- 1 wobbly bridge: hot-galvanised steel, pressure impregnated pine
- 1 roof with wind flag: pressure impregnated pine, HPL
- 1 spiral, add-on slide PH 270: stainless steel
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel.

5 63 070 0

Prefabricated Foundation

5 66 173 0



Wind Flag





ibondo

Themed play - individual play equipment - History and mythology



5 66 567 5
elbe ibondo Castle
System Stockholm
1:200

eibe





eibe ibondo Castle System Tunis

Even the smallest of children find great pleasure in imagining themselves living in a castle in the times of the knights, watching the enemy from the towers or simply having fun on the equipment.

Play Value:

- Climbing Dexterity
- Promoting balance Concentration
- Sliding Hand/leg coordination
- Observation Role-play
- Relaxation

Infobox:

- Age range: 4 years and up
- Minimum space: 1375x1236x441 cm
- Free falling height: 190 cm
- Largest section: 423xØ13,8 cm
- Heaviest section:60 kg
- Replacement parts: available
- Foundations:50xPFs or 49xCFs
- Assembly: 2 persons/32 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 132 m²

5 66 562 5

eibe ibondo Castle System Tunis

Scope of delivery / material data:

- 4 nets for battlement parapets; plastic coated steel cable
- 1 castle tower: pressure impregnated pine
- 1 knotted rope: PP
- 1 wobbly bridge: hot-galvanised steel
- 1 suspension bridge: pressure impregnated pine
- 2 roofs: pressure impregnated pine
- 6 rung ascents: pressure impregnated pine, ash
- 1 mountaineering ramp: pressure impr. pine
- 2 climbing poles: stainless steel
- 1 net bridge: plastic coated steel cable
- 1 coat of arms
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 66 173 0




Wind Flag





ibondo

Themed play - individual play equipment - History and mythology



5 66 562 5
elbe ibondo Castle
System Tunis 1:200




eibe

89.



ibondo



New

**elbe ibondo red Indian tent
Tipi**

The colourful Red Indian tent is ideal for meeting with friends. Use the grips on the outside to climb the tent and scan the area for enemy activity.

Play Value:

Creativity Climbing
Promoting communication

Infobox:

Age range: 4 years and up
Minimum space: 459x438x383 cm
Free falling height: 203 cm
Largest section: 198x137x6 cm
Heaviest section: 40 kg
Replacement parts: available
Foundations: 3xPFs or 3xCF

Assembly: 2 persons/2 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 16 m²

5 66 272 5


elbe ibondo red Indian tent Tipi

Scope of delivery / material data:

3 climbing walls: pressure impregnated pine ...
17 climbing grips: HPL
1 cover plate: HPL
Wood construction: pressure impregnated pine ..
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation



elbe ibondo stake
This stake greets the visitors from afar. An Indian village would not be complete without it.

5 66 269 0

elbe ibondo stake

Scope of delivery / material data:


1 post: pressure impregnated pine
Themed elements: HPL

Play Value:

Creativity.....

Infobox:


Age range: 4 years and up
Minimum space: 33x110x370 cm
Free falling height:
Largest section: \varnothing 16x370 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 1CF
Assembly: 1 person/0.25 hours
Ground constitution D:
Ground const. except D:
Guaranteed safety:
Impact protection net:



New

5 66 269 0

elbe ibondo stake





New

eibe ibondo group of cactuses


The group of cactuses of various heights is a must for every Western countryside.

Play Value:

Creativity:

Infobox:

Age range: 4 years and up
Minimum space: 16x16x320 cm
Free falling height:
Largest section: Ø16x320 cm
Heaviest section: 43 kg
Replacement parts: available
Foundations: 4xCF



5 66 268 0

eibe ibondo group of cactuses 1:200

Assembly: 1 person/0.5 h
Ground constitution D:
Ground const. except D:
Guaranteed safety:
Impact protection net:


5 66 268 0

eibe ibondo group of cactuses

Scope of delivery / material data:

4 cactuses: pressure impregnated and finished pine

New



5 66 270 0

eibe play barrel

eibe play barrel

Hide in it or scan the area from a safe place - the barrel offers much play value and is a nice supplement for the themed playground.

Play Value:

Creativity: Promoting communication

Infobox:

Age range: 4 years and up
Minimum space: 71x71x92 cm
Free falling height:
Largest section: 71x71x92 cm
Heaviest section: 36 kg
Replacement parts: available
Foundations:

Assembly: 1 person/0.5 h
Ground constitution D:
Ground const. except D:
Guaranteed safety:
Impact protection net:


5 66 270 0

eibe play barrel



Scope of delivery / material data:

1 play barrel: pressure impregnated pine, HPL, hot-dip galvanized steel.

Themed play - individual play equipment - History and mythology



New



5 67 120 0

eibe multi-spring rocker covered wagon 1:200

eibe multi-spring rocker covered wagon

The covered wagon brings the settlers safely into their new home country and transports the necessary provisions. Being supported on rocker swings, it provides real driving experience. Big fun for several children playing together.

Play Value:

Creativity: Role play
Rocking: Promoting communication

Infobox:

Age range: 3 years and up
Minimum space: 240x143x141 cm
Free falling height: 80 cm
Largest section: 140x130x12 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations: 4x 5591600 or 4xCF
Assembly: 2 persons/1.5 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 20 m²

5 67 120 0

eibe multi-spring rocker covered wagon

Scope of delivery / material data:

Basis construction: pressure impregnated pine. . .
4 wheels: HPL
2 holding brackets: hot-dip galvanized, powder-coated steel
2 animal-shaped spring rocker bodies: PE.
4 springs: stainless steel

eibe

91.



eibe tema Temple System, Complete

In this Maya temple, a journey into the past begins for both young and old.

Play Value:

- Climbing Dexterity
- Hand/leg coordination Creativity
- Experimentation Role-play
- Relaxation Observation
- Promoting communication

Infobox:

- Age range: 3 years and up
- Minimum space: 1561x859x445 cm
- Free falling height: 265 cm
- Largest section: 300x103x10 cm
- Heaviest section: 65 kg
- Replacement parts: available
- Foundations: 28xPFs or 13xCF
- Assembly: 3 persons/15 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety: 112,5 m²
- Impact protection net: 112,5 m²

5 66 340 5


eibe tema Temple System, Complete

Scope of delivery / material data:

- 1 temple tower, right: pressure impregnated pine
- 2 nets: plastic coated steel cable
- 1 net tunnel: plastic coated steel cable
- 1 throne: pressure impregnated pine, HPL
- 1 net mat: plastic coated steel cable
- 1 temple tower, left: pressure impregnated pine
- 1 knotted rope: plastic coated steel cable
- 1 sign, "Temple": copper
- 8 Maya applique: HPL
- Temple staircase with safety net: pressure impregnated pine, rubber
- Post shoes: hot-galvanised steel

5 63 070 0



Prefabricated Foundation





tema

5 66 340 5
elbe tema Temple
System, Complete



Themed play - individual play equipment - History and mythology

eibe

93.





eibe tema Trojan Horse

The Trojan Horse is an item of play equipment of truly gigantic proportions with a structure created with top-quality craftsmanship. After reaching the top, the little climbers can enjoy the view from a height of 8 metres.

Play Value:

Climbing Dexterity
 Hand/leg coordination Observation
 Sliding Creativity
 Role-play

Infobox:

Age range: 3 years and up
 Minimum space: 2176x1901x1021 cm
 Free falling height: 275 cm
 Largest section: 1240x205x150 cm
 Heaviest section: 940 kg

Replacement parts: available
 Foundations: 13xCF
 Assembly: 5 persons/50 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 109,5 m²

5 66 370 5

eibe tema Trojan Horse




Scope of delivery / material data:

1 climbing net: plastic covered steel cable.
 1 three-lane wavy slide, PH 444cm: stainless steel
 1 tubular spiral slide, PH 981cm: stainless steel .
 Wood construction: pressure impregnated pine .
 Post shoes: hot-galvanised steel.





5 66 370 5
 eibe tema Trojan
 Horse
 1:200



eibe

tema

Themed play - individual play equipment - History and mythology





elbe tema Jembo

The **elbe** tema Jembo is located right at the heart of the Safari Park in Peaugres, France. The adventure safari playground captivates through two 9 metre long net ascents and three spiral slides in stainless steel. The giant climbing net structure is directly connected to the ascents and also increases the play value of the Jembo.

Play Value:

Climbing Dexterity
 Hand/leg coordination Observation
 Sliding Creativity
 Role-play.....

Infobox:



Age range: 3 years and up
 Minimum space: 2745x2291x876 cm
 Free falling height: 275 cm
 Largest section: 1240x205x150 cm
 Heaviest section: 940 kg
 Replacement parts: available
 Foundations: 40xCF
 Assembly: 5 persons/75 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 285 m²

5 66 371 5

elbe tema Jembo

Scope of delivery / material data:

Scope of Supply/Play Elements:
 2 climbing nets: plastic covered steel cable
 1 net landscape: plastic covered steel cable.
 3 tubular slides: stainless steel
 Wood construction: pressure impregnated pine ...
 Post shoes: hot-galvanised steel.






tema



Themed play - individual play equipment - History and mythology

5 66 371 5
elbe tema jembo
1:200



eibe

97.



**Themed play
- individual play
equipment**




Air travel - high up in the sky

Feel like a bird and experience the freedom of the sky, learning lots of new things

Whether airplane or helicopter, the pilots safely set the course for the destination.

But will they manage to land the aircraft the first time?



- Exchangeable bearing
- Holding grips and countersunk areas for safe play
- Maintenance-free themed panelling

eibe basis Motion-active airplane

Experience the freedom of flying: being able to move in all directions, the airplane offers the children a very special experience. Here, play values like rocking, balancing and role play are combined.

Play Value:

Rocking Balancing
Role play

Infobox:


Age range: 3 years and up
Minimum space: 500x400x280 cm
Free falling height: 100 cm
Largest section: 205x200x130 cm
Heaviest section: 200 kg
Replacement parts: available
Foundations: 1x PFs or 1 x CF
Assembly: 2 persons/1 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety:
Impact protection net: 18 m²

5 55 223 0

eibe basis Motion-active airplane


Scope of delivery / material data:

- 1 basic construction: hot-dip galvanized steel . . .
- 1 motion element: hot-dip galvanized steel . . .
- 1 floor area: pressure impregnated pine
- 1 themed structure: HPL
- 1 holding bracket: stainless steel



5 55 223 0

eibe basis Motion-active airplane
1:200



eibe tema Helicopter

Whether used as a police or a rescue helicopter, the **eibe tema** Helicopter is ready and waiting for all 'emergencies'. With its spring support it can withstand any turbulence and its transparent PE dome ensures that the pilot always has an eye on the right flight path.

Play Value:

Creativity Rocking
Climbing Dexterity
Observation Role-play

Infobox:

Age range: 3 years and up
Minimum space: 615x437x245 cm
Free falling height: 93 cm
Largest section: 260xØ14 cm
Heaviest section: 45 kg
Replacement parts: available

5 59 008 0

eibe tema Helicopter


Foundations: 4x5591600 or 13xCF
Assembly: 2 persons/3 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety:
Impact protection net: 22,5 m²

Scope of delivery / material data:

- 2 runners: pressure impregnated pine
- 1 propeller: Makrolon
- 1 joystick with pedals: Hexafloor, ash
- 4 springs: spring steel
- 1 seat board: Hexafloor
- 1 transparent dome: Makrolon
- Wood construction: pressure impregnated pine



5 63 210 0

Ground Anchor for eibe basis Spring Rockers 1



5 59 008 0

eibe tema Helicopter



eibe tema Albatross with Net

Passengers are requested to go to the playground and board the plane for a flight to adventure! The play opportunities can be extended by a number of additional items of equipment.

Play Value:

Promoting exercise Climbing
Dexterity Observation
Hand/leg coordination .Promoting communication
Role-play

Infobox:

Age range: 3 years and up
Minimum space: 1143x1009x395 cm
Free falling height: 200 cm
Largest section: 505xØ14 cm
Heaviest section: 35 kg
Replacement parts: available
Foundations: 17xPFs/3xPFI or 19xCF
Assembly: 2 persons/14 h
Ground constitution D: at least sand
Ground const. except D: at least sand

Guaranteed safety: 
Impact protection net: 52 m²

5 66 319 5

eibe tema Albatross with Net

Scope of delivery / material data:

- 6 bollard seats: pressure impregnated pine, HPL
- 1 climbing ladder: pressure impregnated pine . . .
- 1 joystick with pedals: HPL, pressure impregnated pine
- 2 wings: pressure impregnated pine
- 1 propeller: HPL
- 1 hand rail cable: plastic coated steel cable
- 1 albatross sign: HPL
- 1 instrument panel: HPL
- 1 net: plastic coated steel cable
- 1 rope ladder: plastic coated steel cable, plastic . . .
- 4 portholes: Makrolon
- 1 world map: HPL
- Wood construction: pressure impregnated pine . . .
- Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate

5 66 317 0

Albatross straight slide entry ramp

5 66 318 0

Albatross tubular slide entry ramp

5 58 652 0

eibe Add-on straight slide GRP, PH 190

5 58 655 0

eibe Add-on slide GRP, V2A cover PH 190

5 58 658 0

eibe Add-on stainless steel slide PH 190

5 58 322 0

eibe Straight, tubular slide GRP PH 190

5 58 323 0

eibe Tubular Add-on Slide, L-Shape GFRP PH 190

5 58 324 0





eibe Tubular Add-on Slide, S-Shape GFRP PH 190

See page 226 for the **eibe tema** Albatross integrative.



tema

5 66 319 5
eibe tema Albatross with Net
1:200



Themed individual play equipment air travel

eibe

101.






**Themed play
- individual play
equipment**





Sea travel - on all seven seas!

Can you see the pirates there on the horizon? Yes - than full power ahead to escape them! Anchor aweigh, set the sails - and the ship glides over the sea under full sails. But have a lookout for icebergs from the crow's nest.





5 66 313 5
eibe tema Sand
Wreck, Complete
1:200



eibe tema Sand Wreck, Complete

From pirate adventures to Robinson Crusoe, from the journey of discovery to... on the Bounty, children's imaginations know no bounds.

Play Value:

Creativity Climbing
Dexterity Promoting exercise
Promoting communication Role-play

Infobox:

Age range: 3 years and up
Minimum space: 1923x853x380 cm
Free falling height: 200 cm
Largest section: 140x234x11 cm
Heaviest section:80 kg
Replacement parts: available
Foundations: 25xPFs+10PFI or 3xCF
Assembly: 2 persons/15 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 92,5 m²

5 66 313 5

eibe tema Sand Wreck, Complete

Scope of delivery / material data:

1 bow 5 66 310 5
1 mast 5 66 312 5
1 stem 5 66 311 5
1 pennant line
Post shoes: hot-galvanised steel.....

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate




5 66 310 5
elbe tema Sand
Wreck, Bow
 1:200

elbe tema Sand Wreck, Bow
 This part of the ship can withstand any attack and calls out: "All hands on deck!" Even the pirate **elbini** on the foremast is turning his nose windward.

Play Value:
 Creativity Climbing
 Dexterity Promoting exercise
 Promoting communication Role-play

Infobox:
 Age range: 3 years and up
 Minimum space: 747x590x340 cm
 Free falling height: 160 cm
 Largest section: 110x192x11 cm
 Heaviest section: 80 kg
 Replacement parts: available
 Foundations: 6xPFs+6xPFI or 1xCF
 Assembly: 2 persons/6 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 37 m²




5 66 310 5
elbe tema Sand
Wreck, Bow

Scope of delivery / material data:
 1 mast: pressure impregnated pine
 1 engraved sign: brass
 1 motif Ruebezahl: PE, rubber
 1 barrier rope: plastic coated steel cable
 1 compass: HPL, Makrolon
 1 net: plastic coated steel cable
 Post shoes: hot-galvanised steel
 Wood construction: pressure impregnated pine

5 63 070 0
Prefabricated Foundation

5 63 073 0
Prefabricated foundation plate




5 66 312 5
elbe tema Sand
Wreck, Mast
 1:200

elbe tema Sand Wreck, Mast
 Gaze out into the distance from the crow's nest and discover new horizons.

Play Value:
 Creativity Climbing
 Dexterity Promoting exercise
 Promoting communication Role-play

Infobox:
 Age range: 3 years and up
 Minimum space: 620x530x380 cm
 Free falling height: 200 cm
 Largest section: 531xØ14 cm
 Heaviest section: 65 kg
 Replacement parts: available
 Foundations: 9xPF or 1xCF
 Assembly: 2 persons/6 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 28,5 m²




5 66 312 5
elbe tema Sand
Wreck, Mast

Scope of delivery / material data:
 1 net: plastic coated steel cable
 1 barrel: pressure impregnated pine
 1 foghorn: PVC
 Post shoes: hot-galvanised steel
 Wood construction: pressure impregnated pine

5 63 070 0
Prefabricated Foundation

5 63 073 0
Prefabricated foundation plate



5 66 311 5
eibe tema Sand Wreck, Stern
 1:200


eibe tema Sand Wreck, Stern
 At the steering wheel in the Stern, it will be decided just where the journey will be taking us.

Play Value:

- Creativity Climbing
- Dexterity Promoting exercise
- Promoting communication Role-play

Infobox:

- Age range: 3 years and up
- Minimum space: 520x585x350 cm
- Free falling height: 170 cm
- Largest section: 140x234x11 cm
- Heaviest section: 75 kg
- Replacement parts: available
- Foundations: 14xPFs or 1xCF
- Assembly: 2 persons/6 h
- Ground constitution D: at least sand
- Ground const. except D: at least sand
- Guaranteed safety:
- Impact protection net: 27 m²




5 66 311 5
eibe tema Sand Wreck, Stern

Scope of delivery / material data:

- 1 mast: pressure impregnated pine
- 1 ship's bell: brass
- 1 engraved sign: brass
- 1 ladder ascent: ash, pressure impregnated pine
- 1 steering wheel: HPL
- Post shoes: hot-galvanised steel
- Wood construction: pressure impregnated pine . .

5 63 070 0
Prefabricated Foundation



eibe tema Voice pipe
 The speaking tube provides for verbal communication between the different elements. In this way, every command reaches the proper addressee.

Play Value:

- Promoting communication Role-play



5 66 186 0
eibe tema Voice pipe

Scope of delivery / material data:

- 1 voice pipe Mast: powdered metal
- 1 voice pipe Stern: powdered metal
- 1 flexible pipe 5m



elbe tema Nautilus

The submarine plunges the children into a world full of surprises and adventure. The Nautilus has loads of play elements and guarantees limitless fun.

Play Value:

Climbing Dexterity
 Hand/leg coordination Observation
 Relaxation Creativity
 Experimentation Role-play
 Promoting communication

Infobox:

Age range: 3 years and up
 Minimum space: 1083x553x421 cm
 Free falling height: 197 cm
 Largest section: 338x110x10 cm
 Heaviest section: 50 kg
 Replacement parts: available
 Foundations: 18xPFs+11xCF or 13x CF
 Assembly: 2 persons/15 h
 Ground constitution D: at least sand
 Ground const. except D: at least sand
 Guaranteed safety:
 Impact protection net: 54 m²

5 66 349 5

elbe tema Nautilus

Scope of delivery / material data:

- 1 bathometer: HPL
- 1 sampler: stainless steel
- 1 conveyer belt: stainless steel, rubber, HPL
- 1 stern rudder: HPL
- 1 ladder ascent: ash, pressure impregnated pine
- 1 propeller: HPL
- 1 net ascent: plastic coated steel cable
- 1 world map sign: HPL
- 1 overview sign: HPL
- 1 voice pipe: powdered metal
- 5 portholes: Makrolon
- 1 telescope: powdered metal
- 1 steering wheel: HPL
- 1 rope ladder: plastic coated steel cable, plastic
- 1 compass: HPL, Makrolon
- 1 name sign: brass
- 1 ship's bell: brass
- Wood construction: pressure impregnated pine
- Post shoes: hot-galvanised steel

elbe tema Nautilus, Exclusive, complete with periscope

Play Value:

Climbing Dexterity
 Hand/leg coordination Observation
 Relaxation Creativity
 Experimentation Role-play
 Promoting communication

5 66 348 5

elbe tema Nautilus, Exclusive, complete with periscope



Scope of delivery / material data:

- 1 nautilus 5 66 349 5
- 1 periscope: stainless steel

- 5 63 070 0
Prefabricated Foundation
- 5 66 351 0
elbe Depth Gauge
- 5 66 352 0
elbe Voicepipe
- 5 66 353 0
elbe Sampler
- 5 66 354 0
elbe Rotating Portholes filled with Water and Fish
- 5 66 356 0
elbe Conveyor Belt Nautilus
- 5 66 357 0
elbe Periscope



5 66 349 5
elbe tema Nautilus





tema



Themed individual play equipment
sea travel



circle



Illustration does not correspond to the scope of delivery.

eibe

107.





New



eibe tema play ship Santa Maria

Captain ahoy! On the Santa Maria, every child feels like a genuine pirate or a courageous mariner. The ship is maneuvered through the rough sea from the command bridge. The tackle invites the children to set the sails - and it is a real eyecatcher.

Play Value:

Sliding..... Climbing
 Role play..... Balancing
 Romping..... Promoting communication

Infobox:

Age range: 3 years and up
 Minimum space 1506x780x800 cm
 Free falling height 211 cm
 Largest section Ø14x700 cm
 Heaviest section 120 kg
 Replacement parts available
 Foundations 13xCF
 Assembly 3 persons / 16 hours
 Ground constitution D at least lawn
 Ground const. except D at least sand
 Guaranteed safety:
 Impact protection net: 70 m²

5 59 151 5

eibe tema play ship Santa Maria

Scope of delivery / material data:




2 steering wheels: HPL
 1 anchor: HPL
 1 large climbing net: polyester-coated steel rope .
 1 wobbly bridge ascent: hot-dip galvanized steel 1
 slanted climbing net: polyester-coated steel rope 1
 slide PH 145: GFRP
 1 slide entry plate: HPL
 3 birds: softwood, finished
 4 lanterns: softwood, finished
 3 masts: pressure impregnated pine
 1 banner: HPL
 6 ropes: plastic-covered steel rope
 Wood construction: pressure impregnated pine
 Post shoes: hot-dip galvanized steel

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145

5 58 603 0

Surcharge for straight stainless steel add-on slidewith Simple Slide, PH 110



5 59 151 5
eibe tema play ship
Santa Maria
1:200





eibe tema Movement Active Pinta

Here, the focus is on the promotion of movement and the children's energy will know no bounds...

Play Value:

Promoting communication Climbing
Sliding Role-play
Balancing Romping

Infobox:

Age range: 3 years and up
Minimum space: 1302x779x445 cm
Free falling height: 145 cm
Largest section: 301x145x6 cm
Heaviest section: 100 kg
Replacement parts: available
Foundations: 8xPFs+8xPFI or 12xCF
Assembly: 2 persons/16 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 62 m²

5 59 147 5

eibe tema Movement Active Pinta

Scope of delivery / material data:

- 1 steering wheel: HPL.
- 1 anchor: HPL.
- 1 large climbing net: plastic coated steel cable ...
- 1 wobbly bridge ascent: hot-galvanised steel ...
- 1 sloping climbing net: plastic coated steel cable
- 1 slide PH 145:GRP
- 1 slide entry ramp: HPL.
- Wood construction: pressure impregnated pine ...
- Post shoes: hot-galvanised steel.

5 63 070 0

Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate

5 58 602 0

Surcharge for straight add-on slide, stainless steel cover, PH 145


5 58 603 0

Surcharge for straight, stainless steel add-on slidewith Simple Slide, PH 110






5 59 147 5
elbe tema
Movement Active
Pinta



5 59 148 5
elbe tema
Solar Sail
Ship



elbe tema Solar Sail Ship
Shadow-providing awning for sunny summer days on the high seas. Suitable for both the Nina and the Pinta.

Assembly: 1 person/2 h
Ground constitution D: . . .no special requirements
Ground const. except D: . . .no special requirements
Guaranteed safety: **TUV GS**
Impact protection net: -

Infobox:


Age range: 3 years and up
Minimum space: 675x400x384 cm
Free falling height: -
Largest section: 250xØ14 cm
Heaviest section: 25 kg
Replacement parts: available
Foundations: 2xCF

5 59 148 5

elbe tema Solar Sail Ship

Scope of delivery / material data:

1 awning: polyester canvas
1 post: pressure impregnated pine
1 post shoe: hot-galvanised steel
Fastening material





eibe tema Sand Ship Nina

Ships are unbelievably compelling for children and when united with sand play, their enthusiasm knows no bounds.

Play Value:

- Experimentation..... Creativity
- Climbing..... Role-play
- Navigation..... Promoting communication

Infobox:

- Age range:..... 3 years and up
- Minimum space:..... 875x572x445 cm
- Free falling height:..... 145 cm
- Largest section:..... 301x145x6 cm
- Heaviest section:..... 100 kg
- Replacement parts:..... available
- Foundations:..... 5xPFs+6xPFI or 7xCF
- Assembly:..... 2 persons/16 h
- Ground constitution D:..... at least lawn
- Ground const. except D:..... at least sand
- Guaranteed safety:.....
- Impact protection net:..... 38 m²

5 59 146 5

eibe tema Sand Ship Nina

Scope of delivery / material data:



- 1 sand hoist: stainless steel, rubber.....
- 1 climbing pole: galvanised steel.....
- 1 steering wheel: HPL.....
- 1 anchor: HPL.....
- 1 sloping climbing net: plastic coated stainless Steel.....
- 1 climbing rope: plastic coated steel cable.....
- Wood construction: pressure impregnated pine... ..
- Post shoes: hot-galvanised steel.....

5 63 070 0


Prefabricated Foundation

5 63 073 0

Prefabricated foundation plate



5 59 146 5
eibe tema Sand Ship Nina 1:200





eibe tema Sand Ship with Sail

Here, many children can play together in the sand and set sail on the high seas as pirates or holidaymakers on their dream cruise. The awning protects the children from the sun and rain.

Play Value:

Creativity Experimentation
 Role-play Relaxation
 Promoting communication

Infobox:

Age range: 3 years and up
 Minimum space: 591x284x275 cm
 Free falling height: 20 cm
 Largest section: 360xØ14 cm
 Heaviest section: 45 kg
 Replacement parts: available
 Foundations:
 Assembly: 2 persons/4 h
 Ground constitution D: no special requirements
 Ground const. except D: no special requirements
 Guaranteed safety:
 Impact protection net:

5 59 140 0

eibe tema Sand Ship with Sail


Scope of delivery / material data:

6 corner bollards: pressure impregnated pine ...
 16 palisade sandpits – side sections: pressure impregnated pine
 1 bow: pressure impregnated pine
 3 sail masts: pressure impregnated pine
 1 awning: tent tarpaulin
 1 pennant line
 1 crane: pressure impregnated pine
 Post shoes: hot-galvanised steel

Please order the Wheelhouse (see below) and stainless steel Sand Sieve 5592390 (page 310) separately.



circle



5 59 140 0

eibe tema Sand Ship with Sail 1:200





Illustration does not correspond to the scope of delivery.



eibe tema Wheelhouse


Along with the rudder and ship's bell, this colourful Wheelhouse is a must for every sand ship.

Play Value:

Creativity Role-play

Infobox:

Age range: 3 years and up
 Minimum space: 126x100x180 cm
 Free falling height:
 Largest section: 199x62x11 cm
 Heaviest section: 28 kg
 Replacement parts: available
 Foundations:
 Assembly: 2 persons/1 h
 Ground constitution D: no special requirements
 Ground const. except D: no special requirements
 Guaranteed safety:
 Impact protection net:




5 59 122 0

eibe tema Wheelhouse

Scope of delivery / material data:

1 roof: pressure impregnated pine
 1 lifebelt: MDF exterior
 1 ship's bell: rubber, hot-galvanised steel
 2 side sections: MDF exterior
 1 front section: MDF exterior
 1 steering wheel: galvanised steel, plastic



5 59 122 0 eibe tema Wheelhouse



circle

elbe Rowing Boat

This Rowing Boat can also be set up as a sandpit because it has no floor and is steered by the children calling out to one another.

Play Value:

Creativity: Relaxation
Role-play:

Infobox:


Age range: 3 years and up
Minimum space: 314x102x240 cm
Free falling height: 60 cm
Largest section: 100x50x14 cm
Heaviest section: 40 kg
Replacement parts: available
Foundations:
Assembly: 2 persons/2 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety: 
Impact protection net:

5 59 113 0

elbe Rowing Boat

Scope of delivery / material data:

2 seat boards: pressure impregnated pine
1 steering wheel: HPL
1 mast: pressure impregnated pine
2 oars: PE
1 telescope: plastic
1 flag: tent canvas
Wood construction: pressure impregnated pine



5 59 113 0
elbe Rowing Boat



elbe tema Sand Raft

This rocking Sand Raft looks just the part for rollicking fantasies atop the ocean waves. The springs are best mounted on the **elbe** ground anchors or concrete foundations.

Play Value:

Relaxation Role-play

Infobox:

Age range: 3 years and up
Minimum space: 470x404x253 cm
Free falling height: 52 cm
Largest section: 200x170x11 cm
Heaviest section: 20 kg
Replacement parts: available
Foundations: 4x 5632280
Assembly: 2 persons/2 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn

Guaranteed safety: 
Impact protection net: 17 m²

5 67 122 0


elbe tema Sand Raft

Scope of delivery / material data:

1 raft: pressure impregnated pine
1 roof: pressure impregnated pine
4 springs: spring steel
1 mast: pressure impregnated pine
1 flag: tent canvas

5 63 228 0

Ground Anchor for elbe basis Spring Rockers 2



5 67 122 0
elbe tema Sand Raft
1:200





New

eibe basis Motion-active racing boat

Gliding over the water at high speed: you need a racing boat to do this. The fact that the racing boat is able to move in all directions, and it sleek looks, make the fantasy appear very real.

Play Value:



 Rocking Balancing
 Role play

Infobox:

 Age range: 3 years and up
 Minimum space: 500x400x280 cm
 Free falling height: 100 cm
 Largest section: 208x98x130 cm
 Heaviest section: 200 kg
 Replacement parts: available
 Foundations: 1x PFs or 1 x CF
 Assembly: 2 persons/1 h
 Ground constitution D: at least lawn
 Ground const. except D: at least lawn
 Guaranteed safety:
 Impact protection net: 18 m²
5 55 225 0
eibe basis Motion-active racing boat
Scope of delivery / material data:

 1 basic construction: hot-dip galvanized steel . . .
 1 motion element: hot-dip galvanized steel . . .
 1 floor area: pressure impregnated pine
 1 themed structure: HPL

5 63 073 0
Prefabricated foundation plate

5 55 225 0
eibe basis Motion-active racing boat 1:200


New

eibe basis Motion-active raft

Thanks to its unadorned appearance and movability in all directions, the motion-active raft leaves the children much room to enact their fantasies.


Play Value:

 Rocking Balancing
 Role play

Infobox:

 Age range: 3 years and up
 Minimum space: 500x400x280 cm
 Free falling height: 85 cm
 Largest section: 190x94x130 cm
 Heaviest section: 200 kg
 Replacement parts: available
 Foundations: 1x PFs or 1 x CF
 Assembly: 2 persons/1 h
 Ground constitution D: at least lawn
 Ground const. except D: at least lawn
 Guaranteed safety:
 Impact protection net: 18 m²
5 55 226 0
eibe basis Motion-active raft
Scope of delivery / material data:

 1 basic construction: hot-dip galvanized steel . .
 1 motion element: hot-dip galvanized steel . . .
 1 floor area: pressure impregnated pine
 1 holding bracket: stainless steel

5 63 073 0
Prefabricated foundation plate

5 55 226 0
eibe basis Motion-active raft 1:200

- Exchangeable bearing
- Holding grips and countersunk areas for safe play
- Maintenance-free themed paneling



eibe tema Lighthouse H=8m with Broad Slide

The attraction in any playground or amusement park that promises pure sliding fun. We would also be happy to manufacture a lighthouse in accordance with your wishes.

There is no access to the upper platform.

Play Value:

Sliding: Climbing
Role-play:

Infobox:

Age range: 3 years and up
Minimum space: 1041x600x868 cm
Free falling height: 296 cm
Largest section: 300x300x800 cm
Heaviest section: 420 kg
Replacement parts: available
Foundations: 3xCF
Assembly: 2 persons/40 h
Ground constitution D: at least sand
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 39,5 m²

5 51 852 0



eibe tema Lighthouse H=8m with Broad Slide

Scope of delivery / material data:

1 lighthouse: steel primed and lacquered
1 broad, wavy slide: stainless steel



5 51 852 0
eibe tema Lighthouse
H=8m with Broad Slide
1:200





eibe tema Iceberg with Toboggan Run

Scaling the peak of the Iceberg provides hours of fun for both young and old. The impact-attenuating tiles protecting the area around the Iceberg are comprised in the delivery. Platform height = 5.5 m. Available with or without slide.

Play Value:

Climbing Sliding
Dexterity Body control

Infobox:

Age range: 3 years and up
Minimum space: 2060x1808x730 cm
Free falling height: 300 cm
Largest section: 210x210x300 cm
Heaviest section: 500 kg
Replacement parts: available
Foundations: 3xCF
Assembly: 3 persons/25 h
Ground constitution D: Concrete
Ground const. except D: Concrete
Guaranteed safety:
Impact protection net: 112 m²

5 51 850 0

eibe tema Iceberg with Toboggan Run

Scope of delivery / material data:

1 iceberg: lorry truck tarpaulin
1 curved toboggan run PH 5.50m: stainless steel

Infobox:



Age range: 3 years and up
Minimum space: Ø1808x730 cm
Free falling height: 300 cm
Largest section: 210x210x300 cm
Heaviest section: 500 kg
Replacement parts: available
Foundations: 3xCF
Assembly: 3 persons/25 h
Ground constitution D: Concrete
Ground const. except D: Concrete
Guaranteed safety:
Impact protection net: 110 m²

5 51 854 0


eibe tema Iceberg

Scope of delivery / material data:

1 iceberg: lorry truck tarpaulin



5 51 850 0
eibe tema Iceberg with Toboggan Run
1:300



5 51 854 0
eibe tema Iceberg
1:300



**Themed play
- individual play
equipment**



Vehicles - we're fast on our way.

Feel like a genuine racing car driver, explore the jungle at the helm of a jeep, or bring the passengers safely to their destination as an engine driver.

Every child can take the wheel and experience fantasy adventures.








tema

New

Themed individual play equipment
Vehicles



- robust replaceable bearing, no risk of injury
- holding grips and countersunk areas for safe playing
- maintenance-free themed paneling



5 55 224 0
elbe basis Motion-active racing car
1:100

**elbe basis Bewegungsaktiver
elbe basis Motion-active
racing car**

Feel like a genuine racing car driver for once: this racing car that can move to all sides makes it possible. The appearance and the great flexibility of the play car makes it easy for the children to adapt this role.

Play Value:

Rocking Balancing
Role play

Infobox:

Age range: 4 years and up
Minimum space: 620x540x300 cm
Free falling height: 175 cm
Largest section: 220x95x5 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 9xCF
Assembly: 2 persons/10 h
Ground constitution D: min. requirement: pebbles
Ground const. except D: at least lawn
Guaranteed safety: -
Impact protection net: 34 m²

5 55 224 0
elbe basis Motion-active racing car

Scope of delivery / material data:

- 1 basic construction: hot-dip galvanized steel . . .
- 1 motion element: hot-dip galvanized steel.
- 1 floor area: pressure impregnated pine
- 1 themed structure: HPL
- 1 holding bracket: stainless steel

5 63 073 0
Prefabricated foundation plate

eibe

119.





eibe tema Safari Jeep

Just like going on a journey of discovery in Africa to look at the wild animals: in the Safari Jeep with the zebra stripes – no problem!

Play Value:

Creativity: Relaxation
Role-play:

Infobox:

Age range: 3 years and up
Minimum space: 527x362x260 cm
Free falling height: 70 cm
Largest section: 262x131x146 cm
Heaviest section: 200 kg
Replacement parts: available
Foundations: 4xCF
Assembly: 2 persons/6 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety:
Impact protection net: 18 m²

5 59 078 0


eibe tema Safari Jeep

Scope of delivery / material data:

1 safari jeep: pressure impregnated pine, GRP printed, HPL.

5 63 070 0

Prefabricated Foundation



eibe tema Safari Jeep with Springs

Infobox:

Age range: 3 years and up
Minimum space: 527x362x260 cm
Free falling height: 96 cm
Largest section: 262x131x146 cm
Heaviest section: 200 kg
Replacement parts: available
Foundations: 4xCF
Assembly: 2 persons/6 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety:
Impact protection net: 18 m²

5 59 077 0


eibe tema Safari Jeep with Springs

Scope of delivery / material data:



1 safari jeep: pressure impregnated pine, GRP printed, HPL.
4 springs: spring steel

5 63 228 0


Ground Anchor for eibe basis Spring Rockers 2



5 59 078 0
eibe tema
Safari Jeep
1:100



5 59 077 0
eibe tema
Safari Jeep
with Springs
1:100





tema

Themed individual play equipment
Vehicles



Scope of Supply: 1 chimney stack!

elbe tema Large train: engine, tender, and wagon

Whether as the engine driver at the helm of the engine, or as a passenger in the roofed wagon - playing on the train never gets boring.

Play Value:

Creativity Crawling
Relaxation Role-play

Infobox:

Age range: 3 years and up
Minimum space: 500x425x264 cm
Free falling height: 84 cm
Largest section: 212x110x50 cm
Heaviest section: 140 kg
Replacement parts: available
Foundations: 0
Assembly: 2 persons/6 h
Ground constitution D: at least lawn
Ground const. except D: at least lawn
Guaranteed safety:
Impact protection net: 19,5 m²




5 59 116 0

elbe tema Large Train Locomotive

Scope of delivery / material data:

1 semi-circle hull: GFK
1 engine driver's cab: MDF exterior, red
6 wheels: pressure impregnated pine
1 platform floor for driver's cab: press. impr. pine
1 roof: pressure impregnated pine, Beto-plan disc
1 chimney stack: pressure impregnated pine



5 59 116 0


elbe tema Large Train Locomotive 1:200

5 59 117 0

elbe tema Large Train Tender

Scope of delivery / material data:

2 side walls: pressure impregnated pine
1 platform floor: pressure impregnated pine
4 wheels: pressure impregnated pine
4 side sections: MDF exterior, red.



5 59 117 0


elbe tema Large Train Tender 1:200

5 59 118 0

elbe tema Large Train Wagon


Scope of delivery / material data:

2 side walls: pressure impregnated pine
1 platform floor: pressure impregnated pine
4 wheels: pressure impregnated pine
1 wagon body: MDF exterior, red.
1 roof: pressure impregnated pine, Beto-plan disc



5 59 118 0

elbe tema Large Train Wagon 1:200



5 59 079 0

elbe tema Chain-Linked Train 1:200

elbe tema Chain-Linked Train

The **elbe tema** chain train is chugging along, and everybody is coming with us! The individual wagons are connected by a fine link chain made of galvanized steel.


Play Value:

Creativity Relaxation
Role-play

Infobox:

Age range: 3 years and up
Minimum space: 692x360x230 cm
Free falling height: 70 cm

Largest section: 130x60x70 cm
Heaviest section: 50 kg
Replacement parts: available
Foundations:
Assembly: 1 person/0.5 h
Ground constitution D: . . . min. requirement: lawn
Ground const. except D: . . . min. requirement: lawn
Guaranteed safety:
Impact protection net: 23 m²



5 59 079 0

elbe tema Chain-Linked Train

Scope of delivery / material data:


1 locomotive: pressure impregnated pine
1 wagon: pressure impregnated pine
1 passenger car: pressure impregnated pine

eibe

121.



**Themed play
- individual play
equipment**




Tree houses - high up in the trees

Every child loves a hiding place all the way up. The tree house is ideal for secret conversations and clandestine meetings. And it is perfect for observing the environment.



5 66 355 5
elbe tema Tree
House with
Slide
1:200



elbe tema Tree House with Slide

The Tree House, built around a central column, is ideal as a hiding place, retreat, look-out post or as a backdrop for hours of role-playing fun.

Infobox:

Age range: 3 years and up
Minimum space: 880x557x405 cm
Free falling height: 145 cm
Largest section: 411xØ14 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 3xPFs+3CF or 6xCF
Assembly: 3 persons/8 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 34,5 m²

5 66 355 5

elbe tema Tree House with Slide

Scope of delivery / material data:

1 short rope ladder: plastic coated steel cable, . . . plastic
2 barrier ropes: plastic coated steel cable
1 roof: pressure impregnated pine
1 flag: tent canvas
1 climbing pole: galvanised steel
1 slide PH 145: GRP
Wood construction: pressure impregnated pine
Post shoes: hot-galvanised steel

5 63 070 0

Prefabricated Foundation



elbe tema Tree House

Play Value:

Climbing Dexterity
Sliding Creativity
Role-play

Infobox:

Age range: 3 years and up
Minimum space: 555x553x405 cm
Free falling height: 145 cm
Largest section: 411xØ14 cm
Heaviest section: 60 kg
Replacement parts: available
Foundations: 2xPFs+3CF or 5xCF
Assembly: 3 persons/8 h
Ground constitution D: at least lawn
Ground const. except D: at least sand
Guaranteed safety:
Impact protection net: 25,5 m²

5 66 358 5
elbe tema
Tree House
1:200



5 66 358 5

elbe tema Tree House

Scope of delivery / material data:

1 short rope ladder: plastic coated steel cable, plastic
2 barrier ropes: plastic coated steel cable
1 roof: pressure impregnated pine
1 flag: tent canvas
1 climbing pole: galvanized steel
Wood construction: pressure impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Prefabricated Foundation

