


Discover the world of play



New in 2009

Playground equipment catalogue 2008/09



Valid from February 2009





eibe fantallica two-level horizontal bars

The two-level horizontal bars is ideal for budding little gymnasts. The heights of the horizontal bars 82 cm and 132 cm. (For schools, we recommend 132 cm and 107 cm heights.)

Play Value:

Strength training	Body control
Gymnastics	Swinging

Infobox:



Minimum space:	518x300x340 cm
Free falling height:	132 cm
Largest section:	215x9x9 cm
Heaviest section:	20 kg
Foundations:	Concrete foundation 3x
Assembly:	2 persons/2 h
Impact protection net:	15,5 m²

5 55 209 0

eibe fantallica two-level horizontal bars

Scope of delivery / material data:

3 posts: steel,
hot-dip galvanized and powder-coated steel
2 horizontal bars: stainless steel



5 55 209 0
eibe fantallica two-level horizontal bars
1:200

eibe fantallica three-level horizontal bars

Here, three children can do gymnastics exercises simultaneously. The heights of the horizontal bars 107 cm, 132 cm and 155 cm.

Play Value:

Strength training	Body control
Gymnastics	Swinging

Infobox:



Minimum space:	687x360x340 cm
Free falling height:	155 cm
Largest section:	238x9x9 cm
Heaviest section:	22 kg
Foundations:	Concrete foundation 4x
Assembly:	2 persons/2.5 h
Impact protection net:	24,7 m²

5 55 210 0



eibe fantallica three-level horizontal bars

Scope of delivery / material data:

4 posts: steel,
hot-dip galvanized and powder-coated steel
3 horizontal bars: stainless steel



5 55 210 0
eibe fantallica three-level horizontal bars
1:200





new!

elbe minimondo Dandelion

With the minimondo Dandelion, we created a play unit that will fascinate young children. It is their gate into the wonderful world of play.

Play Value:

Sliding	Crawling
Climbing	Dexterity
Promoting motion	

Infobox:

Age range:	2 years and up
Minimum space:	653x522x239 cm
Free falling height:	59 cm
Largest section:	1400x490x350 cm
Heaviest section:	55 kg
Replacement parts:	available
Foundations:	22xPFs or 2xCF
Ground constitution D:	no requirement specified
Ground const. except D:	no requirement specified
Impact protection net:	8 m ²

5 59 836 5

elbe minimondo Dandelion

Scope of delivery / material data:

1 slide:	HPL, stainless steel
1 stairway:	HPL
4 fence elements:	stainless steel, PE
1 fence element Sea grass:	stainless steel, HPL
7 platform levels:	HPL
1 roof:	HPL, Makrolon
1 roof:	HPL
wall element with windows and shutters:	HPL, stainless steel
1 seat bench:	HPL
1 wooden floor:	HPL, pressure impregnated pine
1 crawling tube:	PP

3 parapet Shamrock: HPL, stainless steel

3 parapets Blossom: HPL, stainless steel, Makrolon

1 top Hedgehog: HPL, PE

1 top Dandelion: HPL, Makrolon

hot-dip galvanized steel

2 wobbly transitions with chains:



hot-dip galvanized steel, rubber, PE

Wood construction: pressure-impregnated pine

Post shoes: hot-dip galvanized steel

5 63 070 0

Pre-fabricated foundation (PF)



5 59 836 5

elbe minimondo Dandelion
1:200




eibe minimondo Elephant Family

Children love the compact Elephant Family for its animal design. Unspoilt crawling and sliding fun!

Play Value:

Sliding	Crawling
Climbing	

Infobox:

Age range:	2 years and up
Minimum space:	641x469x265 cm
Free falling height:	85 cm
Largest section:	2150x490x700 cm
Heaviest section:	80 kg
Replacement parts:	available
Foundations:	8xPFs or 2xJMF
Assembly:	2 persons/10 h
Ground constitution D:	minimum top soil
Ground const. except D:	minimum top soil
Guaranteed safety:	 5 years warranty
Impact protection net:	21 m²

5 59 837 5



eibe minimondo Elephant Family

Scope of delivery / material data:

1 slide: HPL, stainless steel
1 stairway: HPL
1 fence elements: stainless steel, PE
1 crawling tube: PP
2 platform levels: HPL
1 top Jungle: HPL
1 top Little Elephant: HPL
2 elephant ears: HPL
Wood construction: pressure-impregnated pine
Post shoes: hot-dip galvanized steel



5 63 070 0

Pre-fabricated foundation (PF)



5 59 837 5
eibe minimondo Elephant Family
1:200





5 59 838 5
eibe minimondo Coral
1:200

eibe minimondo Coral

Diving with the dolphins. Pure delight for all children! minimondo Coral transports tiny tots into a breathtaking underwater world.

Play Value:

Sliding

Climbing

Crawling

Dexterity

Infobox:

Age range:	2 years and up
Minimum space:	698x593x265 cm
Free falling height:	85 cm
Largest section:	2150x490x700 cm
Heaviest section:	80 kg
Replacement parts:	available
Foundations:	11xPFs or 3xCF
Ground constitution D:	minimum top soil
Ground const. except D:	minimum top soil
Impact protection net:	27 m ²

5 59 838 5


eibe minimondo Coral

Scope of delivery / material data:

1 parapet Jellyfish: HPL, PU
2 fence element Sea grass: stainless steel, HPL
1 slide: HPL, stainless steel
1 rung ascent: HPL, ash
1 net transition: plastic-coated steel cable, stainless steel, HPL
1 roof: HPL
wall element with windows and shutters: HPL, stainless steel
1 seat bench: HPL
2 platform levels: HPL
1 wooden floor: HPL, pressure impregnated pine
Wood construction: pressure-impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Pre-fabricated foundation (PF)





eibe minimondo Ivy

The minimondo Ivy play unit with its rather abstract design convinces by an obstacle coursed that poses some challenges.

Play Value:

Sliding	Crawling
Climbing	Dexterity
Promoting motion	

Infobox:

Age range:	2 years and up
Minimum space:	640x607x265 cm
Free falling height:	85 cm
Largest section:	2150x490x700 cm
Heaviest section:	80 kg
Replacement parts:	available
Foundations:	14xPFs or 4xCF
Ground constitution D:	minimum top soil
Ground const. except D:	minimum top soil
Impact protection net:	20 m²

5 59 839 5


eibe minimondo Ivy

Scope of delivery / material data:

1 slide: HPL, stainless steel
1 stairway: HPL
1 fence element: stainless steel, PE
1 fence element Sea grass: stainless steel, HPL
4 platform levels: HPL
1 runged ascent: HPL, ash
1 roof: HPL, Makrolon
1 ascent: HPL
3 arcs: HPL
1 transition Snake: stainless steel, HPL
1 transition Caterpillar: stainless steel, HPL
Wood construction: pressure-impregnated pine
Post shoes: hot-dip galvanized steel

5 63 070 0

Pre-fabricated foundation (PF)



5 59 839 5
eibe minimondo Ivy
1:200





eibe fit Panna Flex, height 60cm

The Panna Flex gives the impression of a small arena. It makes kicking the ball a special experience. The robust and sturdy play unit convinces with a great design.

Play Value:

Kicking **Promoting communication**
Promoting motion

Infobox:

Age range:	4 years and up
Minimum space:	Ø650x250 cm
Free falling height:	- - cm
Largest section:	165x35x123 cm
Heaviest section:	50 kg
Replacement parts:	available
Foundations:	12 x CF or 12 x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	35 m²




5 53 041 0



eibe fit Panna Flex, height 60cm

Scope of delivery / material data:

2 goals: hot-dip galvanized and
powder-coated steel
8 posts: hot-dip galvanized steel
and powder-coated
10 side fences: HPL
2 goal panels: HPL

new!





**elbe fit Panna Flex,
height 90cm**



The Panna Flex gives the impression of a small arena. It makes kicking the ball a special experience. The robust and sturdy play unit convinces with a great design.


Play Value:
Kicking **Promoting communication**
Promoting motion

Infobox:	
Age range:	4 years and up
Minimum space:	750x740x250 cm
Free falling height:	-- cm
Largest section:	225x60x160 cm
Heaviest section:	75 kg
Replacement parts:	available
Foundations:	10 x CF or 10 x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	45 m ²

5 53 004 0
elbe fit Panna Flex, height 90cm

Scope of delivery / material data:	
2 goals:	hot-dip galvanized and powder-coated steel
6 posts:	hot-dip galvanized steel and powder-coated
8 side fences:	HPL
2 goal panels:	HPL





eibe fit soccer goal Playland Flex

The little goal for the big moments in sports. Sturdy metal and HPL construction.

Play Value:

Endurance Promoting communication
Social skills

Infobox:


Age range: 4 years and up
Minimum space: 160x600x120 cm
Largest section: 220x60x160 cm
Heaviest section: 75 kg
Replacement parts: available
Foundations: 4x CF or 4x screw-mounted foundation
Ground constitution D: minimum stone
Ground const. except D: minimum stone
Impact protection net: 6 m²

5 53 012 0

eibe fit soccer goal Playland Flex




Scope of delivery / material data:

1 goal with goal panel
2 HPL side fences
2 posts, galvanized and powder-coated steel



5 53 012 0

eibe fit soccer goal Playland Flex
1:100



eibe fit Playland Flex 240


The **eibe** playland Flex provides for a wide variety of physical activities. Basketball, soccer, volleyball - it is suitable for all kinds of sports.

Play Value:	
Endurance	Promoting communication
Social skills	

Infobox:	
Age range:	4 years and up
Minimum space:	1220x2320x380 cm
Largest section:	200x90x15 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	34 x CF or 34 x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	260 m ²

5 53 000 0
eibe fit Playland Flex 240

Scope of delivery / material data:	
	2 goals with basketball equipment
	22 HPL side fences
	24 posts, galvanized and powder-coated steel



eibe fit Playland Flex 330

Thanks to its sturdy construction, the playland Flex system offers a variety of sports over a long service life. Getting the playmates together for a game of soccer is just one of many great options.

Play Value:

Endurance **Promoting communication**
Social skills

Infobox:



Age range:	4 years and up
Minimum space:	1790x3110x380 cm
Largest section:	200x90x15 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	48x CF or 48x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	515 m ²


eibe fit Playland Flex 330

Scope of delivery / material data:

2 goals with basketball equipment
36 HPL side fences
38 posts, galvanized and powder-coated steel

5 53 001 0





elbe fit Playland Flex 420

playland Flex - the solid multi-sports-system for extensive exercise. Extra-wide range of options.

Play Value:
Endurance **Promoting communication**
Social skills

Infobox:



Age range:	4 years and up
Minimum space:	2640x4260x380 cm
Largest section:	200x90x15 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	64x CF or 64x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	1060 m ²


elbe fit Playland Flex 420

Scope of delivery / material data:

2 goals with basketball equipment
52 HPL side fences
54 posts, galvanized and powder-coated steel

5 53 002 0





eibe fit Playland Flex L-shape

Whether soccer, volleyball or basketball: The Playland Flex system caters to all tastes in sports. The sturdy construction is suitable for a large variety of sports.

Play Value:

Endurance Promoting communication

Social skills

Infobox:



Age range:	4 years and up
Minimum space:	2980x3010x380 cm
Largest section:	200x90x15 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	60x CF or 60x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	600 m ²

5 53 003 0

eibe fit Playland Flex L-shape

Scope of delivery / material data:

3 goals with basketball equipment
43 HPL side fences
45 posts, galvanized and powder-coated steel





**eibe fit goal unit
Playland Flex**

This unit is not only a haven for budding football stars. It is also perfect for scoring baskets. Multi-functionality for great playing fun over a long service life.


Play Value:	
Endurance	Promoting communication
Social skills	

Infobox:	
Age range:	4 years and up
Minimum space:	450x300x400 cm
Largest section:	220x60x160 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	5 x CF or 5 x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	12 m ²


5 53 013 0

eibe fit goal unit Playland Flex

Scope of delivery / material data:
1 goal with basketball equipment
HPL boards
Metal construction galvanized, powder-coated steel



5 53 013 0
eibe fit goal unit Playland Flex
1:200



eibe fit goal unit with side fences Playland Flex

Scoring baskets or goals: The goal unit is the ideal backdrop for a good soccer or basketball workout.

Play Value:

Endurance Promoting communication

Social skills

Infobox:


Age range:	4 years and up
Minimum space:	850x300x400 cm
Largest section:	220x60x160 cm
Heaviest section:	100 kg
Replacement parts:	available
Foundations:	9 x CF or 9 x screw-mounted foundation
Ground constitution D:	minimum stone
Ground const. except D:	minimum stone
Impact protection net:	16 m ²

5 53 014 0

eibe fit goal unit with side fences Playland Flex


Scope of delivery / material data:

1 goal with basketball equipment
HPL boards
Metal construction galvanized, powder-coated steel
2 HPL side fences
4 posts, galvanized and powder-coated steel



5 53 014 0

eibe fit goal unit with side fences Playland Flex
1:200



**eibe fit Aktiv-Station
stepped path**

Balancing over the steps is a challenge to the dexterity of children of all age groups.

Benefits:


Hip	Back
Legs	Coordination
Motor skills	

Infobox:	
Minimum space:	320x450x600 cm
Free falling height:	20 cm
Largest section:	9x9x177 cm
Heaviest section:	ca. 28 kg
Replacement parts:	available
Foundations:	8 x concrete foundation
	for metal parts
Assembly:	2 persons/5 h
Impact protection net:	27 m²


5 54 000 0


eibe fit Aktiv-Station stepped path

Scope of delivery / material data:	
4 posts, hot-dip galvanized and powder-coated	
2 stainless steel hand rails with balls	
9 palisades, rubber granulate	
4 parapets, HPL	



5 54 000 0
eibe fit Aktiv-Station stepped path
1:100





new!

eibe fit Aktiv-Station treadmill

This unit allows users of different body heights to enjoy running on the spot.

Benefits:

Endurance	Concentration
Leg muscles	

Infobox:


Minimum space:	320x450x450 cm
Free falling height:	20 cm
Largest section:	22x450x155 cm
Heaviest section:	ca. 55 kg
Replacement parts:	available
Foundations:	9 x concrete foundation
Assembly:	2 persons/3.5 h
Impact protection net:	20,25 m ²

5 54 001 0

eibe fit Aktiv-Station treadmill

Scope of delivery / material data:


3 posts, hot-dip galvanized and powder-coated
2 handrail sets
2 roller bars
3 parapets, HPL




5 54 001 0

eibe fit Aktiv-Station treadmill

1:100





**eibe fit Aktiv-Station
leg trainer**

On-the-spot motion training - a physical activity that can be enjoyed by the young and the old.

Benefits:

Agility	Endurance
Motor skills	

Infobox:


Minimum space:	320x380x480 cm
Free falling height:	23 cm
Largest section:	9x9x186 cm
Heaviest section:	ca. 30 kg
Replacement parts:	available
Foundations:	6 x concrete foundation
Assembly:	2 persons/3.5 h
Impact protection net:	18,24 m ²

5 54 002 0

eibe fit Aktiv-Station leg trainer

Scope of delivery / material data:

3 posts, hot-dip galvanized and powder-coated
1 hand rail set
4 foot rests, stainless steel
3 parapets, HPL



5 54 002 0
eibe fit Aktiv-Station leg trainer
1:100



eibe fit Aktiv-Station parallel swing unit

All-year-round training of side swings and curving, not only for ski enthusiasts. Suitable for all age groups.

Benefits:

Hip

Coordination

Legs

Infobox:



Minimum space:	320x380x400 cm
Free falling height:	23 cm
Largest section:	9x9x194 cm
Heaviest section:	ca. 30 kg
Replacement parts:	available
Foundations:	2 x concrete foundation
Assembly:	2 persons/3 h
Impact protection net:	15,2 m²

5 54 003 0

eibe fit Aktiv-Station parallel swing unit


Scope of delivery / material data:

1 post, hot-dip galvanized and powder-coated
2 foot rests, stainless steel
1 parapet, HPL



5 54 003 0

eibe fit Aktiv-Station
parallel swing unit
1:100




**eibe fit Aktiv-Station
sit-up bike**
Work on your agility and fitness while
sitting up in a relaxed position.

Benefits:	
Agility	Endurance
Leg muscles	


Infobox:	
Minimum space:	320x380x480 cm
Free falling height:	50 cm
Largest section:	9x9x160 cm
Heaviest section:	ca. 35 kg
Replacement parts:	available
Foundations:	5 x concrete foundation
Assembly:	2 persons/4 h
Impact protection net:	18,24 m²

5 54 004 0

eibe fit Aktiv-Station sit-up bike	
Scope of delivery / material data:	
1 post, hot-dip galvanized and powder-coated	
1 seat unit, stainless steel	
1 pedal unit, stainless steel	
1 parapet, HPL	



5 54 004 0
eibe fit Aktiv-Station sit-up bike
1:100



eibe fit Aktiv-Station hand bike

This ergonomically designed unit offers the possibility to communicate with each other while pursuing physical activity.

Benefits:

Shoulders	Upper body
Coordination	Endurance

Infobox:

Minimum space:	320x380x510 cm
Free falling height:	0 cm
Largest section:	9x9x186 cm
Heaviest section:	ca. 30 kg
Replacement parts:	available
Foundations:	6 x concrete foundation
Assembly:	2 persons/3 h
Impact protection net:	19,38 m²


5 54 005 0


eibe fit Aktiv-Station hand bike

Scope of delivery / material data:

3 post, hot-dip galvanized and powder-coated
2 rotating structures, stainless steel
3 parapets, HPL

5 54 005 0
eibe fit Aktiv-Station hand bike
1:100





**eibe fit Aktiv-Station
pendulum**

Paddling, dancing, shadow boxing - so many things to do for one or two players! Suitable for the young and the old.


Benefits:	
Shoulders	Upper
body	Motor
skills	Endurance

Infobox:	
Minimum space:	320x400x420 cm
Free falling height:	0 cm
Largest section:	15x66x180 cm
Heaviest section:	ca. 45 kg
Replacement parts:	available
Foundations:	Concrete foundation 4x
Assembly:	2 persons/3 h
Impact protection net:	16,8 m²


5 54 006 0

eibe fit Aktiv-Station pendulum

Scope of delivery / material data:
2 motion pendulums, stainless steel



5 54 006 0
eibe fit Aktiv-Station Pendulum
1:100



elbe fit Aktiv-Station **Upper body trainer**

Work on your agility and fitness while sitting up in a relaxed position.

Benefits:

Agility

Upper body

Motor skills

Infobox:

Minimum space:	320x430x460 cm
Free falling height:	49 cm
Largest section:	50x70x175 cm
Heaviest section:	ca. 40 kg
Replacement parts:	available
Foundations:	5 x concrete foundation
Assembly:	2 persons/3.5 h
Impact protection net:	19,78 m ²

elbe fit Aktiv-Station Upper body trainer

Scope of delivery / material data:

2 post, hot-dip galvanized and powder-coated

1 seat / recliner, galvanized and

powder-coated, stainless steel

1 HPL seat board



5 54 007 0


5 54 007 0

elbe fit Aktiv-Station

Upper body trainer

1:100





**eibe fit Aktiv-Station
Hip and back trainer**

Fun to use for one or two players.
Swinging, twirling, and dancing while
sitting down or standing up.

Benefits:

Agility	Spine
Hip	

Infobox:	
Minimum space:	320x380x440 cm
Free falling height:	62 cm
Largest section:	9x9x194 cm
Heaviest section:	ca. 30 kg
Replacement parts:	available
Foundations:	Concrete foundation 4x
Assembly:	2 persons/3 h
Impact protection net:	16,72 m²


5 54 008 0

**eibe fit Aktiv-Station Hip and back
trainer**


Scope of delivery / material data:

1 post, hot-dip galvanized and powder-coated
1 set of handles
2 support posts, stainless steel
1 parapet, HPL

5 54 008 0
eibe fit Aktiv-Station
Hip and back trainer
1:100



new!



eibe fit Aktiv-Station Wall bars

Compact unit for an endless variation of exercises - an attraction for users of all age groups.

Benefits:

Spine

Agility

Back

Power

Infobox:

Minimum space:	420x520x520 cm
Free falling height:	220 cm
Largest section:	9x9x266 cm
Heaviest section:	ca. 35 kg
Replacement parts:	available
Foundations:	Concrete foundation 3x
Assembly:	2 persons/3 h
Impact protection net:	27,04 m ²


5 54 009 0


eibe fit Aktiv-Station Wall bars

Scope of delivery / material data:

1 post, hot-dip galvanized and powder-coated
1 rung ladder, hot-dip galvanized and powder-coated
stainless steel
2 parapets, HPL

5 54 009 0
eibe fit Aktiv-Station
Wall bars
1:200





**eibe fit Aktiv-Station
leg massage**

Relaxation and massage unit

Benefits:	
Muscles	Coordination
Agility	


Infobox:	
Minimum space:	320x420x430 cm
Free falling height:	0 cm
Largest section:	9x9x221 cm
Heaviest section:	ca. 32 kg
Replacement parts:	available
Foundations:	6 x concrete foundation
Assembly:	2 persons/3 h
Impact protection net:	18,06 m²


5 54 010 0

eibe fit Aktiv-Station leg massage

Scope of delivery / material data:
2 post, hot-dip galvanized and powder-coated
2 hand rails
4 massage rollers, injection moulded, stainless steel
2 HPL boards

5 54 010 0
eibe fit Aktiv-Station
Leg massage
1:100





eibe fit Aktiv-Station Hip and back massage

Relaxation and massage unit - a taste of the spa. Suitable for all age groups.

Benefits:

Hip

Shoulders

Back

Infobox:

Minimum space:	320x380x400 cm
Free falling height:	0 cm
Largest section:	9x9x221 cm
Heaviest section:	ca. 32 kg
Replacement parts:	available
Foundations:	Concrete foundation 4x
Assembly:	2 persons/3.5 h
Impact protection net:	15,2 m ²

5 54 011 0

eibe fit Aktiv-Station Hip and back massage

Scope of delivery / material data:

2 post, hot-dip galvanized and powder-coated
Massage equipment injection moulded
and stainless steel
2 parapets, HPL

5 54 011 0
eibe fit Aktiv-Station
Hip and back massage
1:100

